## Journal of Comparative International Management



## **Predicting New Product Success or Failure:**

A Comparison of U.S. and U.K. Practices

David Berkowitz, Brent M. Wren et E. Stephen Grant

Volume 10, numéro 1, june 2007

URI: https://id.erudit.org/iderudit/jcim10\_1art04

Aller au sommaire du numéro

Éditeur(s)

**Management Futures** 

ISSN

1481-0468 (imprimé) 1718-0864 (numérique)

Découvrir la revue

#### Citer cet article

Berkowitz, D., Wren, B. M. & Grant, E. S. (2007). Predicting New Product Success or Failure:: A Comparison of U.S. and U.K. Practices. *Journal of Comparative International Management*, 10(1), 50–65.

#### Résumé de l'article

We propose a model that allows managers to assess new product development (NPD) projects, combined with the anticipated strategy, prior to introduction and to estimate a probability of success. This model allows for an evaluation and prioritization of resource commitments. A test of this model that compares companies within the United States (U.S.) and the United Kingdom (U.K.) is provided.

All rights reserved © Management Futures, 2007

Ce document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

https://apropos.erudit.org/fr/usagers/politique-dutilisation/



# Predicting New Product Success or Failure: A Comparison of U.S. and U.K. Practices

# by David Berkowitz Brent M. Wren

University of Alabama, Huntsville, U.S.A.

E. Stephen Grant

University of New Brunswick, Canada

We propose a model that allows managers to assess new product development (NPD) projects, combined with the anticipated strategy, prior to introduction and to estimate a probability of success. This model allows for an evaluation and prioritization of resource commitments. A test of this model that compares companies within the United States (U.S.) and the United Kingdom (U.K.) is provided.

#### Introduction

It has been estimated that on average more than 35% of firm revenues are generated from products that did not exist 5 years ago. In many high tech industries the percentage is substantially greater (Nambisan, 2003; Griffin, 1997). Realizing the impact of new products on the revenue stream, firms spend significant amounts of money developing and commercializing "fresh", "new and improved", "competitively superior" products for the marketplace. However, the new product failure rates continue to remain high, with only slightly more than half of all products launched attaining any degree of commercial success. A commercial failure has both monetary and non-monetary (e.g., brand equity, image) implications for a firm.

Given the amount of resources that are devoted to new product launches, and the potential downside consequences of a product failure, it is critical that new product development (NPD) managers focus on engaging the most appropriate strategies and activities to help ensure commercial success. One of the most important issues that managers face is determining which products and technologies have the potential to be successful, prior to risking precious capital, time, and human resources. To complicate matters, often times it is not the product alone that contributes to the level of success, but rather the strategy employed by the firm to help position the product in the marketplace.

While there have been studies that have tried to link strategy with new product introduction (c.f. Gatignon and Xuereb, 1997; Souder and Song, 1997), few

studies have explored the role of strategy as it interacts with product introduction. Furthermore, in the absence of data and prior to product launch, it is difficult to predict whether a product will achieve success. It is critical that the manager have some tools to help assess the likelihood of project success before committing significant additional capital. In this paper, we explore the similarities and differences in NPD in the United States (U.S.) and United Kingdom (U.K.) in order to develop a profile of attributes combined with the strategies used, that have led to new product success. The technique that we use allows for the manager to assess the project, combined with the anticipated strategy, prior to introduction and to estimate a probability of success.

The rest of the paper is organized as follows. Using the previous literature on success, we develop a conceptual model of NPD success, then test the model in the two countries. We analyze our data by developing a logistic regression model to predict the success of high tech NPD projects in the U.S. and U.K. We conclude by providing a discussion of findings and managerial implications.

#### Literature Review

#### Conceptual Model Development

The development of our model was influenced by previous studies in NPD. Recent literature reviews helped us develop the constructs and relationships explored in our conceptual model. Specifically, we have relied on the work of Gatignon and Xuereb (1997), Souder and Song (1997), Song and Parry (1996), Brown and Eisenhardt (1995), Montoya-Weiss and Calantone (1994), and Song, Souder, and Dyer (1997).

Gatignon and Xuereb (1997) develop a structural model to investigate strategic orientation and new product performance. They evaluated three facets of orientation: customer orientation, competitive orientation, and technological orientation. Taking a contingency approach, they found that (under different market conditions) different orientations were more influential moderators of success. Specifically, they found that firms wanting to produce superior products relative to competition required technological orientation, while firms that were in highgrowth markets were better positioned with competitive orientation. Alternatively, firms that were in uncertain markets were better performers when they had a consumer and technology oriented strategy. Finally, the competitive orientation was important when demand was more certain.

Souder and Song (1997) developed a model that incorporates strategic trade-offs as a predictor of commercial success. Song and Parry (1996) identified two important determinants of new product success. They found that cross-functional integration and product competitive advantage were critical for new product success. Brown and Eisenhardt (1995) combined three major streams of research. Their research suggests that an efficient process, an effective product, and large markets were all contributors to financial success. Song, Souder, and Dyer (1997)

developed a causal model, which embodies the above findings. Their model proposes that five factors lead to marketing and technical proficiency, which in turn determined product quality and ultimately new product success or failure.

Thus, the previous empirical work leaves two gaps in our understanding. First, the previous work has focused only on understanding success within the context of various antecedents, while not including moderating effects of variables such a strategy, that are likely to influence the outcome of success. Second, with the exception of Song, Souder and Dyer (1997), previous research has focused primarily on success for NPD within U.S. firms. Our research hopes to further our understanding by incorporating antecedents as well as moderators of success, while extending our knowledge beyond U.S. firms. Figure 1 is a conceptual figure which depicts our model.

Product Commitment **Obsolescence** Strategy Strategy Competitive Intensity Customer & Technical Success Knowledge Marketing Skills **Proficiency** Market Fit Technical

Figure 1: Conceptual Model Development

### Construct Definition and Hypothesis Development

#### Success

We define the dependent variable Success, as the perception of commercial product success or failure. This is defined as the extent to which the commercial outcome of the project is consistent with the firm's prior expectations. Expectations are defined in terms of the original goals set for the product. Specifically, the goals were defined in terms of sales, market share, return on investment, profit, customer satisfaction, contribution to technology leadership, and contribution to market leadership.

#### Knowledge

Knowledge can be broken into two components: customer knowledge and technical knowledge. Firms can use this knowledge as one of the resources that help generate a sustainable competitive advantage (Barney, 1991; Wernerfelt, 1984). However, the two types of knowledge must be recognized and accounted for separately in order to determine their relative effect on success. Firms make strategic decisions to invest in technical competencies in order to build sustainable competitive advantages. They also invest in customer relationships to build an understanding of each customer and the unique needs that are required. This can also be used to help build a sustainable competitive advantage. Thus, the more knowledge that a firm has about its customers (in the requirements of the technological phenomenon for the project) the more likely they are to succeed in producing a product that is consistent with the desires of the customer. Therefore, they are more likely to succeed in the marketplace as well. We define Knowledge as the firm's information about the customer's requirements and its understanding of the technological aspects of the project. This is a four-item measure. Consistently, our hypothesis can be stated as:

**H1:** The firm's knowledge is related positively to commercial success.

#### Technical Strength

Consistent with previous findings, we develop the construct of technical strength and anticipate it to be positively related with success in the marketplace. Previous research has found that firms that are strong in technical competence and find themselves in marketplaces that are relatively uncertain are more likely to have success (Gatignon & Xuereb, 1997). For this study, Technical Strength is defined as the extent to which the firm's research & development, engineering, and manufacturing are at both the appropriate level and compatible with the project's requirements. To measure this, we use a six-item measure and state the following formal hypothesis.

**H2:** The compatibility between the project team's technical skills and technical requirements of the project are positively related to commercial success.

## **Proficiency**

For our purposes, we evaluate two types of proficiency: Proficiency in Product Development and Proficiency in Product Launch. Proficiency in Product Development reflects the development process and is the project team's perception of how proficiently it performs the exploratory, concept development, prototype development, and testing stages of the NPD process. Proficiency in the development stage implies shorter cycle times. In turn, shorter cycle times imply that the product gets to the marketplace faster and thus brings greater returns to the organization. This also implies that firms are more likely to perceive that the product was a success.

However, this is not the entire force behind success. Proficiency in Product Launch is critical as well. Proficiency in Product Launch is defined as the perception of the product team's proficiency in developing manufacturing, marketing, and technical service start-ups. Proficiency in product launch implies that the firm has the ability to execute a strategy to make the product appear in the marketplace. By being proficient in executing the marketing strategy, the firm is likely to be successful. Therefore, the two constructs are interrelated. For example, while a firm can be proficient in product development, they may have a downfall in product launch and, therefore, the success of the entire project is in jeopardy. On the other hand, firms that execute and are proficient in both product launch and product development are likely to be more successful. Therefore, we define Proficiency as the timeliness, thoroughness, and quality in conducting product development and launch processes. We use a seven-item measure to capture this construct. Our formal hypothesis is stated as:

H3: A project team's proficiency in product development process is related positively to the firm's perception of new product commercial success.

#### Commitment

Previous research has shown that top-level management's involvement and commitment of resources are critical to the success of many projects. We measure top-level management's involvement, the overall level of resources, the quality of resources, and the degree of planning and control for the project. We define Commitment as the firm's allocation of resources to the project. We use a four-item measure for this construct. Our hypothesis is stated as:

**H4:** The firm's level of commitment of top management support and resources is related positively to the perception of commercial success.

## Competitive Intensity

The more competitive a marketplace is, the less likely that a new product introduced into this marketplace will enjoy success. Therefore, it is important to understand the level of competition in markets before attempting to develop products for these markets. The construct of Intensity is defined as the level of competition for this product. This two-item measure seeks to provide insight into the competitive intensity of the marketplace. We stayed our hypothesis as:

**H5:** Greater levels of market intensity are negatively related to the perception of commercial success.

## Marketing Skill

The competency of the firm's marketing skills has been identified as antecedents to the development and launch proficiencies, and to new product success. The literature does not make a distinction between competency and appropriateness in marketing skills analogous to the above distinction for technical skills. This is a four-item measure. Thus, Marketing Skill is defined as the firm's ability to implement the marketing strategy. Therefore, we hypothesize the following:

**H6:** The firm's marketing skills are related positively to commercial success.

## Company Fit

Company Fit defines the similarities among the firm's existing markets, product lines, and marketing skills and the new project requirements. Consistent with experience and commonsense, products that "fit" the firm's existing product lines, markets, and skills have repeatedly been found to exhibit higher success rates (Souder and Song, 1997). Fit, as defined here, is based on the notion that it reflects a sufficiency to denote "the matching of abilities with requirements" (Baker, Mapes, New, & Szwejczewski, 1997). Clearly, firms that "know" and operate in a market are better suited to develop new product for the market. These firms have greater access to potential customers and users. In addition, products that are developed with the assistance of lead users are generally more market-oriented. We use a two-item measure to better understand how the company fits with this product.

The notion of how the company fits with the product being developed implies that this variable moderates the impact with the previously defined constructs. Therefore, we position company fit as an interaction moderator of the previous constructs. We therefore hypothesize the following:

**H7a:** The interaction of company fit and knowledge are related positively to the perception of commercial success.

**H7b:** The interaction of company fit and technical strength are related positively to the perception of commercial success.

**H7c:** The interaction of company fit and project propensity are related positively to the perception of commercial success.

**H7d:** The interaction of company fit and commitment are related positively to the perception of commercial success.

**H7e:** The interaction of company fit and intensity are related negatively to the perception of commercial success.

**H7f:** The interaction of company fit and marketing skill are related positively to the perception of commercial success.

## Strategy

Our final variables are strategy variables. The strategy used by the firm could be flawed and thus hinder the ability of the firm to be successful. Specifically,

we are investigating whether the company has employed an obsolescence strategy, a product strategy, or both. Our product strategy is further broken into a diversification strategy: a market penetration strategy, a product development strategy, or a market development strategy (Kotler & Armstrong, 1999). Each strategy has a different level of associated risk. Therefore, we have used indicator variables to control for the type of strategy employed by the firm for this project. We anticipate that the strategy variables will have a moderating effect on success.

#### **Data Gathering and Analysis**

The data for this study were gathered using interviews administered to U.S. and U.K. managers. Therefore, the response rate was 100 %. The focus of the interviews was to provide insights into management's perceptions of the project and success. Managers were questioned about each construct of interest. In addition, they were asked to provide a perceptual measure of success for each NPD project. This provided a clear understanding of the relationship between the management of the project and the eventual outcome.

The sample used for analysis was randomly selected from the total dataset. A random selection was done to ensure a matched sample size of 40 successful projects and 40 unsuccessful projects for each country. Thus, 160 out of 213 (111 U.S., 102 U.K.) observations were used.

#### Measure Development

The attitude questions were developed in order to assess the constructs listed above. Previous items found in the literature were used as a starting point for the measure development process. In addition, an original pool of items was generated to tap the constructs.

## Reliability and Unidimensionality

The test of reliability used is calculation of Cronbach's alpha (Cronbach, 1951). Cronbach's alpha is regarded as the lower bound on reliability for a set of congeneric measures (Bollen, 1989). It assumes each of the items within the scale contributes equally to the underlying trait (Zeller and Carmines, 1980). The alphas are reported in Table I. As indicated by the reliabilities, the measures are relatively homogeneous for the construct they purport to measure. Typically, reliabilities greater than .7 are considered adequate for measurement analysis (Nunnally, 1978). All but two measures in our analysis meet this standard. Knowledge and commitment are just below the threshold set by Nunnally (1978).

Table II shows the correlation matrix by country used for the analysis. Table III shows the correlation matrix used for the combined dataset. As you would expect, the correlations between the independent variables and the dependent variable success are statistically significant. Only Intensity is not significantly correlated to the dependent variable. In addition, we note that the correlations are below .6 for

**Table I: Scale Reliability** 

Factor	Number of Items	U.S. Alpha	U.K. Alpha	Combined Alpha
Proficiency in Project Management	5	.8559	.6680	.7970
Marketing Skills	2	.8835	.8469	.8697
Technical Knowledge	2	.6020	.5179	.4141
Customer Knowledge	2	.7210	.7364	.7411
Market Fit	2	.9159	.7919	.8616
Technical Fit	6	.9168	.8691	.8997
Commitment	3	.6495	.6377	.6404
Competitive Intensity	2	.8040	.6971	.7597

**Table II: Correlations of Constructs by Country** 

	Success	Technical	Competitive	Project	Market Skil	Market	Customer	Technical	Commitment
		Congruence			Congruence	Fit	Knowledge	Knowledge	
***									
U.S.									
Success	1.000								
Technical Congruence	.315**	1.000							
Competitive Intensity	136	007	1.000						
Project Propensity	.530**	.420**	042	1.000					
Market Skill Congruence	.473**	.441**	.010	.479**	1.000				
Market Fit	.147	.429**	.217	.129	.440**	1.000			
Customer Knowledge	.242*	.076	193	.274*	.256*	.116	1.000		
Technical Knowledge	.171	.370**	223*	.187	.143	.164	.318**	1.000	
Commitment	.496**	.393**	037	.575**	.379**	.221*	.149	.123	1.000
U.K.									
Success	1.000								
Technical Congruence	.237*	1.000							
Competitive Intensity	.168	.009	1.000						
Project Propensity	.405**	.424**	.085	1.000					
Market Skill Congruence	.386**	.382**	.128	.395**	1.000				
Market Fit	.292**	.311**	.000	.333**	.375**	1.000			
Customer Knowledge	.307**	.217	.265*	.178	.263*	.292**	1.000		
Technical Knowledge	.154	.337**	.034	.116	.200	.319**	.094	1.000	
Commitment	.311**	.535**	001	.401**	.340**	.330**	.232*	.166	1.000

<sup>\*</sup> Correlation is significant at the 0.05 level (2-tailed). \*\* Correlation is significant at the 0.01 level (2-tailed). N=80 for each country

**Table III: Correlations of Constructs all Observations** 

	Success	Technical Congruence	Competitive Intensity	Project Propensity		Market Fit	Customer Knowledge	Technical Knowledge	Commitment
Symm	20000	100	17.	100	177		1		
Success	1.000								
Yechnical Congruence	.279**	1.000							
Competitive Intensity	0.003	-0.003	1.000						
Project Propensity	A79**	.422**	9,001	1.000					
Market Skill Congruence	.432**	,419**	0.056	.445**	1,000				
Market Fit	.216**	379**	0.122	205**	A11**	1.000	17.00		1
Customer Knowledge	.266**	0.121	0.03	.215**	245**	.192*	1.000		
Technical Knowledge	.163*	351**	+0.106	0.155	.165*	234**	.221**	1,000	
Commitment	.412**	.443**	-0.023	.514**	363**	269**	.179*	0.141	1.000

<sup>\*</sup> Correlation is significant at the 0.05 level (2-tailed). \*\* Correlation is significant at the 0.01 level (2-tailed). N=160

all constructs. This is an indication that there is little multicollinearity between the constructs.

## **Model Building**

The resulting data allowed for matching the project management information through to the success or failure of each NPD project. The survey was then analyzed to provide insights into the potential relationship between the constructs of interest and the dependent variable success. Since success can be coded as either a yes or no, logistic regression analysis was used to analyze the data. Thus, the original measure of success was re-coded into two categories. The first category coded as '1' indicated that the project was below expectations and thus was not successful. The second category coded as a '2' indicated that the project met or exceeded expectations and thus was a success.

## Logistic Regression

A logistic regression model can be used if the dependent variable only has two conditions. The logistic regression model was developed to segment the sample into two groups: successful projects and non-successful projects. A logistic regression analysis is useful in developing linear composites of the predictor variables. This enables the user to predict the probability of outcome for an event (Greene & Tull, 1978). The advantage of using the logistic regression procedure is that one can overcome some of the assumption violations that are present in the use of techniques such as multiple regression. For example, with multiple regression it is unreasonable to assume that the distribution of errors is normal. In addition, the predicted values cannot be interpreted as probabilities. That is, they cannot be constrained between 1 and 0. Logistic regression relaxes these assumptions. Thus, if the dependent variable has two categories, it is preferable to use logistic regression. Since only two groups were being classified in this case (successful projects and non-successful projects), a logistic regression analysis was used for classification. Table IV provides a list of the variable names used in the logistic regression model.

**Table IV: Variable Names** 

Variable Identifier	Variable Name
Constructs	
TELCONOR	T. 1 . 10
TEKCONGR COMPINTE	Technical Congruence
PROJMGRP	Competitive Intensity
MKTSKILC	Project Management Propensity
	Market Skill Congruence
CUSTKNOW	Customer Knowledge
TECHKNOW	Technical Knowledge
COMMITME	Commitment
Strategies Used To	
Slowdown Obsolescence:	
B12A	None
B12B	Product Design Flexibility
B12C	Growth of Product Over Time
B12D	Influencing Technical Standards
B12E	Developing New Markets
B12F	Identifying New Customers
B12G	Finding New Uses
B12H	Enhancing Prod. Attributes
B12I	Improving Prod. Performance
Product Strategy Variables:	
B8A	New Product for a Market That was Undefined (Market Diversification)
B8B	New Product for Established Market in Which Were Not Known (Market Development)
B8C	New Product in One of Our Currently Served Markets (Product Development)
B8D	Product Line Extension to Our Existing Product and Market (Market Development)
B8E	An Improvement of Existing Product (Product Development)
Interactions:	
INT 1	Market Fit has Taskai and Communication
_	Market Fit by Technical Congruence
INT_2	Market Fit by Competitive Intensity
INT_3	Market Fit by Market Skill Congruence
INT_4	Market Fit by Customer Knowledge
INT_5	Market Fit by Commitment

#### **Interpretation of Results**

From the results in Table V, it is clear that the overall model does sufficiently well to warrant looking at the individual models by country. The overall model achieves a prediction rate of about 83 % correct. The model performs equally well in predicting both successes and non-successes. Overall prediction for the non-success category is 82.5 %, while prediction for the success category is 83.75 %. The implication is that the overall model properly classified 83 % of our observations, given the constructs we have hypothesized.

Table V: Classification Table

			Predicted	
		Non-Success	Success	Percent Correct
011	Non-Success 0	66	14	82.50%
Observed	Success 1	13	67	83.75%
			Overall 83.13%	

#### All Data Full Model

----- Variables in Equation -----

COMPINTE        6878         .3558         3.7367         1         .0532        0885         .5027           PROJMGRP         .1926         .0918         4.4001         1         .0359         .1040         1.2121           MKTSKILC        0531         .4196         .0160         1         .8993         .0000         .9483           CUSTKNOW         1.8097         1.1384         2.5271         1         .1119         .0487         6.1083           TECHKNOW         .2463         .33543         .4835         1         .4869         .0000         1.2793           COMMITME         .3246         .3960         .6719         1         .4124         .0000         1.3833           INT_1        0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.1027           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0576           INT_4        2185         .1524         2.0557         1         .1516        0158         .8037	Variable	В	S.E.	Wald	df	Sig	R	Exp(B)
COMPINTE        6878         .3558         3.7367         1         .0532        0885         .5027           PROJMGRP         .1926         .0918         4.4001         1         .0359         .1040         1.2121           MKTSKILC        0531         .4196         .0160         1         .8993         .0000         .9483           CUSTKNOW         1.8097         1.1384         2.5271         1         .1119         .0487         6.1083           TECHKNOW         .2463         .33543         .4835         1         .4869         .0000         1.2793           COMMITME         .3246         .3960         .6719         1         .4124         .0000         1.3833           INT_1        0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.1027           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0578           INT_4        2185         .1524         2.0557         1         .1516        0158         .8037	TEKCONGR	.2074	.2227	.8671	1	.3518	.0000	1.2304
PROJMGRP         .1926         .0918         4.4001         1         .0359         .1040         1.2121           MKTSKILC        0531         .4196         .0160         1         .8993         .0000         .9483           CUSTKNOW         1.8097         1.1384         2.5271         1         .1119         .0487         6.1083           TECHKNOW         .2463         .33543         .4835         1         .4869         .0000         1.2793           COMMITME         .3246         .3960         .6719         1         .4124         .0000         1.3833           INT         1         -0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.1027           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0578           INT_4        2185         .1524         2.0557         1         .1516        0158         .8037           INT_5        0009         .0530         .0003         1         .9863         .0000         .9991	COMPINTE		.3558	3.7367	1		0885	.5027
MKTSKILC        0531         .4196         .0160         1         .8993         .0000         .9483           CUSTKNOW         1.8097         1.1384         2.5271         1         .1119         .0487         6.1083           TECHKNOW         .2463         .33543         .4835         1         .4869         .0000         1.2793           COMMITTME         .3246         .3960         .6719         1         .4124         .0000         1.3833           INT_1        0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.057           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0576           INT_4        2185         .1524         2.0557         1         .1516        0158         .8037           INT_5        0009         .0530         .0003         1         .9863         .0000         .9991           B8A(1)         1.6487         .8345         3.9036         1         .0482         .0926         5.2002 <td< td=""><td>PROJMGRP</td><td></td><td>.0918</td><td>4.4001</td><td>1</td><td></td><td>.1040</td><td>1.2121</td></td<>	PROJMGRP		.0918	4.4001	1		.1040	1.2121
CUSTKNOW         1.8097         1.1384         2.5271         1         .1119         .0487         6.1083           TECHKNOW         .2463         .33543         .4835         1         .4869         .0000         1.2793           COMMITME         .3246         .3960         .6719         1         .4124         .0000         1.3835           INT 1        0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.1027           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0576           INT_5        0009         .0530         .0003         1         .9863         .0000         .9991           BBA(1)         1.6487         .8345         3.9036         1         .0482         .0926         5.2002           BBB(1)         1.9887         .7826         6.4577         1         .0110         .1418         7.3062           BBC(1)         1.4748         .7215         4.1784         1         .0409         .0991         4.3704 <t< td=""><td></td><td>0531</td><td>.4196</td><td>.0160</td><td>1</td><td>.8993</td><td>.0000</td><td>.9483</td></t<>		0531	.4196	.0160	1	.8993	.0000	.9483
COMMITME         .3246         .3960         .6719         1         .4124         .0000         1.3835           INT 1        0324         .0289         1.2606         1         .2615         .0000         .9681           INT_2         .0978         .0461         4.5078         1         .0337         .1063         1.1027           INT_3         .0562         .0552         1.0383         1         .3082         .0000         1.0576           INT_4        2185         .1524         2.0557         1         .1516        0158         .8037           INT_5        0009         .0530         .0003         1         .9863         .0000         .9991           B8A(1)         1.6487         .8345         3.9036         1         .0482         .0926         5.2002           B8B(1)         1.9887         .7826         6.4577         1         .0110         .1418         7.3062           B8C(1)         1.4748         .7215         4.1784         1         .0409         .0991         4.3704           B8D(1)         -5341         .7447         .5144         1         .4732         .0000         .5862           B12A(1	CUSTKNOW	1.8097	1.1384	2.5271			.0487	6.1083
INT_1	TECHKNOW	.2463	.33543	.4835	1	.4869	.0000	1.2793
INT_2	COMMITME	.3246	.3960	.6719	1	.4124	.0000	1.3835
INT_3	INT 1	0324	.0289	1.2606	1	.2615	.0000	.9681
INT_4	INT 2	.0978	.0461	4.5078	1	. 0337	.1063	1.1027
INT_5	INT 3	.0562	.0552	1.0383	1	.3082	.0000	1.0578
B8A(1)         1.6487         .8345         3.9036         1         .0482         .0926         5.2002           BBB(1)         1.9887         .7826         6.4577         1         .0110         .1418         7.3062           BBC(1)         1.4748         .7215         4.1784         1         .0409         .0991         4.3704           BBD(1)        5341         .7447         .5144         1         .4732         .0000         .5862           BBE(1)         .6769         .7770         .7588         1         .3837         .0000         1.9673           B12A(1)        6199         .7847         .6242         1         .4295         .0000         .5380           B12B(1)         .0344         .5273         .0043         1         .9480         .0000         1.0356           B12D(1)        0376         .5377         .0049         1         .9443         .0000         .9631           B12E(1)        3983         .6155         .4188         1         .5175         .0000         .6715           B12E(1)         .3278         .6425         .2603         1         .6099         .0000         1.3875           B1	INT 4	2185	.1524	2.0557	1	.1516	0158	.8037
B8B(1)         1.9887         .7826         6.4577         1         .0110         .1418         7.3062           B8C(1)         1.4748         .7215         4.1784         1         .0409         .0991         4.3704           B8D(1)        5341         .7447         .5144         1         .4732         .0000         1.9677           B12A(1)        6199         .7847         .6242         1         .4295         .0000         .5380           B12B(1)         .0344         .5273         .0043         1         .9480         .0000         1.0356           B12D(1)        1037         .55504         .0355         1         .8505         .0000         .9631           B12E(1)        3983         .6155         .4188         1         .5175         .0000         .6715           B12F(1)         .3278         .6425         .2603         1         .6099         .0000         1.3875           B12G(1)        0550         .6409         .0074         1         .9316         .0000         .9465           B12H(1)        4864         .6376         .5820         1         .4455         .0000         .6148	INT 5	0009	.0530	.0003	1	.9863	.0000	.9991
BBC(1)         1.4748         .7215         4.1784         1         .0409         .0991         4.3704           BBD(1)        5341         .7447         .5144         1         .4732         .0000         .5862           BBL2A(1)        6199         .7847         .6242         1         .4295         .0000         .5380           B12B(1)         .0344         .5273         .0043         1         .9480         .0000         1.0350           B12C(1)        0376         .5377         .0049         1         .9443         .0000         .9631           B12D(1)        1037         .55504         .0355         1         .8505         .0000         .9015           B12E(1)        3983         .6155         .4188         1         .5175         .0000         .6715           B12F(1)         .3278         .6425         .2603         1         .6099         .0000         1.3875           B12G(1)        0550         .6409         .0074         1         .9316         .0000         .9465           B12H(1)        4864         .6376         .5820         1         .4455         .0000         6148           B1	B8A(1)	1.6487	.8345	3.9036	1	.0482	.0926	5.2002
BBD(1)5341 .7447 .5144 1 .4732 .0000 .5862 BBE(1) .6769 .7770 .7588 1 .3837 .0000 1.9677 B12A(1)6199 .7847 .6242 1 .4295 .0000 .5380 B12B(1) .0344 .5273 .0043 1 .9480 .0000 1.0357 B12C(1)0376 .5377 .0049 1 .9443 .0000 .9631 B12D(1)1037 .55504 .0355 1 .8505 .0000 .9015 B12E(1)3983 .6155 .4188 1 .5175 .0000 .6715 B12F(1) .3278 .6425 .2603 1 .6099 .0000 1.3875 B12B(1)0550 .6409 .0074 1 .9316 .0000 .9465 B12H(1)4864 .6376 .5820 1 .4455 .0000 .6148 B12I(1) .0019 .6394 .0000 1 .9977 .0000 1.0019	B8B(1)	1.9887	.7826	6.4577	1	.0110	.1418	7.3062
B8E(1)     .6769     .7770     .7588     1     .3837     .0000     1.9677       B12A(1)    6199     .7847     .6242     1     .4295     .0000     .5380       B12B(1)     .0344     .5273     .0043     1     .9480     .0000     1.0356       B12D(1)    0376     .5377     .0049     1     .9443     .0000     .9631       B12D(1)    1037     .55504     .0355     1     .8505     .0000     .9015       B12E(1)    3983     .6155     .4188     1     .5175     .0000     .6715       B12F(1)     .3278     .6425     .2603     1     .6099     .0000     1.3875       B12G(1)    0550     .6409     .0074     1     .9316     .0000     .9465       B12H(1)    4464     .6376     .5820     1     .4455     .0000     .6148       B12I(1)     .0019     .6394     .0000     1     .9977     .0000     1.0019	B8C(1)	1.4748	.7215	4.1784	1	.0409	.0991	4.3704
B12A(1)	B8D(1)	5341	.7447	.5144	1	.4732	.0000	.5862
B12B(1)     .0344     .5273     .0043     1     .9480     .0000     1.0350       B12C(1)    0376     .5377     .0049     1     .9443     .0000     .9631       B12D(1)    1037     .55504     .0355     1     .8505     .0000     .9015       B12E(1)    3983     .6155     .4188     1     .5175     .0000     .6715       B12F(1)     .3278     .6425     .2603     1     .6099     .0000     1.3873       B12G(1)    0550     .6409     .0074     1     .9316     .0000     .9465       B12H(1)    4864     .6376     .5820     1     .4455     .0000     .6148       B12I(1)     .0019     .6394     .0000     1     .9977     .0000     1.0019	B8E(1)	.6769	.7770	.7588	1	.3837	.0000	1.9677
B12C(1)    0376     .5377     .0049     1     .9443     .0000     .9631       B12D(1)    1037     .55504     .0355     1     .8505     .0000     .9015       B12E(1)    3983     .6155     .4188     1     .5175     .0000     .6715       B12F(1)     .3278     .6425     .2603     1     .6099     .0000     1.3873       B12G(1)    0550     .6409     .0074     1     .9316     .0000     .9465       B12H(1)    4864     .6376     .5820     1     .4455     .0000     .6148       B12I(1)     .0019     .6394     .0000     1     .9977     .0000     1.0019	B12A(1)	6199	.7847	.6242	1	.4295	.0000	.5380
B12D(1)    1037     .55504     .0355     1     .8505     .0000     .9015       B12E(1)    3983     .6155     .4188     1     .5175     .0000     .6715       B12F(1)     .3278     .6425     .2603     1     .6099     .0000     1.3875       B12G(1)    0550     .6409     .0074     1     .9316     .0000     .9465       B12H(1)    4864     .6376     .5820     1     .4455     .0000     .6148       B12I(1)     .0019     .6394     .0000     1     .9977     .0000     1.0019	B12B(1)	.0344	.5273	.0043	1	.9480	.0000	1.0350
B12E(1)3983	B12C(1)	0376	.5377	.0049	1	.9443	.0000	.9631
B12F(1)	B12D(1)	1037	.55504	.0355	1	.8505	.0000	.9015
B12G(1)0550	B12E(1)	3983	.6155	.4188	1	.5175	.0000	.6715
B12H(1)4864 .6376 .5820 1 .4455 .0000 .6148 B12I(1) .0019 .6394 .0000 1 .9977 .0000 1.0019	B12F(1)	.3278	.6425	.2603	1	.6099	.0000	1.3879
B12I(1) .0019 .6394 .0000 1 .9977 .0000 1.0019	B12G(1)	0550	.6409	.0074	1	.9316	.0000	.9465
	B12H(1)	4864	.6376	.5820	1	.4455	.0000	.6148
Constant -11.7580 3.1743 13.7205 1 .0002	B12I(1)	.0019	.6394	.0000	1	.9977	.0000	1.0019
	Constant	-11.7580	3.1743	13.7205	1	.0002		
-2 log likelihood 136.691	_		164.079					
	Cox & Sne	11 - R <sup>2</sup>	.413					

Cox & Snell - R<sup>2</sup> Nagelkerke - R<sup>2</sup> .550

A more detailed analysis by country shows that the U.S. data are better at predicting success than the U.K. data. In Table VI, the U.S. data show an overall prediction rate of greater than 96 %. Our model performs well in predicting both successes and non-successes. The total misclassification is only three observations. This is a remarkably strong indicator that our variables are important in predicting success. In Table VII, the U.K. data show an overall prediction rate of 85 %. With this data there is a better prediction rate for non-successes. Still, the model only classifies 12 of the 80 observations incorrectly. Once again, this provides evidence to suggest that the variables we have included in our analysis are meaningful in predicting success. One particularly interesting finding is that the individual country models perform better than the aggregate model. This suggests that there are differences in direction between the two countries, and a generic model is not necessarily the best predictor of performance.

**Table VI: Classification Table** 

			Predicted	
		Non-Success	Success	Percent Correct
Ohaamad	Non-Success 0	38	2	95.00%
Observed	Success 1	1	39	97.50%
			Overall 96.25%	

#### **U.S Data Full Model**

------ Variables in Equation -----

Variable	В	S.E.	Wald	df	Sig	R	Exp(B)
TEKCONGR	.7113	.6969	1.0415	1	.3075	.0000	2.0366
COMPINTE	6283	1.2777	.2418	1	.6229	.0000	.5335
PROJMGRP	. 9348	.5477	2.9126	1	.0879	.0907	2.55467
MKTSKILC	-2.8968	2.4081	1.4471	1	.2290	.0000	.0552
CUSTKNOW	1.6463	3.5923	2.100	1	.6467	.0000	5.1880
TECHKNOW	-1.0723	.1956	.8044	1	.3698	.0000	.3422
COMMITME	2.2671	1.9102	1.4086	1	.2353	.0000	9.6514
INT 1	1175	.0859	1.8697	1	.1715	.0000	.8891
INT 2	.0617	.1669	.1366	1	.7117	.0000	1.0636
INT 3	. 6788	.3811	3.1714	1	.0749	.0000	1.9714
INT 4	1372	.4643	.0873	1	.7676	.0000	.8718
INT 5	2262	.2333	.9400	1	.3323	.0000	.7976
B8A(1)	4535	3.1210	.0211	1	.8845	.0000	.6354
B8B(1)	4.2657	3.7235	1.3125	1	.2519	.0000	71.2178
B8C(1)	-2.2138	2.7202	.6624	1	.4157	.0000	.1093
B8D(1)	-1.3138	2.8328	.2151	1	.6428	.0000	.2688
B8E(1)	-3.7026	3.5178	1.1078	1	.2926	.0000	.0247
B12A(1)	.9396	2.3368	.1617	1	.6876	.0000	2.5589
B12B(1)	4.0294	1.6773	5.7711	1	.0163	.1844	56.2278
B12C(1)	1.8404	1.9178	.9209	1	.3372	.0000	6.2988
B12D(1)	3.2349	2.3604	1.8782	1	.1705	.0000	25.4037
B12E(1)	7.3611	3.3002	4.97515	1	.0257	.1638	1573.5206
B12F(1)	-2.1870	3.8229	.3273	1	.5673	.0000	.1123
B12G(1)	.7312	3.0664	.0569	1	.8115	.0000	2.0775
B12H(1)	-8.3322	4.0806	4.1693	1	.0412	1399	.0002
B12I(1)	4.11824	2.6559	2.4799	1	.1153	.0658	65.5219
Constant	-36.8518	14.4510	6.5031	1	.0108		

**Table VI: Classification Table** 

			Predicted	
		Non-Success	Success	Percent Correct
	Non-Success 0	35	5	87.50%
Observed	Success 1	7	33	82.50%
			Overall 85.00%	

#### U.K. Data Full Model

----- Variables in Equation -----

Variable	В	S.E.	Wald	df	Sig	R	Exp(B)
TEKCONGR	.9271	.9137	1.0294	1	.3103	.0000	2.5271
COMPINTE	-1.6403	1.1650	1.9824	1	.1591	.0000	.1939
PROJMGRP	.2797	.2927	.9127	1	.3394	.0000	1.3227
MKTSKILC	.1199	1.1830	.0103	1	.9193	.0000	1.1274
CUSTKNOW	9.1335	5.5535	2.7049	1	.1000	.0797	9260.7899
TECHKNOW	.6716	.9981	.4527	1	.5010	.0000	1.9573
COMMITME	-1.3218	1.8427	.5146	1	.4732	.0000	.2666
INT 1	2163	.1616	1.7921	1	.1807	.0000	.8055
INT 2	.3530	.1969	3.2148	1	.0730	.1047	1.4233
INT_3	.0867	.1681	.2658	1	.6062	.0000	1.0905
INT 4	-1.2432	.7534	2.7233	1	.0989	0808	.2884
INT 5	.3285	.2968	1.2254	1	.2683	.0000	1.3889
B8A(1)	11.7611	6.1596	3.6458	1	.0562	.1218	128162.49
B8B(1)	11.6649	5.7908	4.0577	1	.0440	.1362	116418.58
B8C(1)	11.2792	5.2910	4.5446	1	.0330	.1515	79160.458
B8D(1)	-3.5085	2.3776	2.1776	1	.1400	0400	.0299
B8E(1)	5.9129	3.5982	2.7003	1	.1003	.0795	369.7619
B12A(1)	-2.6355	2.0923	1.5866	1	.2078	.0000	.0717
B12B(1)	-4.0967	2.8016	2.1383	1	.1437	0353	.0166
B12C(1)	-1.7565	1.7827	.9708	1	.3245	.0000	.1726
B12D(1)	-6.1631	2.8070	4.8207	1	.0281	1595	.0021
B12E(1)	-2.0677	1.6166	1.6360	1	.2009	.0000	.1265
B12F(1)	2135	1.2679	.0283	1	.8663	.0000	.8078
B12G(1)	1.8766	1.8639	1.0137	1	.3140	.0000	6.5313
B12H(1)	2.1039	2.0882	1.0151	1	.3137	.0000	8.1981
B12I(1)	3825	1.9764	.0375	1	.8465	.0000	.6822
Constant	-27.8078	13.2239	4.4220	1	.0355		

-2 log likelihood 42.698 Goodness of Fit Cox & Snell - R<sup>2</sup> 39.914 .574 Nagelkerke - R2 .765

If we look at the individual variables that are significant in our model, we discover some very interesting findings. In the overall model, the following variables are significant at .1 or less: (i) competitive intensity; (ii) project management propensity; (iii) the interaction between competitive intensity and market fit; (iv) new product for a market that was undefined; (v) new product for an established market in which we were not known; (vi) new product to one of our currently served markets; and (vii) the constant. While significance of individual variables is important, it is not the only indicator of importance in logistic regression. The variable Exp (B) reports the odds ratio for each variable. This ratio can be interpreted as the effect of the independent variable on the dependent variable, ultimately increasing or decreasing the odds of the dependent variable.

In Table 5, we see the variable that has the greatest odds of increasing success is new product for an established market in which we were not known (7.30602). This implies that we are 730 times more likely to be successful if we adopt this strategy. However, the second most important variable with respect to odds (customer knowledge, 6.1083) is not significant at the traditional levels. In general, the three strategy variables give the firm the greatest chance of increasing success. The diversification strategy of generating new products for the defined markets or markets for which we are not known provides the best odds of success. Still, developing a new product for a currently served market has a far greater impact than any of our individual skills, except customer knowledge. The most important variable that would hinder success is competitive intensity (.5027). This is as expected. The greater the competitive intensity, the more likely NPD projects will not succeed.

The U.S. model has the following variables significant at.1 or less: (i) project management propensity; (ii) the interaction between the market fit and market skill; (iii) product design flexibility; (iv) developing new markets; (v) enhancing product attributes; and (vi) the constant. With this model, a much different picture emerges with respect to the odds of success. Specifically, developing new markets is by far the overwhelming strategy for success (1573.5206). All other variables pale in comparison to the overwhelming favorable odds of employing this strategy. On the hindrance side, enhancing product attributes (.0002) appears to have the most dramatic influence on non-success. Thus, the strategy of enhancing product attributes is likely to be viewed as unsuccessful.

The U.K. model has the following variables as significant at the 1 or less: (i) customer knowledge; (ii) the interaction between competitive intensity and market fit; (iii) the interaction between customer knowledge and market fit; (iv) new product for the market that was undefined; (v) new product for established market in which we were not known; (vi) new product in one of our currently served markets; (vii) an improvement in existing product; (viii) influence and technical standards; and (ix) the constant. An altogether different picture emerges with respect to the odds of success for the U.K. Here it can be noted that several variables have tremendous influence on the odds of success. With three strategy variables noted in the overall model, all strongly influence success. Developing a new product for an established market or an undefined market is a clear way to increase your odds for success. On the downside, the firm in the U.K. is most likely to hinder success by trying to influence technical standards.

#### **Conclusions and Directions for Future Research**

The overall model properly classifies 83 % of our observations. The U.S. data were slightly better at predicting success than the U.K. data, 96 % accuracy

versus 85% accuracy. This provides evidence to suggest that the variables that we have included in our analysis are meaningful in predicting success. One particularly interesting finding is that the individual country models perform better than the aggregate model. This suggests that there are differences in direction between the two countries, and a generic model is not necessarily the best predictor of performance. In terms of specific predictors of success/failure (competitive intensity, project management propensity, the interaction between competitive intensity and market fit), three specific strategy variables were found to be most important considerations.

A substantial proportion of firm revenue is generated from "new products." With so many variables affecting product success, it is hard to predict which products will succeed or fail prior to launch. Given the amount of resources that are devoted to NPD activities, it is critical that NPD managers focus on engaging the most appropriate strategies and activities to help ensure commercial success. This paper provides a method that managers can use to predict product success prior to launch, allowing for an evaluation and prioritization of resource commitments.

While the model performs well in the current application, it was applied on only two countries. Future research should be conducted to further evaluate its generalization to other countries. Also, we evaluated new product success on a dichotomous variable (success/fail), whereas many companies view success as a matter of degree. Future research could expand the definition and operationalization of success.

#### References

- Baker, J.C., Mapes, J., New, C.C., and Szwejczewski, M. (1997). Hierarchical Model of Business Competence. Integrated Manufacturing Systems, 8 (5): 265-272.
- Barney, J. (1991). Firm Resources and Sustained Competitive Advantage. Journal of Management, 17, (1): 99-120.
- Bollen, K. (1989). A New Incremental Fit Index for General Structural Equation Models. Sociological Methods and Research, 17: 303-16.
- Brown, S.L. and Eisenhardt, K.M. (1995). Product Development: Past Research, Present Findings, and Future Directions. Academy of Management Review, Vol. 20 No. 2, pp. 343-378.
- Clark, T. (1990). International Marketing and National Character: A Review and Proposal for an Integrative Theory. Journal of Marketing, Vol. 54, October, pp. 66-79.
- Cronbach, L. J. (1951). Coefficient Alpha and the Internal Structure of Tests. Psychometrika, 16 (September), pp. 297-334.

- Gatignon, H. and Xuereb, J.-M. (1997). Strategic Orientation of the Firm and New Product Performance. *Journal of Marketing Research*, 34 (1): 77-90.
- Greene, P.E. and Tull, D. (1978). *Research for Marketing Decisions*, Englewood Cliffs, NJ.
- Griffin, A. (1997). PDMA Research on New Product Development Practices: Updating Trends and Benchmarking Best Practices. *Journal of Product Innovation Management*, 14(6): 429-458.
- Kotler P., and Armstrong, G. (1999). *Principles of Marketing*, 8th edition, New Jersey: Prentice-Hall International.
- Montoya-Weiss, M.M. and Calantone, R. (1994). Determinants of New Product Performance: A Review and Meta Analysis. *Journal of Product Innovation Management*, Vol. 11 No. 5: 397-418.
- Nambisan, S. (2003) Information Systems as a Reference Discipline for New Product Development. *MIS Quarterly*, 27: 1, 1-18.
- Nunnally, J.C. (1978). *Psychometric Theory*. 2nd ed. New York: McGraw-Hill Book Company.
- Song, M.X. and Parry, M.E. (1996). The Determinants of Japanese New Product Success. *Journal of Marketing Research*, Vol. 34, February, pp. 64-76.
- Song, M.X., Souder, W.E. and Dyer, B. (1997). A Causal Model of the Impact of Skills, Synergy, and Design Sensitivity on New Product Performance. *Journal of Product Innovation Management*, Vol. 14 No. 2, pp. 88-101.
- Souder, W.E. and Song, M.X. (1997). Contingent Product Design and Market Strategies Influencing New Product Success and Failure in U.S. and Japanese Electronics Firms. *Journal of Product Innovation Management*, Vol. 14: 21-34.
- Zeller, R.A., and Carmines, E.G. (1980). *Measurement in the Social Sciences*. New York: Cambridge University Press.
- Wernerfelt, B. (1984). A Resource-Based View of the Firm. *Strategic Management Journal*, 5, 171-180.

Editor's note: The following abstract should have been included in Vol. 9, No. 2 of the journal. Due to an oversight on my part, it was not included in the said volume. Hence it has been printed here.

## A Theoretical Study on Brand Strategy **Based on the Knowledge Economy**

Chen Xuesong University of Science and Technology, Beijing, P. R.C Xu Jiansuo Henan Normal University, Xinxiang, P. R.C.

Through an analysis of the new environment in which companies operate in China and the model of knowledge growth, we construct a new softly-structured model of brand development and identify several driving forces inherent in building up a name brand. On this basis, we further formulate a systematic solution and a softly-structured model for name brand development strategy, which provides a theoretical foundation and implementation principles for brand-building strategies in various enterprises.

## **Notes for Contributors**

Papers accepted become the copyright of the journal, unless otherwise specifically agreed. **Manuscripts** should be sent to: Dr. Basu Sharma, Management Futures, 297 Kimble Drive, Fredericton, NB, Canada E3B 6YI; e-mail: bsharma@unb.ca. They should be typed on one side of the paper, double spaced, with ample margins, and bear the title of the contribution and name(s), of the author(s) on the first page. The full postal address of the author who will check proofs and receive correspondence and offprints should also be included.

Authors should insert only enough commands to provide a legible printout. Ideally such a manuscript should be formatted with regard to the following guidelines:

- 1. Do not use tabs except in tables.
- 2. Do not use headers, footers, or pagination.
- 3. Do not indent block quotations.
- 4. Do not hypenate or otherwise break words across lines.
- 5. Do not justify text. In other words, leave the right margin ragged.
- 6. Do not place lines or boxes around type, as copy within these areas will not translate

Figures. Please supply one set of artwork in a finished form, suitable for reproduction.

**References** . Should be indicated in the typescript by giving the author's name, with the year of publication in parentheses. If several papers by the same author and from the same year are cited, a, b, c, etc. should be put after the year of publication. The references should be listed in full at the end of the paper in the following standard from

Deming, W.E. (1986). *Out of the crisis*. Cambridge, MA, MIT Center for Advanced Engineering Study.

Kondo, Y. (1990). Emphases of Japanese total quality management in the 1980s. *Total Quality Management*, 1, 23-32.

Titles of journals should not be abbreviated.

**Proofs** will be sent to the authors if there is sufficient time to do so. They should be corrected and returned to the publisher within three days. Major alterations to the text cannot be accepted.

**Page Fee and Offprints.** The journal charges a page fee of U.S. \$15 per printed page. Twenty offprints of each paper are supplied free. Additional copies may be purchased and should be ordered when the proofs are returned. Offprints, together with a complete copy of the relevant journal issue, are sent about three weeks after publication.

The Journal of Comparative International Management is a refereed journal devoted to publication of high-quality articles in the field of comparative, international management for advancing understanding of organizations and management practices around the world through theoretical and empirical research.

**Editor:** Basu Sharma **Managing Editor:** Bina Sharma

Two issues per volume. Subscription rate per volume:

Institutions, \$100.00 U.S.; Individuals, \$50.00 U.S.

Back issues of the journal, to Volume 1, No. 1, are available at the subscription price effective on the date of the order.

All editorial and subscription related correspondence:

Bina Sharma Management Futures 297 Kimble Drive Fredericton, N.B. Canada E3B 6YI

Telephone: (506) 454-1310

Fax: (506) 455-8421

E-mail: jcim@managementfutures.com