

From science to adapted patient education in retinal optical coherence tomography

How terminology influences diagnostic understanding

Fabio Galli

Volume 9, Number 2, 2022

Learning from one another in medical encounters

URI: <https://id.erudit.org/iderudit/1089928ar>

DOI: <https://doi.org/10.26443/ijwpc.v9i2.336>

[See table of contents](#)

Publisher(s)

McGill University Library

ISSN

2291-918X (digital)

[Explore this journal](#)

Cite this article

Galli, F. (2022). From science to adapted patient education in retinal optical coherence tomography: How terminology influences diagnostic understanding. *The International Journal of Whole Person Care*, 9(2), 3–7.
<https://doi.org/10.26443/ijwpc.v9i2.336>

Article abstract

Optical Coherence Tomography (OCT) in retinal imaging has evolved rapidly over the last twenty years. Along with these changes in technology, the nomenclature and relationships between healthcare professionals and patients have changed as well. How to translate the complex language of the field such that patients can understand it better is the focus of this paper.

© Fabio Galli, 2022



This document is protected by copyright law. Use of the services of Érudit (including reproduction) is subject to its terms and conditions, which can be viewed online.

<https://apropos.erudit.org/en/users/policy-on-use/>

érudit

This article is disseminated and preserved by Érudit.

Érudit is a non-profit inter-university consortium of the Université de Montréal, Université Laval, and the Université du Québec à Montréal. Its mission is to promote and disseminate research.

<https://www.erudit.org/en/>

FROM SCIENCE TO ADAPTED PATIENT EDUCATION IN RETINAL OPTICAL COHERENCE TOMOGRAPHY

How terminology influences diagnostic understanding

Fabio Galli

Medical Education Student, United Kingdom
fagalli@gmx.co.uk

ABSTRACT

Optical Coherence Tomography (OCT) in retinal imaging has evolved rapidly over the last twenty years. Along with these changes in technology, the nomenclature, and relationships between healthcare professionals and patients have changed as well. How to translate the complex language of the field such that patients can understand it better is the focus of this paper.

KEYWORDS: Patient-centred medicine; Medical education; Communication

INTRODUCTION

Optical Coherence Tomography (OCT) [1, 2], from its inception to today, has become a tool for daily clinical diagnosis, follow-up, and research. In 2020 there were 6,403 results (National Library of Medicine) under the heading OCT compared to only 1 in 1991 from the same source (for a total of 49,847 search results for OCT terminology from 1991 to 2020). The first OCT technology was called Time-Domain (TD-OCT); subsequently, OCTs called Fourier Domains (FD) were better known as

OCT Spectral Domain (SD-OCT) and OCT Swept-Source (SS-OCT) [3]. Like OCT retinal imaging technologies, patients have changed too. Currently, patients have a greater access to information, and they are more interested in comprehending it. Patients are increasingly at the centre of clinical activity; thus, a different, simpler education is required. Moreover, with the updating of technologies, the nomenclature has changed - adapting to the new possibilities of observation [4,5,6,7,8]. In patient-centred management, it is important to relate to patients in a clear way such that they can understand what the healthcare staff communicates. It is equally useful in this approach to offer educational tools consisting of understandable information. As seen in Diagram 1, the role of medical education and health personnel is to increase the patients' comprehension.




Diagram 1: The diagram represents the centrality of the patient, the role of the healthcare personnel, and the role of medical education.

SCIENTIFIC NOMENCLATURE AND PROPOSAL NOMENCLATURE FOR PATIENT EDUCATION [4,8,9]

Table 1: Nomenclature of retinal layers, reference points, and proposal of information and education for the patient.

| Scientific Nomenclature OCT Layers / Reference points | Definition for Patient Education OCT Layers / Reference points (Educational / Informative Proposal) |
|--|---|
| Vitreous | Gel inside the eye. |
| Macula | Central area of the retina. |
| Fovea | Central area of the macula, hollow in shape. Fovea is the area responsible for sharp central vision. |
| ONH Optic Nerve Head | Convoy area of Retinal Nerve Fibers in the communication between retina and brain, and vascular convoy. |

| | |
|--|---|
| ILM Inner Limitant Membrane | Dividing film between retina and vitreous. |
| RNFL Retinal Nerve Fiber Layer | Retinal Nerve Fibers that transmit information to the brain. |
| GCL Ganglion Cell Layer | |
| IPL Inner Plexiform Layer | |
| INL Inner Nuclear Layer | Area of interconnection between Retinal Nerve Fibers and photoreceptors. |
| OPL Outer Plexiform Layer | |
| ONL Outer Nuclear Layer | Photoreceptor area, transformation of the light pulse. |
| ELM External Limiting Membrane | |
| IS/OS Junction Inner-Outer Junction | |
| IZ Interdigitation Zone | |
| RPE/BM Complex Retinal Epithelium Pigment + Bruch's Membrane | Area of absorption of diffused light, processing of photoreceptor waste, division, and interaction with the underlying vascular area. |
| CC Choroidal complex | Vascular area. |

Table 2: Nomenclature of the most common signs observable in OCT and proposal of information and education for the patient.

| Scientific Nomenclature OCT Signs | Definition for Patient Education Explanation of the Signs (Educational / Informative Proposal) |
|---|--|
| Myodesopsia | Clots of vitreous. |
| VMA Vitreomacular Adhesion | The vitreous is normally connected to the retina. |
| PVD Posterior Vitreous Detachment | The vitreous is detached from the retina. |
| VMT Vitreomacular Traction | The vitreous in an attempt to detach from the retina exerts traction and changes its shape. |
| MH Macular Hole | The layers that make up the retina are disrupted. |
| PMH Pseudo Macular Hole | The layers of the retina are not interrupted, it's a simulation of the interruption of the layers of the retina. |

| | |
|---|--|
| Drusen (Hard, Soft, Cuticular) | Waste material of the visual cycle not properly eliminated and accumulation of extracellular material. |
| RPD Reticular Pseudodrusen | |
| SRF Subretinal Fluid | Separation between the retina and the retinal pigment epithelium caused by the presence of fluid. |
| CME Cystoid Macular Oedema | Liquid accumulated in bubbles under the macula area. |
| Type 1 MNV Macular Neovascularization 1 | Abnormal vascular growth in the retina and choroid. |
| Type 2 MNV Macular Neovascularization 2 | |
| Type 3 MNV Macular Neovascularization 2 | |
| PCV Polypoidal Choroidal Vasculopathy | |
| IRF Intraretinal Fluid | Rounded bubble-like areas. |
| Haemorrhage | Presence of blood, abnormal bleeding. |
| RORA Retinal Pigment Epithelial Atrophy and Outer Retinal Atrophy | Complete or partial loss of one or more layers (of the RPE or photoreceptors). |
| Lipid (Hard Exudates) | Small, rounded areas in the retinal or sub-retinal area. |

CONCLUSION

Using the definitions of various terms shown in table 1 and 2 offers the possibility of reaching out to patients in a way they can understand and share decision-making. Explanations must be tailored to the person's level of education such that they remain at the centre of medical encounters and healthcare procedures, as exemplified herein with retinal optic coherence tomography [10,11,12,13]. ■

CONFLICTS OF INTEREST

No conflicts of interest to declare.

REFERENCES

1. Huang D, Swanson E, Lin C, Schuman J et al. Optical coherence tomography. Science. 1991 Nov 22;254(5035):1178-81.
2. Fujimoto J, Swanson E. The development, commercialization, and impact of optical coherence tomography. Invest Ophthalmol Vis Sci. 2016 Jul 13;57(9):OCT1.

3. Kalkman J. Fourier-Domain optical coherence tomography signal analysis and numerical modeling. *International Journal of Optics*. 2017;2017:1-16.
4. Spaide RF, Jaffe GJ, Sarraf D, Freund KB et al. Consensus nomenclature for reporting neovascular age-related macular degeneration data. *Ophthalmology*. 2020 May;127(5):616-36.
5. Bhende M, Shetty S, Parthasarathy M, Ramya S. Optical coherence tomography: A guide to interpretation of common macular diseases. *Indian J Ophthalmol*. 2018;66(1):20.
6. Li Q, Li S, He Z, Guan H et al. Deep Retina: Layer segmentation of retina in OCT images using deep learning. *Trans Vis Sci Tech*. 2020 Dec 9;9(2):61.
7. Staurengi G, Sadda S, Chakravarthy U, Spaide RF. Proposed lexicon for anatomic landmarks in normal posterior segment spectral-domain optical coherence tomography. *Ophthalmology*. 2014 Aug;121(8):1572-8.
8. Costello F. The afferent visual pathway: designing a structural-functional paradigm of multiple sclerosis. *ISRN Neurology*. 2013 Oct 23;2013:1-17.
9. Mirza RG, Johnson MW, Jampol LM. Optical coherence tomography use in evaluation of the vitreoretinal interface: a review. *Survey of Ophthalmology*. 2007 Jul;52(4):397-421.
10. Rosdahl JA, Swamy L, Stinnett S, Muir KW. Patient education preferences in ophthalmic care. *Patient Prefer Adherence*. 2014 Apr 25;8:565-74.
11. Walsh PL. Design considerations for adult patient education. *Patient Counselling and Health Education*. 1982;4:84-8.
12. Tóth T, Dinya E. Feasibility of tailored patient education. *Orvosi Hetilap*. 2013;154:4030-8.
13. Williams AM, Muir KW, Rosdahl JA. Readability of patient education materials in ophthalmology: a single-institution study and systematic review. *BMC Ophthalmol*. 2016;16.