

Index to Reports in Volume 5

R. M. McMullen

Volume 5, numéro 3, december 1969

URI : https://id.erudit.org/iderudit/ageo05_3ind01

[Aller au sommaire du numéro](#)

Éditeur(s)

Maritime Sediments Editorial Board

ISSN

0843-5561 (imprimé)

1718-7885 (numérique)

[Découvrir la revue](#)

Citer ce document

McMullen, R. M. (1969). Index to Reports in Volume 5. *Atlantic Geology*, 5(3), 138–141.

Index

Citation refers to Issue Number and Page Number.

Age of late Pleistocene re-advance of piedmont glaciers, western Newfoundland: GRANT	3	126-128
Age of the Bermuda sea mount: GEES	2	56-57
ANGLEJAN, B. F. d', Preliminary observations on suspended matter in the Gulf of St. Lawrence	1	15-18
BARTLETT, G. A. , Cretaceous biostratigraphy of the Grand Banks of Newfoundland	1	4-14
Basalt, Bermuda sea mount, whole-rock potassium-argon age: GEES	2	56-57
Bay of Fundy, radiometric studies: CRONIN	3	119-122
Bay of Fundy, sediments: SWIFT	3	95-100
Beach sands, laminated, sampling of: GEES	2	40-43
Bermuda sea mount, age of: GEES	2	56-57
Biofacies, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Biostratigraphy, Cretaceous, Grand Banks of Newfoundland: BARTLETT	1	4-14
Bottom sediment, Bay of Fundy: SWIFT	3	95-100
BUCKLEY, D. E. , see WALKER, D. A.	3	113-118
Cabot Strait, suspend matter in: d'ANGLEJAN	1	15-18
California, laminated beach sands, sampling of: GEES	2	40-43
Cariaco Trench and Shelf, Venezuela, cation exchange capacity of samples from: RASHID	2	44-50
Cation exchange capacity, contribution of humic substances in different marine sediments: RASHID	2	44-50
Chemical variations in sediments from Scotian Shelf: PHIPPS	3	101-112
Chesapeake Bay, research in progress: SWIFT	1	22-25
Clay, Pleistocene, fabric of, compared to laboratory flocculated clay, using scanning electron microscope: O'BRIEN	2	58-61
Coral on tops of mountains of Mid-Atlantic Ridge: SCHAFER	2	51-55
Cores of sediments from tops of mountains of Mid-Atlantic Ridge: SCHAFER	2	51-55
Cretaceous biostratigraphy, Grand Banks of Newfoundland: BARTLETT	1	4-14
CRONIN, J. F. , Radiometric Studies, Bay of Fundy (Minas Basin)	3	119-122
Dating last major ice sheet in Nova Scotia: MacNEILL	1	3
Dating Quaternary changes in sedimentation, Tantramar Marsh, New Brunswick: MacNEILL	1	1 2
Deposits, surficial, Northern Peninsula of Newfoundland and adjacent Quebec- Labrador: GRANT	3	123-125
Device for sampling laminated beach sands: GEES	2	40-43
Distribution of foraminifera along west coasts of Hudson and James Bays: SCHAFER	3	90-94
Distribution of sediment on tops of mountains of Mid-Atlantic Ridge: SCHAFER	2	51-55
Drill used to obtain sediment cores from Mid-Atlantic Ridge: SCHAFER	2	51-55
Ecology, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Eh, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Electron microscope, scanning, used in clay fabric comparison: O'BRIEN	2	58-61
Electron microscopy, scanning, in marine sciences: WALKER	3	113-118
Elements, major, in sediments of Scotian Shelf: PHIPPS	3	101-112
Estuary, Miramichi, New Brunswick, foraminiferal analysis: TAPLEY	1	30-39
Exchange capacity, cation, contribution of humic substances in different marine sediments: RASHID	2	44-50
Fabric of Pleistocene clay, compared to laboratory flocculated clay, using scanning electron microscope: O'BRIEN	2	58-61

False Cape, Virginia, research in progress: SWIFT	1	22-25
Foraminifera, distribution along west coasts of Hudson and James Bays: SCHAFFER	3	90-94
Foraminifera, planktonic, Cretaceous, Grand Banks of Newfoundland: BARTLETT	1	4-14
Foraminifera, use of scanning electron microscope for study of: WALKER	3	113-118
Foraminiferal analysis, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Fundy, Bay of, radiometric studies: CRONIN	3	119-122
Fundy, Bay of, sediments: SWIFT	3	95-100
Gaspe Passage, suspended matter in: d'ANGLEJAN	1	15-18
GEES, R. A. , Sampling of laminated beach sands	2	40-43
GEES, R. A. , The age of the Bermuda sea mount	2	56-57
Geomorphic features, Northern Peninsula of Newfoundland and adjacent Quebec-Labrador: GRANT	3	123-125
Glacial deposits, Northern Peninsula of Newfoundland and adjacent Quebec-Labrador: GRANT	3	123-125
Glaciers, piedmont, late Pleistocene re-advance in western Newfoundland: GRANT	3	126-128
Glacial features, Northern Peninsula of Newfoundland and adjacent Quebec-Labrador: GRANT	3	123-125
Glacial features, western Newfoundland: GRANT	3	126-128
Grain size of sediments, Scotian Shelf: PHIPPS	3	101-112
Grand Banks of Newfoundland, Cretaceous biostratigraphy: BARTLETT	1	4-14
GRANT, D. R. , Surficial deposits, geomorphic features, and late Quaternary history of the terminus of the Northern Peninsula of Newfoundland and adjacent Quebec-Labrador	3	123-125
GRANT, D. R. , Late Pleistocene re-advance of piedmont glaciers in western Newfoundland	3	126-128
Gulf of Maine, possible morainal deposits: HARBISON	1	19-21
Gulf of St. Lawrence, suspended matter in: d'ANGLEJAN	1	15-18
HARBISON, R. N. , Possible morainal deposits in the Gulf of Maine	1	19-21
Hudson Bay, distribution of foraminifera along west coast: SCHAFFER	3	90-94
Humic substances, contribution to cation exchange capacity of different marine sediments: RASHID	2	44-50
Ice sheet, last major in Nova Scotia, dating: MacNEILL	1	3
James Bay, distribution of foraminifera along west coast: SCHAFFER	3	90-94
KING, L. H. , see PHIPPS, C. V. G.	3	101-112
Labrador-Quebec, surficial deposits, geomorphic features, and late Quaternary history: GRANT	3	123-125
Laminated beach sands, sampling of: GEES	2	40-43
Laurentian Channel, suspended matter in: d'ANGLEJAN	1	15-18
Limestone, coralline, on tops of mountains of Mid-Atlantic Ridge: SCHAFFER	2	51-55
Linear sand-surface features, Onslow Bay, North Carolina: MACINTYRE	1	26-29
LYALL, A. K. , see SWIFT, D. J. P.	3	95-100
MACINTYRE, I. G. and PILKEY, O. H. , Preliminary comments on linear sand-surface features, Onslow Bay, North Carolina continental shelf: problems in making detailed sea-floor observations	1	26-29
MacNEILL, R. H. , Dating some Quaternary changes in sedimentation in the Tantramar Marshes of New Brunswick	1	1-2
MacNEILL, R. H. , Some dates relating to the dating of the last major ice sheet in Nova Scotia	1	3
Magdalen Shallows, suspended matter in: d'ANGLEJAN	1	15-18
Maine, Gulf of, possible morainal deposits: HARBISON	1	19-21
Marine sediments, contribution of humic substances to cation exchange capacity in: RASHID	2	44-50
Mesozoic biostratigraphy, Grand Banks of Newfoundland: BARTLETT	1	4-14
Mid-Atlantic Ridge mountains, sediment distribution on tops of: SCHAFFER	2	51-55
MILLER, J. A. , see SWIFT, D. J. P.	3	95-100
Minas Basin, radiometric studies: CRONIN	3	119-122

Mineralogical study, use of scanning electron microscope: WALKER	3	113-118
Mineralogical variations in sediments from Scotia Shelf: PHIPPS	3	101-112
Miramichi estuary, New Brunswick, foraminiferal analysis: TAPLEY	1	30-39
Morainal deposits, possible, Gulf of Maine: HARBISON	1	19-21
Moraines, late Pleistocene, western Newfoundland: GRANT	3	126-128
Musquodoboit Harbour, Nova Scotia, cation exchange capacity of sample from: RASHID	2	44-50
New Brunswick, Bay of Fundy sediments: SWIFT	3	95-100
New Brunswick, Miramichi estuary, foraminiferal analysis: TAPLEY	1	30-39
New Brunswick, Tantramar Marsh, Quaternary changes in sedimentation: MacNEILL	1	1-2
Newfoundland, Grand Banks, Cretaceous biostratigraphy: BARTLETT	1	4-14
Newfoundland, Northern Peninsula; surficial deposits, geomorphic features, and late Quaternary history: GRANT	3	123-125
Newfoundland, western, late Pleistocene re-advance of piedmont glaciers: GRANT	3	126-128
New York State, Pleistocene clay from, fabric compared to laboratory flocculated clay, using scanning electron microscope: O'BRIEN	2	58-61
North Carolina, Onslow Bay, sedimentary study: MACINTYRE	1	26-29
Northern Peninsula, Newfoundland; surficial deposits, geomorphic features, and late Quaternary history: GRANT	3	123-125
Nova Scotia, Bay of Fundy sediments: SWIFT	3	95-100
Nova Scotia, dating last major ice sheet in: MacNEILL	1	3
Nova Scotia, Minas Basin, radiometric studies: CRONIN	3	119-122
Nova Scotia, Musquodoboit Harbour, cation exchange capacity of sample from: RASHID	2	44-50
O'BRIEN, N. R. and SUITO, E. , Comparison of the fabric of a sensitive Pleistocene clay with laboratory flocculated clay using the scanning electron microscope	2	58-61
Onslow Bay, North Carolina, sedimentary study: MACINTYRE	1	26-29
Paleo-ecology, Cretaceous, Grand Banks, Newfoundland: BARTLETT	1	4-14
Paleo-oceanography, Cretaceous, Grand Banks, Newfoundland: BARTLETT	1	4-14
PELLETIER, B. R. , see SWIFT, D. S. P.	3	95-100
PHIPPS, C. N. G. and KING, L. H. , Chemical mineralogical and textural variations in sediments from the Scotian Shelf	3	101-112
pH, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Piedmont glaciers, late Pleistocene re-advance in western Newfoundland: GRANT	3	126-128
PILKEY, O. H. , see MACINTYRE, I. G.		26-29
Pleistocene clay fabric compared to laboratory flocculated clay, using scanning electron microscope: O'BRIEN	2	58-61
Pleistocene, late, re-advance of piedmont glaciers in western Newfoundland: GRANT	3	126-128
Pleistocene, radiocarbon dates, Nova Scotia: MacNEILL	1	3
Pollution, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Potassium-argon age, basalt from Bermuda sea mount: GEES	2	56-57
Profiles, seismic reflection, Gulf of Maine: HARBISON	1	19-21
Quaternary changes in sedimentation, Tantramar Marsh, New Brunswick: MacNEILL	1	1-2
Quaternary, late, in Northern Peninsula of Newfoundland and adjacent Quebec- Labrador: GRANT	3	123-125
Quebec-Labrador, surficial deposits, geomorphis features, and late Quaternary history: GRANT	3	123-125
Radiocarbon dates, last major ice sheet in Nova Scotia: MacNEILL	1	3
Radiocarbon dates, late Pleistocene, western Newfoundland: GRANT	3	126-128
Radiometric studies, Minas Basin, Bay of Fundy: CRONIN	3	119-122
RASHID, M. A. , Contribution of humic substances to the cation exchange capacity of different marine sediments	2	44-50
Research in progress, Chesapeake Bay: SWIFT	1	22-25
Ridges, sub-bottom, Gulf of Maine: HARBISON	1	19-21

Salinity, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Sampling of laminated beach sands: GEES	2	40-43
Sands, beach, laminated, sampling of: GEES	2	40-43
Sand-surface features, linear, Onslow Bay, North Carolina: MACINTYRE	1	26-29
Sand-waves, Chesapeake Bay: SWIFT	1	22-25
Scanning electron microscope, used in clay fabric comparison: O'BRIEN	2	58-61
Scanning electron microscopy in marine science: WALKER	3	113-118
SCHAFFER, C. T. , Distribution of sediments on the tops of Mid-Atlantic Ridge mountains	2	51-55
SCHAFFER, C. T. , Distribution of foraminifera along the west coasts of Hudson and James Bay: A preliminary report	3	90-94
Scotian Shelf, cation exchange capacity of samples from: RASHID	2	44-50
Scotian Shelf sediments; chemical, mineralogical, and textural variations: PHIPPS	3	101-112
SCUBA diving, Onslow Bay, North Carolina: MACINTYRE	1	26-29
Sea mount, Bermuda, age of: GEES	2	56-57
Sediment distribution on tops of Mid-Atlantic Ridge mountains: SCHAFFER	2	51-55
Sediment, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Sedimentary facies, Scotian Shelf: PHIPPS	3	101-112
Sedimentary study, Onslow Bay, North Carolina: MACINTYRE	1	26-29
Sedimentation in Tantramar Marsh, New Brunswick, Quaternary changes: MacNEILL	1	1-2
Sediments, bottom, Bay of Fundy: SWIFT	3	95-100
Sediments from Scotian Shelf; chemical, mineralogical, and textural variations: PHIPPS	3	101-112
Sediments, marine, contribution of humic substances to cation exchange capacity in: RASHID	2	44-50
Sediments, suspended, Bay of Fundy: SWIFT	3	95-100
Seismic reflection profiles, Gulf of Maine: HARBISON	1	19-21
Silicate, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Size analysis of sediments, Scotian Shelf: PHIPPS	3	101-112
Specimen preparation for scanning electron microscopy: WALKER	3	113-118
Spectrophotography, Minas Basin, Bay of Fundy: CRONIN	3	119-122
St. Lawrence, Gulf, suspended matter in: d'ANGLEJAN	1	15-18
SUITO, E. , see O'BRIEN, N. R.	2	58-61
Sulphate, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Surficial deposits, Northern Peninsula of Newfoundland and adjacent Quebec-Labrador: GRANT	3	123-125
Suspended matter in Gulf of St. Lawrence: d'ANGLEJAN	1	15-18
Suspended sediment, Bay of Fundy: SWIFT	3	95-100
SWIFT, D. J. P. , Research in progress	1	22-25
SWIFT, D. J. P. ; PELLETIER, B. R. ; LYALL, A. K. , and MILLER, J. A. , Sediments of the Bay of Fundy - A preliminary report	3	95-100
Tantramar Marsh, New Brunswick, Quaternary changes in sedimentation: MacNEILL	1	1-2
TAPLEY, S. , Foraminiferal analysis of the Miramichi estuary (New Brunswick)	1	30-39
Techniques of scanning electron microscopy in marine science: WALKER	3	113-118
Temperature, bottom, Miramichi estuary, New Brunswick: TAPLEY	1	30-39
Textural variations in sediments from Scotian Shelf: PHIPPS	3	101-112
Tides, Bay of Fundy: SWIFT	3	95-100
Triassic outcrops, Minas Basin, radiometric studies: CRONIN	3	119-122
Variations; chemical, mineralogical, and textural in sediments from Scotian Shelf: PHIPPS	3	101-112
Venezuela, Cariaco Trench and Shelf, cation exchange capacity of samples from: SWIFT	2	44-50
Virginia, False Cape, research in progress: SWIFT	1	22-25
WALKER, D. A. and BUCKLEY, D. E. , Some techniques and applications of scanning electron microscopy in the fields of marine science	3	113-118
Wisconsin glacial episode, radiocarbon dates, Nova Scotia: MacNEILL	1	3
Wisconsin glaciation, Northern Peninsula of Newfoundland and adjacent Quebec-Labrador: GRANT	3	123-125
Wisconsin re-advance of piedmont glaciers, western Newfoundland: GRANT	3	126-128