

Year-End Author Index

Volume 27, numéro 3, november 1991

URI : https://id.erudit.org/iderudit/ageo27_3ind01

[Aller au sommaire du numéro](#)

Éditeur(s)

Atlantic Geoscience Society

ISSN

0843-5561 (imprimé)

1718-7885 (numérique)

[Découvrir la revue](#)

Citer ce document

(1991). Year-End Author Index. *Atlantic Geology*, 27(3), 251–257.

Volume 27 1991

Year-End Author Index

- Akhavi, M.S.** Specification of earth resources satellites and their utility for environmental geology, 146.
- Aksu, A.**, see Proudfoot, D.N., 242.
- Allen, P. and Keenlyside, D.** Paleo-Indian in the Maritimes, 230.
- Aylsworth, J.M., Bélanger, J.R., Courtney, S., and Prigent, A.** Applications of Geographic Information Systems in Quaternary geology, 230.
- Avery, M.P.**, see Mukhopadhyay, P.K., 158.
- Balzer, S.A. and Broster, B.E.** Glacial dispersion of clast lithologies: Lake George area, New Brunswick, 230.
- Barkley, D.J.**, see McCready, R.G.L., 156.
- Barr, S.M.**, see McMullin, D.W.A., 157.
- Barr, S.M., White, C.E., Bevier, M.L., and Hegner, E.** Late Precambrian-Cambrian magmatic evolution of southern New Brunswick and southeastern Cape Breton Island, Nova Scotia, 146.
- Beaumont-Smith, C.J. and Williams, P.F.** Textural development in experimental shear zones using analogue materials, 146.
- Bechard, G.**, see McCready, R.G.L., 156.
- Bélanger, J.R.**, see Aylsworth, J.M., 230.
- Bennett, V.**, see Harper, J.D., 173.
- Bevier, M.L.**, see Barr, S.M., 146.
- Bishop, E.**, see Yeo, G., 166.
- Black, H.O.**, see Rawlence, D.J., 243.
- Blackwell, B., Schwarcz, H.P., Schick, K., Toth, N., and Porat, N.** ESR dating of tooth enamel at Longola Spring Mound, Zambia, 231.
- Blake, W., Jr.** Timing and pattern of glacial retreat, east-central Ellesmere Island and northwestern Greenland, 231.
- Bobrowsky, P. and Clague, J.J.** Late glacial and post-glacial history of the Tofino area, British Columbia, 232.
- Boehner, R.C.**, see Ryan, R.J., 162.
- Boehner, R.C.** Seismic interpretation, potential overthrust geology and mineral deposits in the Kennetcook Basin, Nova Scotia, 147.
- Borns, H.W., Jr. and Dorion, C.C.** Glacial-marine events in Maine during the Late Wisconsin deglaciation, 232.
- Botsford, J. and Ledrew, B.** Trends in the earth science education in the schools, 170.
- Bouchard, M. and Shilts, W.W.** Organic sediment load in modern glaciers, Bylot Island, Northwest Territories, 232.
- Bowlby, J.R.**, see Wallach, J.L., 246.
- Boyce, W.D.** Computer reconstructions of trilobites: a practical example, 170.
- Bray, D.I.**, see Violette, G.G., 245.
- Brenchley, P.J.**, see Pickerill, R.K., 73.
- Briggins, D., Moerman, D., and Rowe, R.** Nova Scotia farm well water quality assurance study, 147.
- Brinsmead, R.A.** Clean Water Act of New Brunswick and municipal wellfield protection program, 148.
- Broster, B.E.**, see Balzer, S.A., 230.
- Broster, B.E.**, see Hornibrook, E.R.C., 199.
- Broster, B.E.**, see Hornibrook, E.R.C., 230.
- Broster, B.E.**, see Hornibrook, E.R.C., 235.
- Broster, B.E.** Application of glacial geology in the assessment of neotectonics in coastal environments, 233.
- Buckley, D.E.** Halifax Harbour: the sedimentary record of a century of contamination, 148.
- Burse, G.G. and Edwards, T.W.D.** A field study using the stable isotopes of oxygen and hydrogen to calculate evaporation, 171.
- Calder, J.H.**, see Ryan, R.J., 162.
- Campbell, I.D.** Modelling the dynamics of southern Ontario forest during the Little Ice Age, 233.
- Campbell, I.D. and McAndrews, J.H.** CANPLOT: A PC-based program for plotting camera-ready pollen diagrams on a laser printer, 234.
- Catto, N.**, see House, R., 236.
- Catto, N.**, see Scott, S., 181.
- Catto, N.**, see Scott, S., 243.
- Catto, N.** Gravel-dominated tidal flat, Come-By-Chance, Newfoundland: a coastline conditioned by glaciofluvial sedimentation, 234.
- Catto, N.** Quaternary and environmental geology of the proposed Site C hydroelectric dam Peace River region, British Columbia, 171.

- Chatterjee, A.K. and Giles, P.S.** An occurrence of subsilicic orthopyroxene and Opx-Sp-Ru-Qtz assemblage in xenoliths of the Tangier Dike, southern Nova Scotia, 148.
- Chatterjee, A.K. and Ham, L.J.** U-Th-Pb systematics of the South Mountain Batholith, Nova Scotia, 149.
- Chatterjee, A.K. and Horne, R.J.** Variations in LIL elements, HFS elements and REES within the Davis Lake Pluton, southwestern Nova Scotia, 149.
- Chatterjee, A.K. and MacDonald, M.A.** Contrasting greisens and associated granitoid rocks of the Davis Lake Pluton: implications for the origin of the East Kemptville tin deposit, Nova Scotia, 150.
- Chatterjee, A.K. and Smith, P.K.** Potential source rocks for gold in Meguma-hosted auriferous vein deposits, Nova Scotia, 150.
- Chatterton, B.E.C.** Book review of Sunwaptan (Upper Cambrian) trilobites of the Cow Head Group, western Newfoundland, Canada. R. Ludvigsen, S.R. Westrop and C.H. Kindle, 79.
- Chmura, G.L.**, see Mathison, S.W., 238.
- Clague, J.J.**, see Bobrowsky, P., 232.
- Clair, T.A.** Effects of natural organic acids on determining the inorganic chemistry of freshwaters, 151.
- Clark, J.I.**, see Woodworth-Lynas, C.M.T., 180.
- Corney, R., Waldron, J.W.F., and Stockmal, G.S.** Sedimentation at the Appalachian thrust front, Port Au Port Peninsula, western Newfoundland, 151.
- Cottingham, R.** Geology - applications in engineering and the environment in Newfoundland and Labrador, 172.
- Courtney, R.**, see Keen, M.J., 154.
- Courtney, S.**, see Alysforth, J.M., 230.
- Crane, K.G.**, see McCready, R.G.L., 156.
- Cwynar, L.C.**, see Mayle, F., 238.
- Davis, L.**, see Scott, W.J., 178.
- DesRoches, K.** The effects of uncertainty on compaction, pressure, temperature and maturity modelling of the Sable Subbasin, 248.
- Dickinson, A.**, see Yeo, G., 166.
- Dionne, J.C.** A reappraisal of postglacial uplift, south shore of the St. Lawrence estuary, Québec, 234.
- Dorion, C.C.**, see Borns, H.W., Jr., 232.
- Dunn, C.E.** The move towards environmental geochemistry, 172.
- Dunning, G.R.**, see Jackson, S.E., 174.
- Dunning, G.R.**, see O'Brien, B.H., 159.
- Durling, P. and Marillier, F.** Structural features map in the Magdalen Basin, from seismic reflection data, 151.
- Easton, N.A.** Inundated cultural deposits from Montague Harbour, British Columbia: implications for post-glacial human occupation on the Pacific coast, 235.
- Edwards, T.W.D.**, see Bursey, G.G., 171.
- Emory-Moore, M.**, see Scott, W.J., 178.
- Evans, D.T.W.**, see Wilton, D.H.C., 179.
- Faas, R.**, see Yeo, G., 166.
- Fillion, D.**, see Pickerill, R.K., 73.
- Friel, J.K.**, see Longerich, H.P., 175.
- Frydecki, J.**, see Seguin, M.K., 57.
- Frydecki, J.**, see Seguin, M.K., 81.
- Fryer, B.J.**, see Jackson, S.E., 174.
- Fryer, B.J.**, see Kerr, A., 175.
- Fryer, B.J.**, see Longerich, H.P., 175.
- Fyffe, L.R.** Tectonic significance of the St. Croix Terrane, southwestern New Brunswick, 152.
- Gale, J.E.**, see MacLeod, R., 176.
- Gao, Z. and Zodrow, E.L.** SEM study on the cuticular structure of some medullosan foliage from the Upper Carboniferous of the Sydney Coalfield, 152.
- Gardiner, W.W.**, see Hornibrook, E.R.C., 199.
- Gardiner, W.W. and Venugopal, D.V.** Coticules: significance to stratigraphic and metallogenic studies in the northern Appalachians, 152.
- Giles, P.S.**, see Chatterjee, A.K., 148.
- Goodwin, L.B. and O'Neil, P.P.** The structural evolution of the northern segment of the Dunnage/Gander zone boundary, Newfoundland, 153.
- Gower, S.**, see Walker, J.A., 164.
- Grant, A.C. and Sanford, B.V.** Seismic study of bedrock geology, Gulf of St. Lawrence region, 153.
- Graves, M.C.**, see Zentilli, M., 168.

- Graves, M.C. and Hein, F.J. Involvement of petroleum in the genesis of the Jubilee Zn-Pb deposit, Cape Breton Island, 153.
- Grist, A., see Ryan, R.J., 162.
- Guzzwell, G.K. EM survey of suspected farm groundwater contamination, 172.
- Hacquebard, P.A. The application of precise coal rank determination to structural geology interpretations, 154.
- Hall, J., Quinlan, G., Roberts, B., Wright, J.A., and Spencer, C. Lithoprobe east: 650 km of deep seismic reflection profile across the Appalachians, onshore Newfoundland, 173.
- Hall, J.M., see Yang, J.S., 166.
- Ham, L.J., see Chatterjee, A.K., 149.
- Harper, J.D., Soliman, O., and Bennett, V. Late Jurassic carbonates of the Grand Banks of Newfoundland, 173.
- Hegner, E., see Barr, S.M., 146.
- Hein, F.J., see Graves, M.C., 153.
- Hicock, S.R. Coastal subglacial events of two competing lobes, north shore Lake Erie, 235.
- Horne, R.J., see Chatterjee, A.K., 149.
- Hornibrook, E.R.C. and Broster, B.E. Heavy mineral dispersion in till: Todd Mountain, New Brunswick, 235.
- Hornibrook, E.R.C., Broster, B.E., Gardiner, W.W., and Pronk, A.G. Glacial dispersal of heavy minerals in late Wisconsinan till, central New Brunswick, 199.
- House, R. and Catto, N. Glaciomarine underflow fan sedimentation, Placentia Bay, Avalon Peninsula, Newfoundland, 236.
- Howells, K. and Roulston, B.V. Seismic reflection interpretation for evaporites in the Moncton Subbasin, New Brunswick, 154.
- Huntley, D.H. Lithofacies analysis of the Catfish Creek till: Bradville, Ontario, 213.
- Huntley, D.H. Paraglacial alpine karst: Small River Glacier, British Columbia, 236.
- Jackson, S.E., see Longerich, H.P., 175.
- Jackson, S.E., see Wilton, D.H.C., 179.
- Jackson, S.E., Fryer, B.J., Longerich, H.P., and Dunning, G.R. *In-situ* trace element and isotope ratio determinations in rock-forming minerals using Laser Ablation Microprobe (LAM)-ICP-MS, 174.
- Jacobs, J.D. Environmental monitoring at remote Arctic sites for local area studies, 175.
- Josenhans, H.W., Smith, D.D., and Zevenhuizen, J. Sea level history of the Gulf of St. Lawrence, 237
- Jowett, E.C., see Waldie, C.J., 1.
- Keen, M.J., Courtney, R., Purdy, G.M., and McClain, J. Ocean crustal thickness and chemistry correlated with the initial crestal depth when the crust formed at the mid-ocean ridge, 154.
- Keenlyside, D., see Allen, P., 230.
- Keighley, D.G. and Pickerill, R.K. Ichnology of non-marine Carboniferous strata between Cheticamp and Inverness, northwestern Cape Breton Island, Nova Scotia, 155.
- Kerr, A. and Fryer, B.J. Neodymium isotopic evidence for interaction of mantle and crustal components in the genesis of A-type granite suites in Labrador, 175.
- Kerr, D.E., see Levson, V.M., 237.
- Kerrich, R., see Kontak, D.J., 29.
- Kontak, D.J., Kerrich, R., and Strong, D.F. The role of fluids in the late-stage evolution of the South Mountain Batholith, Nova Scotia: further geochemical and oxygen isotopic studies, 29.
- Kontak, D.J. and Smith, P.K. A mineralogical and fluid inclusion study of the West Gore Sb-Au deposit, central Meguma Terrane, Nova Scotia: a possible high-level analogue for mesothermal Meguma Group lode-gold deposits, 155.
- Krough, T.E., see McLeod, M.J., 157.
- Lamothe, M. Pleistocene stratigraphy and late glacial events in central and northern New Brunswick, 237.
- Langdon, G.S. Current research into Carboniferous basin development in western Newfoundland and nearby areas, using geological and geophysical data, 156.
- Leblanc, S., see Walker, J.A., 164.
- Ledrew, B., see Botsford, J., 170.
- LeDrew, J. Vertical stratigraphic sequence of the Bluesky Formation in west-central Alberta and implications for a depositional model, 248.
- Levson, V.M. and Kerr, D.E. Quaternary studies and gold exploration in the British Columbia Intermontane Belt, 237.
- Liverman, D., see Scott, S., 181.
- Liverman, D.G.E., see Scott, S., 243.
- Longerich, H.P., see Jackson, S.E., 174.
- Longerich, H.P., Jackson, S.E., Fryer, B.J., and Friel, J.K. Elemental analysis at Memorial, 175.
- Ludman, A. Revised stratigraphy of the Cookson Group in eastern Maine and southwestern New Brunswick: an alternate view, 49.
- MacDonald, B. The Willowbank mudflat: Sediment grain-size analysis and *Corophium* population distributions, 248.
- MacDonald, M.A., see Chatterjee, A.K., 150.

- MacLeod, R., Gale, J.E., and Welhan, J.A.** A hydrogeological interpretation of trace metal concentrations in lake sediment in the Holyrood granite, 176.
- Marillier, F.**, see Durling, P., 151.
- Mathison, S.W. and Chmura, G.L.** Foraminiferal test linings in palynological preparations from coastal marshes of Louisiana, 238.
- Mayle, F. and Cwynar, L.C.** The chronology and expression of the Younger Dryas cooling in Atlantic Canada, 238.
- McAlpine, D.F.**, see Miller, R.F., 111.
- McAndrews, J.H.**, see Campbell, I.D., 234.
- McAslan, A.A. and Rawlence, D.J.** Late glacial - Holocene history of Harrigan Lake, Saint John County, New Brunswick, based on fossil diatom and sedimentary pigment distribution, 239.
- McClain, J.**, see Keen, M.J., 154.
- McCready, R.G.L., Bechard, G., and Rajan, S.** Microbial treatment of acidic drainage at Halifax International Airport, 156.
- McCready, R.G.L., Rajan, S., Barkley, D.J., Pokrajac, L.A., and Crane, K.G.** Biodegradation of lignite coal tar, 156.
- McDow, N.**, see Yeo, G., 167.
- McFall, G.H.**, see Wallach, J.L., 246.
- McGinn, R.A.** The formation and draining of late Wisconsinan superglacial lakes on the Riding Mountain Uplands, Manitoba, 221.
- McGinn, R.A.** The late Wisconsinan deglaciation of the Riding Mountain Uplands: the superglacial lake phase, 239.
- McKay, D.A.**, see Wallach, J.L., 246.
- McLeod, M.J., Ruitenbergh, A.A., and Krough, T.E.** A previously unrecognized Lower Ordovician sequence in southern New Brunswick: evidence for multistage development of *Iapetus*?, 157.
- McMullin, D.W.A., Barr, S.M., and Raeside, R.P.** The Bateman Brook Metamorphic Suite at the Aspy/Bras d'Or terrane boundary in the Cape Breton Highlands: intermixed mylonitized blocks of other units, 157.
- Miller, B.V.** High-Grade gneisses of the Blair River Complex in the northwestern Cape Breton Highlands, 157.
- Miller, M.A. and Williams, G.L.** Ordovician chitinous hydroids from Hudson Strait, District of Franklin, Northwest Territories, 107.
- Miller, R.F.** Description of post-glacial echinoderm fossils from marine deposits in New Brunswick, 239.
- Miller, R.F. and McAlpine, D.F.** A review of echinoderms from Pleistocene marine deposits near Saint John, New Brunswick, 111.
- Miller, R.F. and Morgan, A.V.** Fossil Coleoptera from Lismore, Nova Scotia: life before the Younger Dryas, 240.
- Miller, R.F. and Morgan, A.V.** Late-glacial Coleoptera fauna from Lismore, Nova Scotia, 193.
- Miller, R.R.** Rare metals and rare earths in Labrador, 176.
- Moerman, D.**, see Briggins, D., 147.
- Mohajer, A.A.**, see Wallach, J.L., 246.
- Morgan, A.V.**, see Miller, R.F., 193.
- Morgan, A.V.**, see Miller, R.F., 240.
- Morgan, A.V.** An update on global change research in Canada: the view from a federal perspective, 240.
- Morgan, A.V.** Paleontomology and the resolution of the Younger Dryas in western Europe and in eastern North America, 240.
- Mukhopadhyay, P.K., Wade, J.A., and Avery, M.P.** Problems of vitrinite reflectance in Scotian Basin and its relation to overpressuring and hydrocarbon generation, 158.
- Murphy, J.B.**, see Stokes, T.R., 164.
- Murphy, J.B.** Igneous provinces in the Circum-Atlantic orogens, 158.
- Murphy, J.B.** Tectonic activity and the development of igneous layering, 158.
- Nearing, J.D.** Early Carboniferous hydrothermal events of the western Cobequid Highlands, Nova Scotia, 159.
- Nearing, J.D.** Early Carboniferous hydrothermal events of the western Cobequid Highlands, Nova Scotia, 249.
- Nickerson, W.A.** Seismic clues to Carboniferous basin development in the Moncton Subbasin, New Brunswick, 159.
- Noble, J.P.A.** Book review of East Coast Basin Atlas Series, the Labrador Sea. Coordinated by J.S. Bell, 143.
- O'Brien, B.H., O'Brien, S.J., and Dunning, G.R.** Silurian cover, Late Precambrian - Early Ordovician basement and the chronology of Silurian orogenesis in the Hermitage Flexure: implications for gold metallogeny in southwest Newfoundland, 159.
- O'Brien, S.J.**, see O'Brien, B.H., 159.
- O'Driscoll, C.F.** Geoscience education and the GAC, 177.
- O'Neil, P.P.**, see Goodwin, L.B., 153.
- Pancura, H.**, see Piper, D.J.W., 160.
- Parkhill, M.A.**, see Seaman, A.A., 243.
- Parkhill, M.A.** Surficial geology of the Nepisiguit Lakes and California Lake areas, Miramichi Highlands, northern New Brunswick, 241.

- Parkhill, M.A.** Surficial geology of the Nepisiguit Lakes map area, emphasizing till clast composition, Miramichi Highlands, north-central New Brunswick, 160.
- Pe-Piper, G.**, see Piper, D.J.W., 160.
- Pe-Piper, G.** Granite and associated mafic phases, North River pluton, Cobequid Highlands, Nova Scotia, 15.
- Pickerill, R.K.** The trace fossil *Neonereites multiserialis* Pickerill and Harland, 1988 from the Devonian Wapske Formation, northwest New Brunswick, 119.
- Pickerill, R.K., Fillion, D., and Brenchley, P.J.** A note on the occurrence of *Arthropycus* in the Bell Island Group of eastern Newfoundland, 73.
- Pickerill, R.K.**, see Keighley, D.G., 155.
- Piper, D.J.W.** Late Wisconsinan glaciation on the Atlantic coast of Nova Scotia: evidence from offshore, 241.
- Piper, D.J.W., Pancura, H., and Pe-Piper, G.** A mineralised Early Carboniferous caldera complex, northern Cape Chignecto: a progress report, 160.
- Pokrajac, L.A.**, see McCready, R.G.L., 156.
- Poorooshasb, F.**, see Woodworth-Lynas, C.M.T., 180.
- Porat, N.**, see Blackwell, B., 231.
- Prégent, A.**, see Aylsworth, J.M., 230.
- Pronk, A.G.**, see Hornibrook, E.R.C., 199.
- Pronk, A.G.**, see Seaman, A.A., 243.
- Pronk, A.G.** Applications of Quaternary mapping in New Brunswick, 241.
- Pronk, A.G.** Geology and environment; earth first?, 161.
- Pronk, A.G.** Geology and environmental change: a New Brunswick perspective, 97.
- Pronk, A.G. and Ruitenberg, A.A.** Applications of surficial mapping to forest management in New Brunswick, 209.
- Proudfoot, D.**, see Scott, W.J., 178.
- Proudfoot, D.N. and Aksu, A.** Coalescence of Newfoundland and Labrador ice - evidence from land and sea, west central Great Northern Peninsula, Newfoundland, 242.
- Purdy, G.M.**, see Keen, M.J., 154.
- Quinlan, G.**, see Hall, J., 173.
- Raeside, R.P.**, see McMullin, D.W.A., 157.
- Raeside, R.P.** The metamorphic distinction of tectonostratigraphic terranes in Nova Scotia, 161.
- Rajan, S.**, see McCready, R.G.L., 156.
- Rawlence, D.J.**, see McAslan, A.A., 239.
- Rawlence, D.J.** Diatom responses to the Younger Dryas climatic cooling in sediments from lakes in southern New Brunswick, 242.
- Rawlence, D.J.** Interpretation of diatom distribution in Maritime postglacial lake sediments, 242.
- Rawlence, D.J. and Black, H.O.** Late glacial - early Holocene development of Canoran Lake, Nova Scotia, with reference to the Younger Dryas cooling, 243.
- Roberts, B.**, see Hall, J., 173.
- Robinson, J.** Study of soil plugging beneath a manure lagoon, 177.
- Rondot, J.**, see Seguin, M.K., 81.
- Roulston, B.V.**, see Howells, K., 154.
- Rowe, R.**, see Briggins, D., 147.
- Ruffman, A.** A compilation of eastern Canadian historic tsunamis, 161.
- Ruitenberg, A.A.**, see McLeod, M.J., 157.
- Ruitenberg, A.A.**, see Pronk, A.G., 209.
- Ryan, R.J., Boehner, R.C., and Calder, J.H.** Lithostratigraphic revision of the Upper Carboniferous to Lower Permian strata of the Cumberland and Pictou groups in the Cumberland Basin, Nova Scotia, and the regional implications for the Maritimes Basin, 162.
- Ryan, R.J., Grist, A., and Zentilli, M.** The thermal evolution of the Maritimes Basin: evidence from apatite fission track analysis and organic maturation data, 162.
- Sanford, B.V.**, see Grant, A.C., 153.
- Scott, S., Catto, N., and Liverman, D.** Quaternary marine deposits of the Springdale - Hall's Bay area, Newfoundland, 181.
- Scott, S., Catto, N., and Liverman, D.G.E.** Sedimentology of Quaternary glaciomarine deposits, Springdale - Hall's Bay area, Newfoundland, 243.
- Scott, W.J., Emory-Moore, M., Davis, L., and Proudfoot, D.** Environmental and economic impacts of future shallow placer mining in Newfoundland: a pilot study, 178.
- Schick, K.**, see Blackwell, B., 231.
- Schwarcz, H.P.**, see Blackwell, B., 231.

- Seaman, A.A., Pronk, A.G., and Parkhill, M.A.** Quaternary geology of New Brunswick: seven years later, 243.
- Seguin, M.K. and Frydecki, J.** Residual gravity modelling of the Mount Mégantic intrusive complex, Québec, Canada, 57.
- Seguin, M.K., Rondot, J., and Frydecki, J.** La région de Charlevoix-Kamouraska (Québec): gravité et géologie, 81.
- Shilts, W.W.**, see Bouchard, M., 232.
- Simms, A.** Regional analysis of iceberg scours: an application for GIS, 178.
- Soliman, O.**, see Harper, J.D., 173.
- Spencer, C.**, see Hall, J., 173.
- Smith, D.D.**, see Josenhans, H.W., 237.
- Smith, P.K.**, see Chatterjee, A.K., 150.
- Smith, P.K.**, see Kontak, D.J., 155.
- Smith, W.D.** The Nova Scotia Youth Conservation Corps programme, 163.
- St-Jean, A.** Cape George Complex, Antigonish Highlands, Nova Scotia: tectonic significance of Late Paleozoic deformation in a dextral strike-slip regime, 249.
- Stea, R.** Quaternary map of Nova Scotia, 163.
- Steel Flynn, D.** Aquatic environmental monitoring, 179.
- Stenson, R.E.** Recent bedrock geomorphology of the Niagara Escarpment, Niagara, Ontario, 244.
- Stockmal, G.S.**, see Corney, R., 151.
- Stockmal, G.S. and Waldron, J.W.F.** Inversion of Taconian structure during Acadian overthrusting, Port Au Port Peninsula, Newfoundland, 163.
- Stokes, T.R. and Murphy, J.B.** Structural features and tectonic implications of a sub-horizontal cleavage in metavolcanics and metaturbidites of the Jeffers Group, Cobequid Highlands, Nova Scotia, 164.
- Strong, D.F.**, see Kontak, D.J., 29.
- Swinden, H.S.**, see Waldie, C.J., 1.
- Syvitski, J.P.M.** Marine geology of Baie des Chaleurs, 244.
- Tetley, B.**, see Yeo, G., 167.
- Toth, N.**, see Blackwell, B., 231.
- Vardy, S.R.** Late glacial - early postglacial environmental history of south central Newfoundland: evidence from the pollen and geochemical stratigraphy of lake sediments, 245.
- Venugopal, D.V.**, see Gardiner, W.W., 152.
- Violette, G.G. and Bray, D.I.** Glacial processes explain the probable origin and aid in the exploitation of the Fredericton aquifer, Fredericton, New Brunswick, 245.
- Wade, J.A.**, see Mukhopadhyay, P.K., 158.
- Waldie, C.J., Jowett, E.C., and Swinden, H.S.** The Crescent Lake copper deposit, central Newfoundland: deep levels of a volcanogenic hydrothermal system?, 1.
- Waldron, J.W.F.**, see Corney, R., 151.
- Waldron, J.W.F.**, see Stockmal, G.S., 163.
- Walker, J.A., Gower, S., and Leblanc, S.** Siluro-Devonian tectonostratigraphic relationships, western margin of Elmtree Inlier, northern New Brunswick, 164.
- Wallach, J.L., Bowlby, J.R., McFall, G.H., McKay, D.A., and Mohajer, A.A.** Surficial pop-ups as geological indicators of major seismicity in eastern North America, 246.
- Wardle, R.J.** Proterozoic orogens of Labrador: analogues for the deeper levels of Phanerozoic orogens, 165.
- Weddle, T.K.** Late Wisconsinan stratigraphy, New Sharon and Mercer, Maine, 246.
- Welhan, J.A.**, see MacLeod, R., 176.
- White, C.E.**, see Barr, S.M., 146.
- Williams, G.L.**, see Miller, M.A., 107.
- Williams, P.F.**, see Beaumont-Smith, C.J., 146.
- Wilson, R.A.** New base metal discovery in the Siluro-Devonian Tobique Belt, New Brunswick, 165.
- Wilton, D.** The proposed wilderness research centre of the Labrador Institute of Northern Studies, Memorial University, 179.
- Wilton, D.H.C., Jackson, S.E., and Evans, D.T.W.** ICP-MS trace element analyses of surface waters from fault zones in the eastern and western margins of the Dunnage tectonostratigraphic zones of the Newfoundland Appalachians, 179.
- Woodworth-Lynas, C.M.T., Clark, J.I., and Poorooshab, F.** Ice scour in the geological record and its applicability to offshore oil and gas development, 180.
- Wright, J.A.**, see Hall, J., 173.
- Yang, J.S. and Hall, J.M.** Constructional features and their relationship to sulphide deposits in the upper part of the Troodos Ophiolite, Cyprus, 166.
- Yeo, G.** Paleozoic ironstones of the Canadian Appalachians, 166.

- Yeo, G., Bishop, E., Dickinson, A., and Faas, R.** Sedimentation in the inner Cornwallis Estuary, Minas Basin, Nova Scotia: implications for contaminant accumulation, 166.
- Yeo, G., McDow, N., and Tetley, B.** Tidal facies and stratigraphy of a muddy macrotidal estuary in the southern bight of the Minas Basin, and potential for synthetic aperture radar (SAR) monitoring of active intertidal areas, 167.
- Zentilli, M.**, see Ryan, R.J., 162.
- Zentilli, M. and Graves, M.C.** Hydrothermal ore genesis: the role of carbon, 168.
- Zevenhuizen, J.**, see Josenhans, H.W., 237.
- Zodrow, E.L.**, see Gao, Z., 152.
- Zodrow, E.L.** A coal-sulfur model for Sydney Coalfield (Upper Carboniferous), Nova Scotia, Canada, 127.