



Understanding the near-peer relationship: Resident perspectives around a novel on-call workplace-based assessment

Comprendre la relation entre presque pairs : le point de vue des résidents sur une nouvelle évaluation en milieu de travail dans un contexte de garde

Amy D Lu, Adelle R Atkinson et Julie C Johnstone

Volume 13, numéro 6, 2022

URI : <https://id.erudit.org/iderudit/1094274ar>

DOI : <https://doi.org/10.36834/cmej.73164>

[Aller au sommaire du numéro](#)

Éditeur(s)

Canadian Medical Education Journal

ISSN

1923-1202 (numérique)

[Découvrir la revue](#)

Citer cet article

Lu, A., Atkinson, A. & Johnstone, J. (2022). Understanding the near-peer relationship: Resident perspectives around a novel on-call workplace-based assessment. *Canadian Medical Education Journal / Revue canadienne de l'éducation médicale*, 13(6), 73–79. <https://doi.org/10.36834/cmej.73164>

Résumé de l'article

Contexte : Tandis que l'évaluation en milieu de travail (EMT) est une composante essentielle de l'éducation médicale fondée sur les compétences (EMFC), il y a peu de recherches sur l'EMT en contexte de garde de nuit. Nous avons étudié un formulaire d'évaluation en milieu de travail rempli par des résidents en surspécialité supervisant des résidents en pédiatrie pendant la garde de nuit en surspécialité, afin de déterminer s'il facilite la rétroaction avec coaching dans ce contexte.

Méthodes : Des questionnaires en ligne ont été envoyés aux résidents avant la mise en œuvre de l'outil d'EMT et à partir de celle-ci, tous les mois pendant quatre mois (d'août à décembre 2018). Ils exploraient la fréquence des rétroactions, les opinions des participants, exprimées sur une échelle de Likert, sur le caractère pratique et l'utilité de l'outil comme facilitateur de la rétroaction et leurs expériences qualitatives. Les commentaires des évaluateurs ont été catégorisés comme étant exploitables ou non exploitables. Les données quantitatives ont été résumées à l'aide de statistiques descriptives. Les données qualitatives ont été codées pour identifier les thèmes.

Résultats : Le taux de réponse total était en moyenne de 41 % (total de 25 réponses, moyenne de 5 répondants/12 résidents de garde chaque mois). Après l'introduction de l'outil (n = 16 réponses), une tendance non soutenue à l'augmentation des commentaires des experts médicaux a été observée. Les résidents étaient généralement partagés ou en désaccord quant au caractère pratique de l'outil et à sa capacité à faciliter la rétroaction. Les commentaires contenaient des informations exploitables dans moins de 10 % des EMT remplies. L'analyse qualitative a révélé les obstacles suivants au fonctionnement de l'outil comme facilitateur du coaching : la qualité des commentaires et l'environnement, le rôle du presque pair senior en tant qu'évaluateur, la tension lors des rencontres de coaching et les problèmes spécifiques à l'outil.

Conclusion : Pour atteindre les objectifs de l'EMFC, il ne suffit pas de remplir plus souvent l'outil d'EMT. Les facteurs qui influencent la rétroaction avec coaching au sein de la dyade résident-presque pair doivent également être pris en compte.



Understanding the near-peer relationship: resident perspectives around a novel on-call workplace-based assessment

Comprendre la relation entre presque pairs : le point de vue des résidents sur une nouvelle évaluation en milieu de travail dans un contexte de garde

Amy D Lu,¹ Adelle R Atkinson,^{1,2} Julie C Johnstone²

¹Postgraduate Medical Education, Paediatrics, University of Toronto, Ontario, Canada; ²Department of Paediatrics, The Hospital for Sick Children, Ontario, Canada

Correspondence to: Amy D. Lu, Postgraduate Medical Education, 555 University Avenue, Room 1447 Black Wing, Toronto, ON, M5G 1X8; phone: 416-813-7654 ext 228349; email: amy.lu@sickkids.ca

Published ahead of issue: Oct 13, 2022; published: Nov 15, 2022. CMEJ 2022, 13(6). Available at <https://doi.org/10.36834/cmej.73164>

© 2022 Lu, Atkinson, Johnstone; licensee Synergies Partners. This is an Open Journal Systems article distributed under the terms of the Creative Commons Attribution License. (<https://creativecommons.org/licenses/by-nc-nd/4.0>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is cited.

Abstract

Background: Workplace-based assessment (WBA) is a critical component of competency-based medical education (CBME), though literature on WBA for overnight call is limited. We evaluated a WBA tool completed by supervising subspecialty trainees on paediatric residents during subspecialty overnight call, for usefulness facilitating feedback/coaching in this setting.

Methods: Web-based surveys were sent to residents pre- and post-WBA tool implementation monthly for four months (August-December 2018), exploring feedback frequency, Likert-scaled opinions of tool feasibility/usefulness facilitating feedback, and qualitative experiences. Assessor comments were categorized as actionable/non-actionable. Quantitative data was summarized using descriptive statistics. Qualitative data was coded to identify themes.

Results: Total response rates averaged 41% (total 25 responses, average five respondents/12 residents on-call each month). Post-implementation ($n = 16$ responses), a non-sustained trend of increased Medical Expert feedback was observed. Residents were generally divided or disagreed on tool usefulness facilitating feedback and feasibility. Comments contained actionable feedback in < 10% of completed WBAs. Qualitative analysis revealed barriers to tool-facilitated coaching including: feedback quality and setting/environment, role of senior near-peer as assessor, interpersonal burden in encounters, and tool-specific issues.

Conclusions: Increasing frequency of WBA tool completion is not sufficient to achieve CBME goals. Factors impacting feedback/coaching within the resident/near-peer dyad must be addressed.

Résumé

Contexte : Tandis que l'évaluation en milieu de travail (EMT) est une composante essentielle de l'éducation médicale fondée sur les compétences (EMFC), il y a peu de recherches sur l'EMT en contexte de garde de nuit. Nous avons étudié un formulaire d'évaluation en milieu de travail rempli par des résidents en surspécialité supervisant des résidents en pédiatrie pendant la garde de nuit en surspécialité, afin de déterminer s'il facilite la rétroaction avec coaching dans ce contexte.

Méthodes : Des questionnaires en ligne ont été envoyés aux résidents avant la mise en œuvre de l'outil d'EMT et à partir de celle-ci, tous les mois pendant quatre mois (d'août à décembre 2018). Ils exploraient la fréquence des rétroactions, les opinions des participants, exprimées sur une échelle de Likert, sur le caractère pratique et l'utilité de l'outil comme facilitateur de la rétroaction et leurs expériences qualitatives. Les commentaires des évaluateurs ont été catégorisés comme étant exploitables ou non exploitables. Les données quantitatives ont été résumées à l'aide de statistiques descriptives. Les données qualitatives ont été codées pour identifier les thèmes.

Résultats : Le taux de réponse total était en moyenne de 41 % (total de 25 réponses, moyenne de 5 répondants/12 résidents de garde chaque mois). Après l'introduction de l'outil ($n = 16$ réponses), une tendance non soutenue à l'augmentation des commentaires des experts médicaux a été observée. Les résidents étaient généralement partagés ou en désaccord quant au caractère pratique de l'outil et à sa capacité à faciliter la rétroaction. Les commentaires contenaient des informations exploitables dans moins de 10 % des EMT remplies. L'analyse qualitative a révélé les obstacles suivants au fonctionnement de l'outil comme facilitateur du coaching : la qualité des commentaires et l'environnement, le rôle du presque pair senior en tant qu'évaluateur, la tension lors des rencontres de coaching et les problèmes spécifiques à l'outil.

Conclusion : Pour atteindre les objectifs de l'EMFC, il ne suffit pas de remplir plus souvent l'outil d'EMT. Les facteurs qui influencent la rétroaction avec coaching au sein de la dyade résident-presque pair doivent également être pris en compte.

Introduction

Implementation of competency-based medical education (CBME) has been a major transformation within Canadian medical education.¹ CBME uses workplace-based assessments (WBA), in which teachers observe clinical encounters to provide coaching and to assess achievement of competencies, which informs entrustment decisions.² Quality of coaching, including rapport building, is a key factor in WBA success.³⁻⁵

Despite residents spending substantial time in the overnight on-call setting, there exists a gap in our understanding of WBA in this unique educational setting.⁶⁻⁸ Existing literature focuses on surgical and radiology residents,^{9,10} with emerging work in internal medicine,¹¹ but none to our knowledge in paediatrics. As residents are often supervised by near-peer assessors (defined as peers at least one year senior) during overnight call,¹² there is a further gap in our understanding of this assessment relationship within CBME. While the value of near-peer coaching has been described among faculty,¹³ it has not been well studied amongst residents.¹³

This study aimed to understand the perspectives and benefits of using a WBA tool in facilitating coaching for overnight call. Through our analysis, we explored factors that affected feedback quantity and quality, and the assessment and coaching model.

Methods

Setting

In this core paediatric residency within a large Academic Health Sciences Centre, second-year paediatric residents cover overnight call for multiple subspecialty services in a night float model (~four shifts/month), supervised by subspecialty trainees. Some subspecialty trainees remain in-house while others provide home-call coverage, communicating with residents by phone. Generally, residents are encouraged to contact the subspecialty trainee, rather than faculty, who support subspecialty trainees in a hierarchical manner. This process is evaluated through a Continuous Quality Improvement (CQI) process with feedback elicited throughout the year and via year-end resident retreat reports. Residents consistently requested increased feedback around their on-call work.

WBA Tool

Aligned with CBME implementation and to address the above mentioned feedback gap, we designed a web-based WBA tool adapted from an existing Royal College tool used

in Internal Medicine, which included specific milestones, an overall entrustment rating, and comment boxes for feedback within CanMEDS¹⁴ Medical Expert and Leader domains (Appendix A). These roles were selected as competencies in these domains were mapped to the on-call training experience.

The tool was accessible on any electronic device via our institution's online assessment platform for WBAs (Elentra®). WBA tools could be completed with resident and assessor together on a device, or sent by residents to assessors via email. The WBA tool was to be completed once per shift. WBAs could be initiated by resident or supervisor (subspecialty trainee or staff).

Study design & ethics

Anonymized web-based surveys were sent to residents via email once before tool implementation and monthly after implementation for four months (August-December 2018), to compare before and after tool implementation. Surveys measured resident-reported number of call shifts that included actionable feedback versus total number of shifts worked. Actionable feedback was defined as feedback highlighting specific guidance/advice. Likert-scaled opinions (5-point) were obtained on tool usefulness in facilitating feedback in Medical Expert/Leader roles and feasibility within post-call workflows. Demographic data were not collected, to protect anonymity.

Narrative comments were collected using open-ended prompts exploring how feedback was received on-call and inviting suggestions to improve WBA tool effectiveness.

Comments within completed WBAs were analyzed by one research team member (JJ) and classified as actionable/non-actionable based on inclusion of feedback that a resident could reflect and act upon. Data were presented in aggregate "yes/no" format due to their confidential nature.

This study was approved within the Hospital for Sick Children as a Quality Improvement (QI) initiative. Potential participants were informed about the study prior to its commencement; participation was not required, and consent was implied with completion of survey questionnaires.

Quantitative and qualitative analysis

Quantitative data were summarized with descriptive statistics. Qualitative data were analyzed through a qualitative thematic analysis.¹⁵ Responses were first coded independently by two authors (AL, JJ) using an inductive

approach to identify themes. Authors then met to discuss codes and themes to develop shared understanding. Consensus was achieved around themes using codes identified and thematic saturation was reached once no new themes were identified across the dataset.¹⁶

Results

Quantitative results

A total 25 responses were received over the study period, with an average 41% response rate (average five respondents/12 residents on-call each month). Resident-reported frequency of call shifts including actionable feedback over the preceding month suggested a non-sustained trend towards increased feedback following WBA tool introduction (median one shift with actionable feedback/four shifts worked). There were no differences between Medical Expert and Leader domains.

Residents ($n = 16$ post-tool implementation) were divided between agreement (38%) and disagreement (31%) on tool usefulness facilitating Medical Expert feedback but disagreed that it was useful facilitating feedback on the Leader domain (50%). Residents disagreed that the WBA tool was feasible to use within post-call clinical workflows (63%). Analysis of WBA comments demonstrated that < 10% contained actionable feedback within Medical Expert/Leader domains (Figure 1).




Figure 1. Distribution of feedback within completed WBAs

Total $n = 64$ assessments completed of possible 196 (33%).

Examples of non-actionable feedback: "great work," "nice working with you," "keep it up"

Examples of actionable feedback: "continue to loop back with nurses when you put orders in after hours to close the loop," "make sure to always reach out to seniors for critical values"

Qualitative results

Our qualitative data provided a more nuanced picture of factors influencing assessment success and revealed themes highlighting challenges in completing WBAs during call. An overview of themes with representative quotations can be found in Table 1 and are outlined below.

Feedback environment and daytime handover structure.

Residents identified the post-call setting as a challenging feedback environment, with limitations of the post-call handover structure emerging as a recurring barrier. Clinical responsibilities (handing over to multiple services) were prioritized and interfered with obtaining feedback.

Subspecialty Trainees. Residents described how supervising subspecialty trainees, also on-call themselves, were often unavailable post-call to complete WBAs. Resident autonomy overnight led to perceptions of limited value of WBAs by subspecialty trainees who may not have been involved at the time of the decision. Residents also described challenges with subspecialty trainees' lack of awareness or understanding of the WBA tool's purpose and how to navigate the tool platform.

Interpersonal burden. Residents suggested a tension around the coaching encounter, whereby the interpersonal relationship between the near-peer assessor and resident affected the quality of coaching. Assessment encounters were perceived as a burden for assessors, with residents avoiding requesting a WBA to "protect" the subspecialty trainee from extra work. Being post-call amplified this feeling of placing a burden on others.

Feedback quality. Residents identified interest in receiving more constructive feedback, but feedback provided to them on-call, both pre- and post-WBA implementation, was consistently described as lacking in quantity and quality.

Tools. Residents identified priorities to improve the WBA tool including shorter length, ease of tool use, decreased expectations for WBA frequency, and improved platform accessibility for assessors with flexibility in time and space for tool completion post-call.

Table 1. Overview of themes within qualitative analysis around barriers to WBA tool usefulness and feasibility

Themes	Sub-themes	Selected Quotations
Feedback Environment and Daytime Handover Structure	Feedback occurring overnight/in real-time	"[I received feedback] from the overnight fellow when I ran a specific issue by her." "[I received feedback] over the phone during midnight conversations."
	Daytime handover structure as barrier to feedback post-call	"...Handover is done in the AM via text or phone call and so I had to find a way to meet the fellow after I had handed over to all of the other teams."
Subspecialty Trainees as Assessors	Lack of availability to provide feedback	"It is difficult to always find the post-call fellow to do the evaluation." "I had to find a way to meet the fellow after I had handed over all of the other teams."
	Lack of understanding/awareness of WBA tool	"Most time is taken explaining to fellows what this tool is."
	Paediatric resident autonomy from subspecialty residents/fellows	"We make a lot of independent decisions overnight." "There's times where I don't interact all that much with the fellow."
Interpersonal Burden	Assessment/feedback encounter as burden	"I'd have to ask them to stay later."
	Burden amplified by subspecialty resident/fellow assessor being post-call	"Fellows were a bit upset at the length of the tool." "The questionnaire was way too long for post call sleepy fellows."
Feedback Quality	Non-actionable feedback	"I didn't get more than a 'I agree' with my plan."
	Infrequent feedback	"The feedback isn't too much."
	Paediatric resident interest in feedback	"Would really appreciate more constructive feedback."
Tool	Importance of ease of use	"Needs to be...easier."
	Preference for shorter tool	"Needs to...[have] fewer things to fill in."
	Issues with tool platform as barrier to use	"Fellows need to have their usernames integrated into the...system...More options to have the evaluation request sent out to be completed at a later date and time"
	Preference for less frequent tool completion	"Reduce the frequency – it was difficult to have it filled out after each shift."

Discussion

Our study is, to our knowledge, the first to capture the perspectives of paediatric residents on a WBA tool to facilitate coaching during overnight call and highlights the tensions that arise from the near-peer assessment relationship in this setting. We found that assessment encounter frequency may increase following the introduction of mandatory WBAs; however, this does not beget high-quality feedback.

Our study identified context- and tool-specific factors that could be adjusted through a CQI process to improve WBA implementation, namely tool length, expected frequency of completion, ease of tool use, and protected time for completion. We also identified the uniqueness of post-call timing as a challenge for prioritizing WBA completion.

Of interest, we gleaned insight regarding the unique role of a supervising senior trainee as near-peer assessor during overnight call. The "interpersonal burden" imposed on the resident/near-peer dyad during WBAs echoes interpersonal influences described in studies of the senior (internal) medical resident (SMR) as near-peer assessor, whereby an SMR's focus on team dynamics is in tension with authentic assessment.¹¹ We note this interpersonal burden is exacerbated post-call, as residents are acutely

aware of the "burden" of the assessment ask when there are conflicting clinical (e.g. handover) and wellness (e.g. getting home) priorities. As CBME reaches multiple levels of training, consideration must be given to how to balance a senior trainee's dual responsibilities to assess and be assessed within the same on-call experience.

Assessment strategy implementation must account for the substantial amount of coaching provided by near-peers within academic institutions. While faculty development has been a focus within CBME,^{17,18} specific senior trainee education targeting coaching skills, managing the near-peer relationship in assessment, and understanding WBA tools is critical. Coaching skills developed among trainees will follow to faculty positions to sustain CBME efforts long-term.

Similar to others,¹⁹ we found that the quantity of WBAs does not equal quality. Effectively delivered, actionable feedback is a key tenet of the model.^{20,21} All educators, including near-peers, need to understand the tension between coaching and assessment. Where a resident's priority is on being perceived as competent rather than seeking out coaching for growth,^{22,23} summative assessments may, in fact, be a barrier to learning. Sawatsky et al. distinguish between assessment of learning and

assessment *for* learning²⁴. Our work suggests that these are in tension with one another, whereby increases in assessment for on-call trainees driven by CBME may increase opportunities to assess abilities, but not necessarily to increase the coaching desired. If we are to benefit from CBME assessments as vehicles to promote resident learning–assessment *for* learning–ongoing effort on developing coaching skills with consideration of near-peer relationships in academic institutions is important.¹⁹

Limitations must be considered when interpreting our findings. Our study was conducted at a single centre and may not be generalizable to other programs; however, lessons may be relevant where institutions have similar call structures using near-peer assessors. While reporting bias may have influenced survey-measured feedback rates, the same tool was used to compare pre- and post-tool rates, so we presume any bias would have affected both rates. Though linking assessment and survey data would have provided an interesting perspective on results, this was not done to preserve respondent confidentiality.

Conclusion

Introducing a WBA tool is not a sufficient catalyst to promote the CBME goals of coaching. To improve coaching in an assessment encounter, concerted, intentional action is required including developing feedback quality, coaching relationships and skills, and delineating setting-specific roles of senior near-peers in assessment. Ongoing work and study will be critical to ensure that we are able to derive the value and learning we hope to achieve from both WBA encounters and CBME adoption more broadly.

Conflicts of Interest: None

Funding: The authors received no specific funding for this project.

Acknowledgements: We are grateful to all the residents, subspecialty trainees, and faculty who have been involved in implementing, evaluating, and optimizing WBA in our workplace and learning environment.

References

- Frank JR, Snell LS, Cate OT, et al. Competency-based medical education: theory to practice. *Med Teach*. 2010 Aug;32(8):638–45. <https://doi.org/10.3109/0142159X.2010.501190>
- RCPSC. *Understanding workplace-based assessment and CBD* 2017 Available from: www.royalcollege.ca/cbd [Accessed on Jun 2, 2020].
- Watling CJ, LaDonna KA. Where philosophy meets culture: exploring how coaches conceptualise their roles. *Med Educ*. 2019 May;53(5):467–76. <https://doi.org/10.1111/medu.13799>
- Graddy R, Wright S. Going the extra mile: lessons learned from running coaches applied to medicine. *Educ Health*. 2017;30(1):89–92. <https://doi.org/10.4103/1357-6283.210498>
- Orr C, Sonnadara R. Coaching by design: exploring a new approach to faculty development in a competency-based medical education curriculum. *Adv Med Educ Pract*. 2019 May;10:229–44. <https://doi.org/10.2147/AMEP.S191470>
- Huda N, Faden L, Goldszmidt M. Entrustment of the on-call senior medical resident role: implications for patient safety and collective care. *BMC Med Educ*. 2017 Dec;17(1). <https://doi.org/10.1186/s12909-017-0959-3>
- Walzak A, Butler D, Bates J, Farrell L, Law SFB, Pratt DD. Working in the dead of night: exploring the transition to after-hours duty. *Med Educ*. 2019 Mar;53(3):296–305. <https://doi.org/10.1111/medu.13762>
- Burm S, Chahine S, Goldszmidt M. “doing it right” overnight: a multi-perspective qualitative study exploring senior medical resident overnight call. *J Gen Intern Med*. 2021 Apr;36(4):881–7. <https://doi.org/10.1007/s11606-020-06284-1>
- Ganguli S, Camacho M, Yam CS, Pedrosa I. Preparing first-year radiology residents and assessing their readiness for on-call responsibilities: results over 5 years. *Am J Roentgenol*. 2009 Feb;192(2):539–44. <https://doi.org/10.2214/AJR.08.1631>
- Kahol K, Leyba MJ, Deka M, et al. Effect of fatigue on psychomotor and cognitive skills. *Am J Surg*. 2008 Feb;195(2):195–204. <https://doi.org/10.1016/j.amjsurg.2007.10.004>
- Rassos J, Ginsburg S, Stalmeijer RE, Melvin LJ. The senior medical resident’s new role in assessment in internal medicine. *Acad Med*. 2021 Dec 7. Publish Ahead of Print. Available from: <https://journals.lww.com/10.1097/ACM.0000000000004552>. [Accessed on Feb 11, 2022]/
- Ten Cate O, Durning S. Peer teaching in medical education: twelve reasons to move from theory to practice. *Med Teach*. 2007 Jan;29(6):591–9. <https://doi.org/10.1080/01421590701606799>
- Bell AE, Meyer HS, Maggio LA. getting better together: a website review of peer coaching initiatives for medical educators. *Teach Learn Med*. 2020 Jan 1;32(1):53–60. <https://doi.org/10.1080/10401334.2019.1614448>
- The Royal College of Physicians and Surgeons of Canada. *CanMEDS Framework*. Available from: <http://www.royalcollege.ca/rcsite/canmeds/canmeds-framework-e> [Accessed on May 26, 2019].
- Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol*. 2006 Jan;3(2):77–101. <https://doi.org/10.1191/1478088706qp0630a>
- Morse J. The significance of saturation. *Qual Health Res*. 5(2):147–9. <https://doi.org/10.1177/104973239500500201>
- Dath D, Iobst W, For the International CBME Collaborators. The importance of faculty development in the transition to competency-based medical education. *Med Teach*. 2010 Aug;32(8):683–6. <https://doi.org/10.3109/0142159X.2010.500710>
- Holmboe ES, Ward DS, Reznick RK, et al. Faculty development in assessment: the missing link in competency-based medical education. *Acad Med*. 2011 Apr;86(4):460–7. <https://doi.org/10.1097/ACM.0b013e31820cb2a7>

19. Watling CJ, Ginsburg S. Assessment, feedback and the alchemy of learning. *Med Educ*. 2019 Jan;53(1):76–85.
<https://doi.org/10.1111/medu.13645>
20. Wenrich MD, Jackson MB, Maestas RR, Wolfhagen IHAP, Scherpbier AJJ. From cheerleader to coach: the developmental progression of bedside teachers in giving feedback to early learners. *Acad Med*. 2015 Nov;90:S91–7.
<https://doi.org/10.1097/ACM.0000000000000901>
21. Beasley HL, Ghousseini HN, Wiegmann DA, Brys NA, Pavuluri Quamme SR, Greenberg CC. Strategies for building peer surgical coaching relationships. *JAMA Surg*. 2017 Apr 19;152(4):e165540.
<https://doi.org/10.1001/jamasurg.2016.5540>
22. LaDonna KA, Hatala R, Lingard L, Voyer S, Watling C. Staging a performance: learners’ perceptions about direct observation during residency. *Med Educ*. 2017 May;51(5):498–510.
<https://doi.org/10.1111/medu.13232>
23. Patel P, Martimianakis MA, Zilbert NR, et al. Fake it ’til you make it: pressures to measure up in surgical training. *Acad Med*. 2018 May;93(5):769–74.
<https://doi.org/10.1097/ACM.0000000000002113>
24. Sawatsky AP, Huffman BM, Hafferty FW. Coaching versus competency to facilitate professional identity formation. *Acad Med*. 2020 Oct;95(10):1511–4.
<https://doi.org/10.1097/ACM.0000000000003144>

Appendix A. Sample post-call WBA tool

	NR	Requires others' action for completion	Requires supervision and others' guidance for completion	Requires minimal supervision or guidance for completion	Does not require guidance or supervision for completion	Demonstrates excellence: is a good role model
Documents clinical encounters/course in a manner that enhances intra- and interprofessional care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Identifies patients requiring handover to other physicians or health care professionals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Communicates clearly with the receiving physicians or health care professionals during transitions in care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Communicates with the patient's primary health care professional about the patient's care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Provides relevant information (e.g. comorbidities, meds, complications)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Monitors and reports patient safety issues, as appropriate	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Summarizes the patient's issues in the transfer summary, including plans to deal with the ongoing issues & next steps for management	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Uses cognitive aids (e.g. procedural checklists or structured communication tools such as IPASS paths)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Conducts handover in a timely manner and in a quiet setting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Post Call Assessment

ENTHUSIASM

☐ Excellence
Demonstrated leadership, acted as a role model

☐ Autonomy
Supervisor didn't need to be there

☐ Support
Required some minor advice

☐ Direction
Required major instruction

☐ Intervention
Somebody else had to complete all or almost all

Please provide feedback around the medical decisions (e.g. management decisions) made for patients under the care of this resident overnight

Please provide feedback around the functioning of this resident in the manager/leader role over their call shift (e.g. prioritization of tasks, communications with RNs and senior MDs, time management)

Were there any opportunities for growth in the area of professionalism for this resident (e.g. punctuality, use of social media, appropriateness of written and/or verbal communication, awareness of limitations)?

☐ Yes
 ☐ No

Other comments