

Scoping Review: Interprofessional Simulation as an Effective Modality to Teaching Interprofessional Collaborative Competencies in the Emergency Department

Lily Barton, Kelly Lackie et Stephen G. Miller

Volume 13, numéro 1, 2023

URI : <https://id.erudit.org/iderudit/1100299ar>

DOI : <https://doi.org/10.22230/jripe.2023v13n1a349>

[Aller au sommaire du numéro](#)

Éditeur(s)

Canadian Institute for Studies in Publishing Press (Simon Fraser University at Harbour Centre)

ISSN

1916-7342 (numérique)

[Découvrir la revue](#)

Citer cet article

Barton, L., Lackie, K. & Miller, S. (2023). Scoping Review: Interprofessional Simulation as an Effective Modality to Teaching Interprofessional Collaborative Competencies in the Emergency Department. *Journal of Research in Interprofessional Practice and Education*, 13(1), 1–31. <https://doi.org/10.22230/jripe.2023v13n1a349>

Résumé de l'article

Background: A scoping review was conducted to map the current body of research pertaining to simulation-enhanced interprofessional education (Sim-IPE) as a modality for teaching interprofessional collaboration (IPC) in the emergency department (ED). Methods and Findings: The research team followed the PRISMA Extension for Scoping Reviews framework. Studies were included if they involved two or more healthcare professions, utilized simulation as the learning method for interprofessional education (IPE), involved simulation pertaining to the ED, and identified at least one Canadian Interprofessional Health Collaborative or Interprofessional Education Collaborative IPC competency as a learning outcome. In total, 896 studies were included for title and abstract screening and 806 were deemed irrelevant. Ninety full-text studies were assessed for eligibility and 34 were included in the review. Conclusions: Eighteen studies found Sim-IPE to be an effective method for teaching interprofessional competencies in the ED. Simulation-enhanced interprofessional education appears to be a promising methodology for teaching IPC competencies to ED healthcare professionals. Interprofessional collaboration competency frameworks should be utilized to guide Sim-IPE, and assessment tools specific to interprofessional competencies should be used in the assessment phase of Sim-IPE. Faculty development is a crucial component of Sim-IPE. Further longitudinal and outcome-based research is required.

© Lily Barton, Kelly Lackie, Stephen G. Miller, 2023



Ce document est protégé par la loi sur le droit d'auteur. L'utilisation des services d'Érudit (y compris la reproduction) est assujettie à sa politique d'utilisation que vous pouvez consulter en ligne.

<https://apropos.erudit.org/fr/usagers/politique-dutilisation/>

éru
dit

Cet article est diffusé et préservé par Érudit.

Érudit est un consortium interuniversitaire sans but lucratif composé de l'Université de Montréal, l'Université Laval et l'Université du Québec à Montréal. Il a pour mission la promotion et la valorisation de la recherche.

<https://www.erudit.org/fr/>

Scoping Review: Interprofessional Simulation as an Effective Modality to Teaching Interprofessional Collaborative Competencies in the Emergency Department

Lily Barton^a, BScN, Kelly Lackie^b, BScN, MN, PhD RN, CCSNE,
 & Stephen G. Miller^c, BSc, MD, CCFP(EM), FCFP

a. MD candidate 2023,
 Dalhousie University,
 Halifax, Nova Scotia,
 Canada.

b. Faculty of
 Health/School of
 Nursing, Dalhousie
 University, Halifax,
 Nova Scotia, Canada.

c. Department of
 Emergency Medicine,
 Faculty of Medicine,
 Dalhousie University,
 Halifax, Nova Scotia,
 Canada.

Abstract

Background: A scoping review was conducted to map the current body of research pertaining to simulation-enhanced interprofessional education (Sim-IPE) as a modality for teaching interprofessional collaboration (IPC) in the emergency department (ED).

Methods and Findings: The research team followed the PRISMA Extension for Scoping Reviews framework. Studies were included if they involved two or more healthcare professions, utilized simulation as the learning method for interprofessional education (IPE), involved simulation pertaining to the ED, and identified at least one Canadian Interprofessional Health Collaborative or Interprofessional Education Collaborative IPC competency as a learning outcome. In total, 896 studies were included for title and abstract screening and 806 were deemed irrelevant. Ninety full-text studies were assessed for eligibility and 34 were included in the review.

Conclusions: Eighteen studies found Sim-IPE to be an effective method for teaching interprofessional competencies in the ED. Simulation-enhanced interprofessional education appears to be a promising methodology for teaching IPC competencies to ED healthcare professionals. Interprofessional collaboration competency frameworks should be utilized to guide Sim-IPE, and assessment tools specific to interprofessional competencies should be used in the assessment phase of Sim-IPE. Faculty development is a crucial component of Sim-IPE. Further longitudinal and outcome-based research is required.

Keywords: interprofessional, simulation, emergency

Introduction

Interprofessional collaboration (IPC) is defined as “multiple health workers from different professional backgrounds providing comprehensive services by working with patients, their families, careers and communities to deliver the highest quality of care across settings” [1]. Interprofessional collaboration has been demonstrated to have an impact on all aspects of healthcare delivery by means of ameliorating access to care, improving patient safety, and influencing provider satisfaction [1].

Corresponding author:
 Lily Barton. Email:
 ll689682@dal.ca

Barton, Lily, Lackie, Kelly, & Miller, Stephen G. Scoping Review: Interprofessional Simulation as an Effective Modality to Teaching Interprofessional Collaborative Competencies in the Emergency Department *Journal of Research in Interprofessional Practice and Education (JRIPE)*, 13(1), 1–13. doi:10.22230/jripe.2022v12n2.a349
 ©2023 Lily Barton, Kelly Lackie, & Stephen G. Miller CC BY-NC-ND

Ongoing research continues to highlight ways in which interprofessional education (IPE) and IPC benefit patients, providers, and healthcare systems. Interprofessional collaboration is not a natural occurrence; healthcare providers must learn the competencies of IPC, via IPE, to demonstrate collaboration. Furthermore, collaboration is not learned at one particular moment but is a process of continuous learning over the course of a professional career [2]. Interprofessional education is defined as “occasions when members or students of two or more professions learn with, from and about each other to improve collaboration and the quality of care and services” [3]. Different educational strategies can be used as modalities for IPE, including case-based learning, problem-based learning, collaborative inquiry, appreciative inquiry, observation-based learning, experiential learning, reflective learning, simulated learning, continuous quality improvement, and others [3]. Studies show that simulation enhanced IPE (Sim-IPE) has become a preferred method for IPE due to its adaptability and effectiveness [4]. Simulation enhanced IPE allows for the practice of clinical and interprofessional skills in a controlled environment [4]. Learners reflect and debrief with colleagues and educators, increasing the potential for learning, self awareness, and growth [4]. It provides learners with a space in which they can practice realistic clinical situations, perform psychomotor skills without patient risk, challenge traditional hierarchies, share professional knowledge, and receive immediate feedback [5-8].

The emergency department (ED) is an intense and unpredictable environment, making it particularly susceptible to high rates of medical error, compassion fatigue, and staff burnout [6]. Patients accessing the ED require the attention of many healthcare professionals working collaboratively to address patients’ healthcare needs. Interprofessional collaboration has been shown to positively contribute to healthcare provider team behaviours and reduce clinical error rates for ED teams [9]. Simulation enhanced IPE can be adapted to encompass a wide variety of clinical situations and professionals, making it a favourable technique when looking to advance IPC in the ED.

Although research related to IPE and healthcare simulation has grown considerably in the past decade, more information is required on implementation, simulation evaluation/accreditation, advantages and risks of simulation, and impact on learner performance [10]. From the primary literature search, there have been no scoping reviews to date evaluating Sim-IPE as a strategy to teach IPC competencies in the ED. This scoping review maps and summarizes the current body of research about Sim-IPE as a modality for teaching IPC to healthcare professionals who work in the ED. The specific research question that guided this scoping review was: How is Sim-IPE utilized as an educational strategy to teach healthcare professionals working in the ED the competencies necessary for IPC?

Methods

The research team followed the PRISMA Extension for Scoping Reviews (PRISMA-ScR) framework to conduct this review [11]. A comprehensive search strategy was devised in collaboration with a health sciences librarian. The initial search was con-

Interprofessional Education Collaborative (IPEC) core competencies include values/ethics for interprofessional practice, roles/responsibilities, interprofessional communication, and teams/teamwork [12]. The review considered peer-reviewed research studies of experimental and quasi-experimental nature.

Exclusion criteria

Studies were excluded if they involved only one professional group, did not pertain to the ED, did not involve simulation, and/or did not identify IPC competencies as learning outcomes. Conference abstracts, short reports, letters to authors, book reviews, and commentaries were excluded as the focus of this review relates to primary evidence. Systematic reviews were excluded for the same reason. Only English or English-translated articles were included due to the primary language of the research team.

Selection of sources of evidence

Citations obtained from the search were uploaded to Covidence (Veritas Health Innovation, Melbourne, Australia) for information management. Titles and abstracts were screened by two independent reviewers and, if eligible, were subjected to full text screening by two independent reviewers. Discrepancies identified during screening were resolved by a third research team member.

Data charting

Data extraction from eligible citations was facilitated using Covidence and a data extraction tool developed by the research team. A calibration exercise was conducted prior to data extraction to ensure rigor. This included the completion of a test extraction by each reviewer. Two independent reviewers conducted data extraction, with discrepancies resolved by a third reviewer.

Synthesis of results and quality assessment

Each of the variables extracted in the dataset were reviewed in relation to the research question. Study characteristics and themes were derived to provide a descriptive account and overview of what included studies offered in relation to the research question. As per the goals of this review, no quality assessment of the information sources was conducted.

Results

Sources of evidence

Figure 1 outlines the number of articles retrieved, screened, excluded, and extracted. Reasons for exclusion included wrong setting, lack of identified IPC competencies as learning outcomes, uniprofessional studies, foreign language studies, conference abstracts, short reports, letters to authors, book reviews, and commentaries.

Characteristics of sources of evidence

Characteristics of the studies included in this review are outlined in Table 2. The number of professions included in studies ranged from 2–16. Simulation-enhanced interprofessional education was utilized in 14 areas of emergency medicine. The area of emergency medicine most frequently targeted was trauma ($n = 11$; 32.4%), followed




Figure 1: Sources of evidence

by cardiac resuscitation ($n = 5$; 14.7%) and general adult emergencies ($n = 5$; 14.7%). Twenty-four studies (70.6%) included post-licensure healthcare professionals, while eight (23.5%) had pre-licensure learners, and three (8.8%) consisted of a mix of the two. Simulation-enhanced interprofessional education was most frequently conducted in simulation suites ($n = 14$, 41.2%), followed by in situ ($n = 9$, 26.4%), university settings ($n = 6$, 17.6%), mixed ($n = 2$, 5.9%), and online ($n = 1$, 2.9%).

Interprofessional communication was the interprofessional competency that was most frequently identified as a learning outcome ($n = 24$; 70.6%). Nineteen studies (55.9%) identified an interprofessional team in the development of the simulation activity. Three studies (8.8%) utilized an IPC framework to guide simulation development. Two of those studies used the IPEC framework, while another utilized a theoretically based competency framework developed by the research team. Eighteen of the 34 (52.9%) studies identified educational theories that guided their IPE initiatives. Assessment tools specific to the evaluation of IPC competencies were utilized in nine of the 34 studies (26.5%). All theories and assessment tools utilized are outlined in Table 3.

Debriefing was utilized in 32 of the 34 (94.1%) included studies. Five studies (15.6%) identified specific debriefing theories used by facilitators. Three studies (9.3%) utilized teamwork or communication experts to facilitate debriefing. Twenty-eight of the 34 included studies (82.4%) utilized facilitators to implement Sim-IPE. Six of these studies (21.4%) referenced facilitator training or ongoing education for facilitators.

Half of the studies ($n = 18$, 52.9%) identified Sim-IPE as being effective in teaching IPC competencies. Four of these 18 studies (22.2%) utilized a validated IPC

Table 2: Study characteristics (n = 34)

Category	Number (n)	Percentage (%)
Country		
United States	15	44.1
Canada	6	17.6
United Kingdom	4	11.8
Norway	3	8.8
Australia	2	5.9
Germany	1	2.9
Italy	1	2.9
Romania	1	2.9
Switzerland	1	2.9
Simulation setting		
Simulation suite	14	41.2
In situ	9	26.4
University	6	17.6
In situ and simulation suite	2	5.9
Not reported	2	5.9
Online	1	2.9
Professions involved in simulations		
Medicine	34	100
Nursing	32	94.1
Other (management, administration, human resources, infection control, chaplain)	11	32.4

Category	Number (n)	Percentage (%)
Professions involved in simulations (continued)		
Respiratory therapy	9	26.5
EM technicians	4	11.8
Paramedicine	4	11.8
Physician's assistants	3	8.8
Police/security	3	8.8
Radiography	3	8.8
Social work	3	8.8
Midwifery	2	5.9
Pharmacy	2	5.9
Physiotherapy	2	5.9
Occupational therapy	2	5.9
Nurse practitioner	1	2.9
Patient care assistants	1	2.9
Area of EM targeted		
Trauma	11	32.4
Adult emergencies (general)	5	14.7
Resuscitation	5	14.7
Mental health	3	8.8
Burn management	2	5.9
Disaster preparedness	2	5.9
Obstetric emergencies	2	5.9
Emergency airway response	1	2.9

Category	Number (n)	Percentage (%)
Area of EM targeted (continued)		
Patient safety	1	2.9
Pediatric emergencies	1	2.9
Sepsis management	1	2.9
IPC competencies targeted by simulationIPIPC		
Interprofessional communication	24	70.6
Other related to collaboration (situational awareness, decision making, CRM, teamwork)	17	50
Team functioning	16	47.1
Role clarification	15	44.1
Collaborative leadership	12	35.3
Interprofessional conflict resolution	1	2.9
Patient/Client/Family/Community Centered care	1	2.9
Simulation participant characteristics		
Post-licensure	23	67.6
Pre-licensure	8	23.5
Pre- and post-licensure	3	8.8

competency assessment tool to evaluate their intervention. Sixteen studies (47%) did not explicitly report Sim-IPE as being effective in teaching IPC competencies. No studies in this review attempted to directly measure the effect of the intervention on patient outcome.

Synthesis of results

Table 3 (see pages 15–31) provides a summary of the included studies and their characteristics pertaining to the research question.

Discussion

The results outlined above exemplify that although Sim-IPE seems to be a promising method of delivering IPE, there remains significant room for improvement. Very few studies are employing IPC frameworks to plan and guide programs. Assessment tools specific to IPC competencies are rarely being used to assess intervention outcomes. Most Sim-IPE programs are utilizing facilitators to guide simulation and debriefing, but few are providing faculty with formal facilitator/debriefing training. The discussion below expands on these concepts and how their incorporation contributes to the delivery of evidence-based Sim-IPE.

IPE and simulation

Interprofessional education is a complex process that can be delivered in a multitude of settings and pedagogies. The Centre for the Advancement of Interprofessional Education (CAIPE) identified that a chosen teaching method for IPE should meet several criteria. It should be “active, interactive, reflective and person-centred, service user/carer-focused, creating opportunities to compare and contrast roles and responsibilities, power and authority, ethics and codes of practice, knowledge and skills in order to build effective relationships between the professions and to develop and reinforce skills for collaborative practice” [3]. As seen by these results, when applied appropriately, simulation has the potential to provide such a foundation for learners. Learners benefit from IPE most when there is a degree of authenticity, and the learning experience is adapted to be relevant to learners and their areas of care [73]. We saw studies in this review customize simulation in many ways to engage learners. This included the use of realistic clinical scenarios, simulated patients, and makeup/moulage. Simulation gives learners an opportunity to practice repetitively in a controlled environment that can be adapted to resemble many different areas of clinical practice [4]. Appropriate feedback and debriefing can be provided immediately and in a personalized manner, increasing potential attainment of identified learning objectives [4]. These examples help demonstrate why, with the appropriate planning and delivery, simulation can be an effective form of IPE.

Competency frameworks and Sim-IPE

The World Health Organization promotes IPE for healthcare professionals and students to facilitate the attainment of IPC competencies necessary to practice collaboratively within a healthcare team [1]. Interprofessional education should be planned according to relevant educational theories and IPC competency frameworks to ensure effective interprofessional learning [3]. As per Healthcare Simulation Standards of Best practice

established by the International Nursing Association of Clinical and Simulation Learning (2021), the necessary criteria include conducting Sim-IPE based on a theoretical/conceptual framework, utilizing best practices in the design/development of Sim-IPE, recognizing/addressing potential barriers to Sim-IPE, and devising an appropriate evaluation plan for Sim-IPE [74]. The results in this study confirm that the majority of Sim-IPE interventions are not utilizing IPC competency frameworks as guidance.

Competency based-learning aims to provide educators and learners with a common language and succinct learning objectives to guide successful educational experiences [75]. It allows educators to assess learner's development of IPC competencies, and therefore the effectiveness of an intervention [76]. Assessment of learners should be based on demonstrated IPC competencies, necessitating a clear identification of competencies as learning outcomes [3]. An important component of assessing the effectiveness of an IPC intervention is the use of an assessment tool specific to IPC competencies. Utilizing an IPC competency framework and a tool that aligns with research objectives and learning outcomes is critical to ensure accurate measurement of outcomes [77]. As identified in our results, most studies are not using validated IPC competency tools to assess interventions.

Without consistent language and learning outcomes, it is challenging if not impossible for programs to implement and assess IPE with a shared mental model [78]. Interprofessional education is complex, and discrepancies in language make it confusing, distressing, and ineffective for learners. Psychological safety (PS), defined as a shared belief amongst individuals that it is safe to engage in interpersonal risk-taking in the workplace, has been found to increase team and individual learning across multiple organizations [79,80]. Psychological safety has been found to be impaired when learners are unsure what to anticipate, or if there are discrepancies between facilitator expectations [81]. In order to promote PS and effective interprofessional learning, it is crucial to use an interprofessional framework, IPC competency assessment tools, and a consistent lexicon to plan and execute Sim-IPE.

Faculty development

Most studies included in this review utilized debriefing post-simulation to enhance learning. Deliberate reflection of an experience leads to deeper understanding of learned concepts, making debriefing one of the most important components of Sim-IPE [42]. Preparation for the facilitation/debriefing role is essential, as the delivery of IPE is a challenging process. It requires significant skill and tact to help diverse groups of students achieve complex learning objectives [3]. In a recent scoping review regarding PS in interprofessional simulation for health professional learners, Lackie et al. (2021) found that the most frequently cited enabler of PS was facilitator skill [81]. Very few studies in this review described faculty training or specific debriefing approaches for Sim-IPE interventions. Adequate training allows for confident delivery of Sim-IPE, leading to better reception of the program [73]. As debriefing methods and debriefer expertise can be widely varied, using a predefined structured approach guided by theory allows the debriefer to focus the conversation on important learning objectives [42].

Recommendations for future research

The most important goal of effective IPE and IPC is improved outcomes for patients. Simulation-enhanced interprofessional education is a resource intensive process requiring buy-in from educators, learners, and administration to be effective. Depending on the type of simulation employed, resources required include a simulation lab, simulator technicians, and expensive equipment [5]. Schedules of healthcare professionals and/or learners must be coordinated, facilitators/debriefers educated, and simulated patients trained [5]. To obtain the support necessary to facilitate Sim-IPE, it is important to be able to show the value and outcomes associated with the educational intervention. For the reasons outlined above, patient outcome-based research will be an important initiative moving forward.

There also remains insufficient information about the long-term benefits of Sim-IPE. As exemplified by the studies in this review, Sim-IPE can be delivered in many different formats and environments. These include but are not limited to the number of sessions provided, timing of sessions, high vs low fidelity, and simulation suite/in situ. In situ refers to simulation learning that is conducted in the actual clinical setting, while simulation suites are simulated healthcare environments where participants learn, removed from the patients and clinical care areas [74]. Fidelity refers to the accurate representation of a clinical scenario through cues and stimuli from the perspective of the learner [74]. This can be broken down into physical fidelity, conceptual fidelity, and psychological fidelity, which all contribute to the required perception of realism to allow learners to engage in the simulation [74]. Without a good understanding of knowledge decay, it is impossible for educators to know optimal intervals, lengths, and formats for refresher training. This highlights the importance of conducting longitudinal Sim-IPE studies to guide more evidence-based and effective Sim-IPE.

Limitations

Although an extensive search strategy was developed to include key terms, relevant studies may have been missed due to language discrepancies in interprofessional literature. Grey literature was searched, but not exhaustively, meaning sources may not be included if they were not published in searched databases. The search of the literature was conducted in June 2020. Studies published after this are absent from this review. As per the format of a scoping review, evidence was not assessed for quality, which may limit the utility of recommendations made by the authors.

Conclusions

Simulation-enhanced interprofessional education is a promising method for providing healthcare professionals and learners with the skills required to collaborate within an interprofessional healthcare team. Simulation-enhanced interprofessional education should be rigorously planned according to IPC competency frameworks and educational theory. Assessment methods specific to IPC competencies should be utilized to ensure appropriate assessment of IPC learning outcomes. Faculty development is a crucial component of providing psychologically safe and effective Sim-IPE.

More research is required on the impact of Sim-IPE on patient outcomes and optimal methods of Sim-IPE delivery. Longitudinal research would help identify rates of knowledge decay and recommendations for refresher training.

Although the context of the study was situated in the ED, it is the researchers' belief that the findings will be applicable to all who embark on planning and executing Sim-IPE in healthcare curricula.

Acknowledgements

The authors would like to thank the Dalhousie Medical Research Foundation for funding this research project.

Abbreviations

CRM: Crisis Resource Management

ED: emergency department

HCP: healthcare provider

IPC: interprofessional collaboration

IPE: interprofessional education

PS: psychological safety

SP: simulated patient

Sim-IPE: simulation enhanced interprofessional education

References

1. World Health Organization. (2010). Framework for action on interprofessional education and collaborative practice. Geneva, CH: World Health Organization. URL: http://apps.who.int/iris/bitstream/handle/10665/70185/WHO_HRH_HP_N_10.3_eng.pdf;jsessionid=8960803F34FD720F90851D0B6A8E3E?sequence=1 [October 6, 2021].
2. Canadian Interprofessional Health Collaborative. (2010). *A national interprofessional competency framework*. Vancouver, BC: Canadian Interprofessional Health Collaborative. URL: http://www.cihc.ca/files/CIHC_IPCompetencies_Feb1210.pdf [October 6, 2021].
3. Barr, H., Ford, J., Gray, R., Helme, M., Hutchings, M., Low, H., Machin, A., & Reeves, S. (2017). *Interprofessional education guidelines*. Centre for the Advancement of Interprofessional Education. URL: <https://www.caibe.org/resources/publications/caibe-publications/caibe-2017-interprofessional-education-guidelines-barr-h-ford-j-gray-r-helme-m-hutchings-m-low-h-machin-reeves-s> [November 23, 2021].
4. Palaganas, J.C., Epps, C., & Raemer, D.B. (2014). A history of simulation-enhanced interprofessional education. *Journal of Interprofessional Care*, 28(2), 110–115. doi:10.3109/13561820.2013.869198
5. Boet, S., Bould, M.D., Layat Burn, C., & Reeves, S. (2014). Twelve tips for a successful interprofessional team-based high-fidelity simulation education session. *Medical Teacher*, 36(10), 853–857. doi:10.3109/0142159X.2014.923558
6. Fordyce, J., Blank, F.S.J., Pekow, P., Smithline, H.A., Ritter, G., Gehlbach, S., Benjamin, E., & Hennerman, P. (2003). Errors in a busy emergency department. *Annals of Emergency Medicine* 42(3), 324–333. doi:10.1016/S0196-0644(03)00398-6
7. Hunsaker, S., Chen, H.C., Maughan, D., & Heaston, S. (2015). Factors that influence the development of compassion fatigue, burnout, and compassion satisfaction in emergency department nurses. *Journal of Nursing Scholarship*, 47(2), 186–194. doi:10.1111/jnu.12122
8. Robertson, J., & Bandali, K. (2008). Bridging the gap: Enhancing interprofessional education using simulation. *Journal of Interprofessional Care*, 22(5), 499–508. doi:10.1080/13561820.02303656
9. Reeves, S., Perrier, L., Goldman, J., Freeth, D., & Zwarenstein, M. (2013). Interprofessional education: Effects on professional practice and healthcare outcomes. *Cochrane Database Systematic Review*, 3. doi:10.1002/14651858.CD002213.pub3

10. World Health Organization. (2013). *Transforming and scaling up health professionals' education and training*. Geneva, CH: World Health Organization.
11. Tricco, A.C., Lillie, E., Zarin, W., O'Brien, K.K., Colquhoun, H., Levac, D., et al. (2018). PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Annals of Internal Medicine*, 169(7):467–473. doi:10.7326/M18-0850
12. Interprofessional Education Collaborative. (2016). *Core competencies for interprofessional collaborative practice: 2016 update*. Washington, DC: Interprofessional Education Collaborative. URL: <https://ipec.memberclicks.net/assets/2016-Update.pdf> [October 6, 2021].
13. Reime, M.H., Johnsgaard, T., Kvam, F.I., Aarflot, M., Engeberg, J.M., Breivik, M., & Brattebø, C. (2017). Learning by viewing versus learning by doing: A comparative study of observer and participant experiences during an interprofessional simulation training. *Journal of Interprofessional Care*, 31(1), 51–58. doi:10.1080/13561820.2016.1233390
14. Knowles, M.S. (1970). *The modern practice of adult education; Andragogy vs pedagogy*. New York, NY: Association Press.
15. Lavelle, M., Abthorpe, J., Simpson, T., Reedy, G., Little, F., & Banerjee, A. (2018). MBRRACE in simulation: An evaluation of a multi-disciplinary simulation training for medical emergencies in obstetrics (MEmO). *Journal of Obstetrics and Gynaecology*, 38(6), 781–788. doi:10.1080/01443615.2017.1419339
16. Jaye, P., Thomas, L., & Reedy, G. (2015). 'The Diamond': A structure for simulation debrief. *Clinical Teacher*, 12(3), 171–175. doi:10.1111/tct.12300
17. Reedy, G.B., Lavelle, M., Simpson, T., & Anderson, J.E. (2017). Development of the human factors skills for healthcare instrument: A valid and reliable tool for assessing interprofessional learning across healthcare practice settings. *BMJ Simulation & Technology Enhanced Learning*, 3(4), 135–141. doi:10.1136/bmjstel-2016-000159
18. Chung, H.O., Medina, D., & Fox-Robichaud, A. (2016). Interprofessional sepsis education module: A pilot study. *Journal of the Canadian Association of Emergency Physicians*, 18(2), 143–145. doi:10.1017/cem.2015.42
19. Sadideen, H., Wilson, D., Moiemmen, N., & Kneebone, R. (2016). Using "The Burns Suite" as a novel high fidelity simulation tool for interprofessional and teamwork training. *Journal of Burn Care & Research*, 37(4), 235–242. doi:10.1097/BCR.0000000000000262
20. Wong, A.H., Wing, L., Weiss, B., & Gang, M. (2015). Coordinating a team response to behavioral emergencies in the emergency department: A simulation-enhanced interprofessional curriculum. *Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health*, 16(6), 859–865. doi:10.5811/westjem.2015.8.26220
21. Kolb, D.A. (1984). *Experiential learning: Experience as the source of learning and development*. Englewood Cliffs, NJ: Prentice-Hall.
22. Duxbury, J. (2013). Testing a new tool: The management of aggression and violence attitude scale (MAVAS). *Nurse Researcher*, 10(4), 39–52. URL: <https://www.proquest.com/docview/200824815/abstract/E445A89BEF3B4BE3PQ/1> [November 11, 2021].
23. Gilfoyle, E., Koot, D.A., Annear, J.C., Bhanji, F., Cheng, A., et al. (2017). Improved clinical performance and teamwork of pediatric interprofessional resuscitation teams with a simulation-based educational intervention. *Pediatric Critical Care Medicine: A Journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies*, 18(2), e62–69. doi:10.1097/PCC.0000000000001025
24. Rudolph, J.W., Simon, R., Raemer, D.B., & Eppich, W.J. (2008). Debriefing as formative assessment: Closing performance gaps in medical education. *Academic Emergency Medicine*, 15(11), 1010–1016. doi:10.1111/j.1553-2712.2008.00248.x
25. Guise, J.M., Deering, S.H., Kanki, B.G., Osterweil, P., Li, H., Mori, M., & Lowe, N.K. (2008). Validation of a tool to measure and promote clinical teamwork. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, 3(4), 217–223. doi:10.1097/SIH.0b013e31816fdd0a
26. Brown, C.W., Howard, M., & Morse, J. (2016). The use of trauma interprofessional simulated education (TIPSE) to enhance role awareness in the emergency department setting. *Journal of Interprofessional Care*, 30(3), 388–390. doi:10.3109/13561820.2015.1121216
27. Gum, L., Greenhill, J., & Dix K. (2010). Clinical simulation in maternity (CSiM): Interprofessional learning through simulation team training. *Quality and Safety in Health Care*, 19(5), e19–e19. doi:10.1136/qshc.2008.030767

28. Helmreich, R.L., Merritt, A.C., & Wilhelm, J.A. (1999). The evolution of crew resource management training in commercial aviation. *International Journal of Aviation Psychology*, 9(1), 19–32. doi:10.1207/s15327108ijap0901_2
29. Shapiro, M., Morey, J., Small, S., Langford, V., Kaylor, C., et al. (2004). Simulation based team-work training for emergency department staff: Does it improve clinical team performance when added to an existing didactic teamwork curriculum? *Quality & safety in health care*, 13(6), 417–421. doi:10.1136/qshc.2003.005447
30. Siriratsivawong, K., Kang, J., Riffenburgh, R., & Hoang, TN. (2016). Immersion team training in a realistic environment improves team performance in trauma resuscitation. *Surgery*, 160(3), 586–590. doi:10.1016/j.surg.2016.03.029
31. Sigalet, E., Donnon, T., & Grant, V. (2012). Undergraduate students' perceptions of and attitudes toward a simulation-based interprofessional curriculum: The KidSIM ATTITUDES questionnaire. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, 7(6), 353–358. doi:10.1097/SIH.0b013e318264499e
32. Roberts, N.K., Williams, R.G., Schwind, C.J., Sutyak, J.A., McDowell, C., et al. (2014). The impact of brief team communication, leadership and team behavior training on ad hoc team performance in trauma care settings. *American Journal of Surgery*, 207(2), 170–178. doi:10.1016/j.amjsurg.2013.06.016
33. King, H.B., Battles, J., Baker, D.P., Alonso, A., Salas, E., Webster, J., Toomey, L., & Salisbury, M. (2008). TeamSTEEPSTM: Team strategies and tools to enhance performance and patient safety. *Advances in Patient Safety: New Directions and Alternative Approaches*, 3. URL: <https://www.ncbi.nlm.nih.gov/books/NBK43686/> [November 13, 2021].
34. Rogers, E.M. (2010). *Diffusion of innovations* (4th Ed.). New York, NY: Simon & Schuster.
35. Kirkpatrick, D., & Kirkpatrick, J. (1994). *Evaluating training programs: The four levels*. San Francisco, CA: Berrett-Koehler Publishers.
36. Attack, L., Bull, E., Dryden, T., Maher, J., & Rocchi, M. (2012). An evaluation of learner perception of competency and satisfaction with three models of an interdisciplinary surge capacity course. *Journal of Allied Health*, 41(3), 106–112. URL: <http://www.proquest.com/docview/1371826352/abstract/A98EB9A499A54196PQ/1> [July 28, 2021].
37. Wisborg, T., Brattebø, G., Brattebø, J., & Brinchmann-Hansen, A. (2006). Training multiprofessional trauma teams in norwegian hospitals using simple and low cost local simulations. *Education for Health*, 19(1), 85–95. URL: <http://www.proquest.com/docview/2258175852/abstract/B6C6F3280E84C88PQ/1> [July 28, 2021].
38. Jakobsen, R.B., Gran, S.F., Grimsmo, B., Arntzen, K., Fosse, E., Frich, J.C., & Hjortdahl, P. (2018). Examining participant perceptions of an interprofessional simulation-based trauma team training for medical and nursing students. *Journal of Interprofessional Care*, 32(1), 80–88. doi:10.1080/13561820.2017.1376625
39. Nagraj, S., Harrison, J., Hill, L., Bowker, L., & Lindqvist, S. (2018). Promoting collaboration in emergency medicine. *The Clinical Teacher*, 15(6), 500–505. doi:10.1111/tct.12762
40. Eisenmann, D., Stroben, F., Gerken, J.D., Exadaktylos, A.K., Marchner, M., & Hautz, W.E. (2018). Interprofessional emergency training leads to changes in the workplace. *Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health*, 19(1), 185–192. doi:10.5811/westjem.2017.11.35275
41. Thomas, P.A., Kern, D.E., Hughes, M.T., & Chen, B.Y. (2016). *Curriculum development for medical education: A six-step approach*. Baltimore, MD: JHU Press.
42. Sawyer, T., Eppich, W., Brett-Fleegler, M., Grant, V., & Cheng, A. (2016). More than one way to debrief: A critical review of healthcare simulation debriefing methods. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, 11(3):209–217. doi:10.1097/SIH.0000000000000148
43. Purkis, I.E. (1982). Commitment for changes: an instrument for evaluating CME courses. *Journal of Medical Education*, 57, 61–63. URL: <https://oce-ovid-com.ezproxy.library.dal.ca/article/00004999-198201000-00014/HTML> [November 13, 2021].
44. Paige, J., Garbee, D., Yu, Q., Kiselov, V., Rusnak, V., & Detiege, P. (2019). Moving along: Team training for emergency room trauma transfers (T2ERT2). *Journal of Surgical Education*, 76(5), 1402–1412. doi:10.1016/j.jsurg.2019.03.013
45. Parsell, G., & Bligh, J. (1999). The development of a questionnaire to assess the readiness of health care students for interprofessional learning (RIPLS). *Medical Education*, 33(2), 95–100. doi:10.1046/j.1365-2923.1999.00298.x

46. Truta, T.S., Boeriu, C.M., Copotou, S.M., Petrisor, M., Turucz, E., Vatau, D., & Lazarovici, M. (2018). Improving nontechnical skills of an interprofessional emergency medical team through a one day crisis resource management training. *Medicine*, *97*(32), e11828. doi:10.1097/MD.00000000000011828
47. Patterson, M.D., Geis, G.L., LeMaster, T., Wears, R.L. (2013) Impact of multidisciplinary simulation-based training on patient safety in a paediatric emergency department. *BMJ Quality & Safety*, *22*(5), 383–393. doi:10.1136/bmjqs-2012-000951
48. Bloom, B.S., & Krathwohl, DR. (1956). *Taxonomy of educational objectives: The classification of educational goals* (Vol. 1). London, EN: Longmans, Green and Co.
49. Sexton, J.B., Helmreich, R.L., Neilands, T.B., Rowan, K., Vella, K., Boyden, J., Roberts, P.R., & Thomas, E.J. (2006). The safety attitudes questionnaire: Psychometric properties, benchmarking data, and emerging research. *BMC Health Services Research*, *6*(1), 1–10. doi:10.1186/1472-6963-6-44
50. Thomas, E.J., Sexton, J.B., & Helmreich, R.L. (2004). Translating teamwork behaviours from aviation to healthcare: Development of behavioural markers for neonatal resuscitation. *Quality & Safety in Health Care*, *13*, 57–64. doi:10.1136/qshc.2004.009811
51. Baker, C., Pulling, C., McGraw, R., Dagnone, J.D., Hopkins-Rossee, D., & Medves, J. (2008). Simulation in interprofessional education for patient-centred collaborative care. *Journal of Advanced Nursing*, *64*(4), 372–379. doi:10.1111/j.1365-2648.2008.04798.x
52. D’Asta, F., Homs, J., Sforzi, I., Wilson, D., & de Luca, M. “SIMBurns”: A high-fidelity simulation program in emergency burn management developed through international collaboration. *Burns*, *45*(1), 120–127. doi:10.1016/j.burns.2018.08.030
53. Wong, A.H.W., Gang, M., Szyld, D., & Mahoney, H. (2016). Making an “attitude adjustment”: Using a simulation-enhanced interprofessional education strategy to improve attitudes toward teamwork and communication. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, *11*(2), 117–125. doi:10.1097/SIH.0000000000000133
54. Baker, D.P., Amodeo, A.M., Krokos, K.J., Slonim, A., & Herrera, H. (2010). Assessing teamwork attitudes in healthcare: Development of the TeamSTEPPS teamwork attitudes questionnaire. *Qual Saf Health Care*, *19*(6), e49–e49. doi:10.1136/qshc.2009.036129
55. Mahramus, T.L., Penoyer, D.A., Waterval, E.M.E., Sole, M.L., & Bowe, E.M. (2016). Two hours of teamwork training improves teamwork in simulated cardiopulmonary arrest events. *Clinical Nurse Specialist*, *30*(5), 284–291. doi:10.1097/NUR.0000000000000237
56. Cooper, S., Cant, R., Porter, J., Sellick, K., Somers, G., Kinsman, L., & Nestel, D. (2010). Rating medical emergency teamwork performance: Development of the Team Emergency Assessment Measure (TEAM). *Resuscitation*, *81*(4), 446–452. doi:10.1016/j.resuscitation.2009.11.027
57. Capella, J., Smith, S., Philp, A., Putnam, T., Gilbert, C., Fry, W., Harvey, E., Wright, A., Henderson, K., Baker, D., Ranson, S., & ReMine, S. (2010). Teamwork training improves the clinical care of trauma patients. *Journal of Surgical Education*, *67*(6), 439–443. doi:10.1016/j.jsurg.2010.06.006
58. McCave, E.L., Aptaker, D., Hartmann, K.D., & Zucconi, R. (2019). Promoting affirmative transgender health care practice within hospitals: An IPE standardized patient simulation for graduate health care learners. *MedEdPORTAL*, *15*, 10861. doi:10.15766/mep_2374-8265.10861
59. Lockeman, K.S., Dow, A.W., DiazGranados, D., McNeilly, D.P., Nickol, D., Koehn, M.L., & Knab, M.S. (2016). Refinement of the IPEC competency self-assessment survey: Results from a multi-institutional study. *Journal of Interprofessional Care*, *30*(6), 726–731. doi:10.1080/13561820.2016.1220928
60. Wenham, J., Bennett, P., & Gleeson, W. (2018). Crash simulation: an immersive learning model. *The Clinical Teacher*, *15*(6), 467–471. doi:10.1111/tct.12744
61. Wong, A.H., Auerbach, M.A., Ruppel, H., Crispino, L.J., Rosenberg, A., Iennaco, J.D., & Vaca, F.E. (2018). Addressing dual patient and staff safety through a team-based standardized patient simulation for agitation management in the emergency department. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, *13*(3), 154–162. doi:10.1097/SIH.0000000000000309
62. Sullivan, S., Campbell, K., Ross, J.C., Thompson, R., Underwood, A., et al. (2018). Identifying non-technical skill deficits in trainees through interdisciplinary trauma simulation. *Journal of Surgical Education*, *75*(4), 978–983. doi:10.1016/j.jsurg.2017.10.007
63. Eppich, W., & Cheng, A. (2015). Promoting excellence and reflective learning in simulation (PEARLS): Development and rationale for a blended approach to health care simulation debriefing. *Simulation in Healthcare: Journal of the Society for Simulation in Healthcare*, *10*(2), 106–115. doi:10.1097/SIH.0000000000000072

64. Steinemann, S., Berg, B., DiTullio, A., Skinner, A., Terada, K., Anzelon, K., & Ho, H.C. (2012). Assessing teamwork in the trauma bay: Introduction of a modified "NOTECHS" scale for trauma. *American Journal of Surgery*, 203(1), 69–75. doi:10.1016/j.amjsurg.2011.08.004
65. Zimmermann, K., Holzinger, I.B., Ganassi, L., Esslinger, P., Pilgrim, S., et al. (2015). Inter-professional in-situ simulated team and resuscitation training for patient safety: Description and impact of a programmatic approach. *BMC Medical Education*, 15, 189–199. doi:10.1186/s12909-015-0472-5
66. Zigmont, J.J., Kappus, L.J., & Sudikoff, S.N. (2011). The 3D model of debriefing: Defusing, discovering, and deepening. *Seminars in Perinatology*, 35(2), 52–58. doi:10.1053/j.semperi.2011.01.003
67. Van der Vleuten, C.P.M., Schuwirth, L.W.T., Driessen, E.W., Dijkstra, J., Tigelaar, D., Baartman, L.K.J., & Van Tartwijk, J. (2012). A model for programmatic assessment fit for purpose. *Medical Teacher*, 34(3), 205–214. doi:10.3109/0142159X.2012.652239
68. Stocker, M., Menadue, L., Kakat, S., De Costa, K., Combes, J., Banya, W., Lane, M., Desai, A., & Burmester, M. (2013). Reliability of team-based self-monitoring in critical events: A pilot study. *BMC Emergency Medicine*, 13, 22–29. doi:10.1186/1471-227X-13-22
69. Tsai, A.C., Krisciunas, G.P., Brook, C., Basa, K., Gonzalez, M., Crimlisk, J., Silva, J., & Grillone, G.A. (2016). Comprehensive emergency airway response team (EART) training and education: Impact on team effectiveness, personnel confidence, and protocol knowledge. *Annals of Otolaryngology, Rhinology & Laryngology*, 125(6), 457–463. doi:10.1177/0003489415619178
70. Steinemann, S., Berg, B., Skinner, A., DiTullio, A., Anzelon, K., Terada, K., Oliver, C., Ho, H.C., & Speck, C. (2011). In situ, multidisciplinary, simulation-based teamwork training improves early trauma care. *Journal of Surgical Education*, 68(6), 472–477. doi:10.1016/j.jsurg.2011.05.009
71. Miller, D., Crandall, C., Washington, C., & McLaughlin, S. (2012). Improving teamwork and communication in trauma care through in situ simulations. *Academic Emergency Medicine*, 19(5), 608–612. doi:10.1111/j.1553-2712.2012.01354.x
72. Ginsburg, L., & Bain, L. (2017). The evaluation of a multifaceted intervention to promote "speaking up" and strengthen interprofessional teamwork climate perceptions. *Journal of Interprofessional Care*, 31(2), 207–217. doi:10.1080/13561820.2016.1249280
73. Hammick, M., Freeth, D., Koppel, I., Reeves, S., & Barr, H. (2007). A best evidence systematic review of interprofessional education: BEME Guide no. 9. *Medical Teacher*, 29(8), 735–751. doi:10.1080/01421590701682576
74. Rossler, K., Molloy, M.A., Pastva, A.M., Brown, M., & Xavier, N. (2021). Healthcare simulation standards of best practice simulation-enhanced interprofessional education. *Clinical Simulation in Nursing*, 58, 49–53. doi:10.1016/j.ecns.2021.08.015
75. Thistlethwaite, J.E., Forman, D., Matthews, L.R., Rogers, G.D., Steketee, C., & Yassine, T. (2014). Competencies and frameworks in interprofessional education: A comparative analysis. *Academic Medicine*, 89(6), 869–875. doi:10.1097/ACM.0000000000000249
76. Murdoch, N.L., Epp, S., & Vinek, J. (2017). Teaching and learning activities to educate nursing students for interprofessional collaboration: A scoping review. *Journal of Interprofessional Care*, 31(6), 744–753. doi:10.1080/13561820.2017.1356807
77. Almoghirah, H., Nazar, H., & Illing, J. (2021) Assessment tools in pre-licensure interprofessional education: A systematic review, quality appraisal and narrative synthesis. *Medical Education*, 55(7), 795–807. doi:10.1111/medu.14453
78. Stoddard, H.A., Johnson, T.M., & Brownfield, E.D. (2019). Outcomes, accreditation, interprofessional education, and the Tower of Babel. *Journal of Interprofessional Care*, 33(6):805–808. doi:10.1080/13561820.2019.1593119
79. Edmonson, A.C., & Lei Z. (2014). Psychological safety: The history, renaissance, and future of an interpersonal construct. *Annual Review of Organizational Psychology and Organizational Behavior*, 1(1), 23–43. doi:10.1146/annurev-orgpsych-031413-091305
80. Newman, A., Donohue, R., & Eva, N. (2017). Psychological safety: A systematic review of the literature. *Human Resource Management Review*, 27(3), 521–535. doi:10.1016/j.hrmr.2017.01.001
81. Lackie, K., Hayward, K., Ayn, C., Stilwell, P., Lane, J., et al. (2022). Creating psychological safety in interprofessional simulation for health professional learners: A scoping review of the barriers and enablers. *Journal of Interprofessional Care*, 37(2), 187–202. doi:10.1080/13561820.2022.2052269

Table 3: Summary of studies

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Reime et al., 2017 [13]]	Compare learning outcomes (non-technical skills, team performance) of hands-on simulation participants and observers	Medicine Nursing	Not reported	Not reported	Adult Learning Theory [14]	Not reported	Questionnaire post intervention, focus groups	Facilitator-led simulation, video assisted debriefing in clinical skills lab, session 3 months later	<p>Education Linking realistic situations and non-technical skills in EM has motivational effect on students</p> <p>Research Investigate observer vs. participant roles in simulation</p>
Lavelle et al., 2018 [15]	Investigate training impact on participant knowledge/ confidence managing deteriorating pregnant patient, develop human factors skills.	Medicine Midwifery	Not reported	Not reported	Diamond Debrief Model [16]	Human Factors Skills in Healthcare Instrument (HuFSHI) [17]	HuFSHI pre/post course Qualitative survey six months post-training	Facilitator-led simulations/ debrief in simulation suite	<p>Research Impact on objective outcome measures and clinical practice</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Chung et al., 2016 [18]	Describe flexible IPE module for physicians, nurses, and RTs.	Medicine Nursing RT	Evaluation and feedback showed improvements in collaborative behaviours. 8-month follow-up survey found similar improvement in self-reported collaborative skills, communication.	Not reported	Not reported	Not reported	Knowledge quiz/survey	High-fidelity simulation and virtual patient simulation with video-enhanced, semi-structured debrief	Education High fidelity simulation not necessary for developing decision-making skills/clinical judgment Mixed simulation modalities lower costs
Sadideen et al., 2016 [19]	Explore role of "The Burn Suite" (TBS) in simulation-based team training (SBTT) and potential applicability of TBS as a tool for pediatric burns IPE.	Medicine Nursing	Not reported	Not reported	Not reported	Not reported	Likert style questionnaires, focus group and individual interviews post simulation	Facilitator-led high-fidelity simulation and debriefing	Education Team training size/feedback during debriefing important Research Factors influencing clinical performance Optimal team size per simulation

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
A.H. Wong et al., 2015 [20]	Develop ED Sim-IPE focusing on improving teamwork and attitudes toward patient violence	Medicine Nursing Police	Not reported	Not reported	Kolb's Experiential Learning Theory [21]	Not reported	Pre/post intervention Management of Aggression and Violence Attitude Scale [22]	Facilitator-led simulations, debriefing in simulation center with SPs	<p>Education Trained educators ensure consistency</p> <p>Sessions within established training times</p> <p>Research Longitudinal data collection</p> <p>Comparison of different training methods</p> <p>Evaluate patient outcomes</p>
Gilfoyle et al., 2017 [23]	Measure effect of 1-day Sim-IPE training course for pediatric resuscitation team members on adherence to PALS guidelines, team efficiency, teamwork	Medicine Nursing NP RT	Participation in Sim-IPE intervention improved teamwork during simulated resuscitation.	Not reported	Debriefing with Good Judgment [24]	Clinical Teamwork Scale (CTS) [25]	Change in Clinical Performance Tool and CTS pre/post-scenarios.	Trained facilitator-led high-fidelity simulations, scripted debriefing	<p>Research Association between team performance and patient outcomes</p> <p>RCT to determine interventions resulting in most learning/retention</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Brown et al., 2016 [26]	Explore nursing, medical, and radiography students' perspectives on preparedness for trauma via SEIPE	Medicine Nursing Radiography	Students felt markedly more prepared for facing major trauma, significant difference seen in student perceptions of roles in trauma team.	Not reported	Not reported	Not reported	Pre/post scenario questionnaires	In situ facilitator-led high-fidelity simulation	Research Longitudinal follow-up
Gum et al., 2010 [27]	Determine if SEPIE improves maternity emergency care/team performance.	Medicine Midwifery Nursing	1-day Sim-IPE course can increase participants confidence/ease of team interaction. Many participants still thinking/reflecting about role in an emergency 3–6 months later.	Not reported	Crisis resource management (CRM) [28]	Not reported	Semi-structured interview 2 weeks and 3–6 months post workshop	Facilitator-led simulation and video guided debriefing	Research Longitudinal studies

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Shapiro et al., 2004 [29]	Determine if high-fidelity Sim-IPE improves clinical team performance when added to didactic curriculum.	Medicine Nursing	Positive but not statistically significant impact on teamwork behavior in a clinical environment following Sim-IPE	Not reported	CRM [28]	Not reported	Four trained ED teams followed prospectively and post intervention using Teamwork Dimensions Rating Form.	Scenarios in simulation suite, debriefing by teamwork experts	<p>Education High fidelity SEIPE is the proper format for teamwork training</p> <p>Research Explore how much simulation augments didactic training</p> <p>Frequency of refresher courses</p>
Siriratsivawong et al., 2016 [30]	Improve delivery of trauma care by emphasizing teamwork and effective communication among team.	Corps Men Duty Officers Medicine Nursing PA Paramedics	Not reported	Not reported	Not reported	Not reported	Written exam pre/post course	In-situ simulation over 6–11 days aboard US Navy Warship	Not reported

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Sigalet et al., 2012 [31]	Examine psychometric characteristics of KidSIM Attitude Towards Teamwork in Training Undergoing Designed Educational Simulation(ATTITUDES) questionnaire	Medicine students Nursing RT	Not reported	Not reported	Not reported	KidSIM ATTITUDES questionnaire [31]	Pre/post questionnaire	Facilitator-led simulations and debriefing	Research Examine student perceptions toward SEIPE team training Validated tools for learning/behaviour outcomes
Roberts et al., 2014 [32]	Design/deliver training to foster changes in leadership, team communication, and role-appropriate behaviors.	Medicine Nursing PA	Brief training exercises can change teamwork and communication behaviors on trauma teams. Changes sustained after 3-week interval with some loss of retention	Not reported	TeamSTEPPS [33], Roger's model of the Diffusion of Innovations[34], Kirkpatrick's Hierarchy of Evaluation [35]	Not reported	Review pre/post intervention Questionnaires post simulation	High-fidelity simulations, debriefing	Not reported

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Atack et al., 2012 [36]	Describe learner’s perceptions of their own surge capacity competency and IP skills satisfaction following surge capacity course	Medicine Nursing OT Other Pharmacy PT RT Social Work	Strong gains made on all items of post-competency survey.	Not reported	Not reported	Not reported	Course satisfaction surveys	Online course, tabletop exercise, and ESIm	<p>Education Reduction of time demands could improve learner satisfaction.</p> <p>Advise learners about time commitment</p> <p>Research RCT comparing different educational approaches</p>
Wisborg et al., 2006 [37]	Implement one-day training course for hospital trauma teams to improve communication, cooperation, leadership.	Lab technicians Medicine Nursing Radiographers Unit clerks	Not reported	Not reported	Not reported	Not reported	Questionnaires pre/post training	Low fidelity, facilitator-led in situ simulation, structured debriefing	<p>Education Planning courses requires cooperation between departments</p> <p>Real patient stories increased clinical problem solving</p> <p>Post-training debriefing valuable, but most demanding.</p> <p>Low-fidelity Simulated Patient (SP) efficient training tool.</p> <p>Research Evaluate use of training mannequins versus live SP</p> <p>Investigate markers for optimal teamwork</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Jakobsen et al., 2018 [38]	Describe implementation of Better and Systematic Team Training course to students.	Medicine Nursing	Students agreed that they gained insights about communication, teamwork, and leadership. Students believed they would be better leaders and/or team members following course. Facilitators agreed.	Not reported	Kirkpatrick's Hierarchy of Evaluation (35)	Not reported	First evaluation phase: student learning outcomes Second phase: developed questionnaire Third phase: facilitators.	Video-recorded, facilitator led simulations in a simulation suite, structured debriefing	Education Engaged faculty from all professional groups and faculty development crucial Research Investigate helpful vs harmful stress Longitudinal assessment
Nagraj et al., 2018 [39]	Use Sim-IPE to encourage collaboration between paramedic and medical students with emphasis on patient safety, handover, and teamwork	Medicine Paramedicine	Students think that SEIPE is an enjoyable way of learning collaborative skills, enhancing mutual respect and role recognition.	Not reported	Not reported	Not reported	Feedback questionnaire	Facilitator-led simulation sessions	Education Authentic scenarios with immediate constructive verbal feedback Presence of tutors from both professions Research Explore stress in simulation Longitudinal research

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Eisenmann et al., 2018 [40]	Implement and evaluate training module for students of three professions in ED to establish role clarity.	Medicine Nursing Paramedicine	Sim-IPE successful in promoting change to practice of emergency care, while training teamwork, communication skills	Not reported	Kern's Six Step Approach [41], Debriefing Three Step GAS Model [42]	Not reported	Commitment to Change Tool [43] following training and 2 months later	High-fidelity or SP facilitator-led simulations, structured debriefing by communication expert using GAS model	Education Considerable time/resources required Should be implemented as longitudinal program Research Correlation between teaching and objective workplace changes
Paige et al., 2019 [44]	Determine whether high fidelity Sim-IPE of trauma transfers teams has immediate impact on participants' team-based attitudes and behaviors.	Medicine Nursing	Trauma team transfer training using Sim-IPE changes attitudes toward team-based competencies leading to learning in the simulated environment.	Not reported	Kirkpatrick's Hierarchy of Evaluation [35]	Readiness for Interprofessional Learning Scale (RIPLS)[45], Interprofessional Teamwork questionnaire (IPT), Teamwork Assessment Scale (TAS)	Evaluations pre/post intervention via TAS, RIPLS and IPT	Facilitator-led scenario and structured debriefing	Education Educators must intervene early in training to promote IPC Research Longitudinal follow-up Evaluate in situ training

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Truta et al., 2018 [46]	Assess whether single day CRM training, improves non-technical skills of interprofessional ED teams.	Medicine Nursing	Not reported	Not reported	CRM [28], Kirkpatrick's Hierarchy of Evaluation [35]	Not reported	Video recording analysis of initial/final assessment scenarios	CRM trained facilitator-led simulation and debriefing	<p>Education Institutional support necessary</p> <p>Research Investigate decay phase, skills prone to fade, method of repeated training</p> <p>Impact on patient safety</p>
Patterson et al., 2013 [47]	Implement simulation training encompassing CRM, teamwork, and communication.	Medicine Nursing Paramedic Patient care assistants RT	Not reported	Not reported	CRM [28], Bloom's Taxonomy Matrix [48]	Not reported	Safety Attitudes Questionnaire [49], Modified Behavioral Markers for Neonatal Resuscitation Scale [50]	Facilitator-led in situ simulations, video assisted structured debriefing. 6-month follow-up simulation	<p>Research Factors resulting in sustained behaviour change</p> <p>Clarify optimal retraining interval/method</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Baker et al., 2008 [51]	Carry out preliminary evaluations of an Sim-IPE project	Medicine Nursing	Not reported	Theoretically based competency framework developed by research team. Includes typology of shared, complementary, and profession-specific competencies.	Not reported	Developed questionnaire abstracted from Interdisciplinary Education Perception Scale and focus groups	Post intervention questionnaire and focus groups	Weekly facilitator-led simulation, debriefing in simulation suite	<p>Education Sessions require planning, coordination, resources</p> <p>Research Evaluation of outcomes of intervention</p>
D'Asta et al., 2019 [52]	Illustrate development of high-fidelity simulation program using CRM	Medicine Nursing	Not reported	Not reported	CRM [28]	Not reported	Survey post intervention	Facilitator-led simulation scenarios, debriefing in a simulation suite	<p>Education Identifying participants' target, non-judgemental environment, defined learning objectives crucial</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
A. H.-W. Wong et al., 2016 [53]	Assess/improve ED staff attitudes and perceptions toward teamwork, communication, and IPC using Sim-IPE.	Medicine Nursing	Significant improvements in staff attitudes toward teamwork and communication; successful in sustaining changes to 3 of 6 safety culture survey constructs related to teamwork and communication at 1 year	IPEC [12]	Bloom's Taxonomy Matrix[48], Kirkpatrick's Hierarchy of Evaluation [35]	Not reported	Survey, Questionnaires completed post intervention, TeamSTEPPS Teamwork Attitudes Questionnaire (T-TAQ) [54], Hospital Survey on Patient Safety Culture	Facilitator-led simulation, debriefing in simulation suite. In situ simulations biweekly	Research Longitudinal data collection Compare different training methods Evaluate patient outcomes
Mahramus et al., 2016 [55]	Assess effectiveness of teamwork training program on perceptions of teamwork during simulated codes.	Medicine Nursing RT	Improved perceptions of teamwork behaviors	Not reported	CRM [28], TeamSTEPPS [33]	Not reported	Team Emergency Assessment Measure (TEAM) [56] tool post simulation	Facilitator-led simulation, debriefing in simulation suite	Research Investigate impact on patient outcomes Develop debriefing tool specific to teamwork

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Capella et al., 2010 [57]	Investigate impact of team training on team behaviors in trauma resuscitation, efficiency in trauma bay, and clinical outcomes.	Medicine Nursing	Not reported	Not reported	TeamSTEPPS [33]	Not reported	Trauma Team Performance Observation Tool (TPOT) by trained evaluators	Simulation scenarios/video assisted debriefing in simulation suite	Not reported
McCave et al., 2019 [58]	Increase inter-professional practice, knowledge and skills when working with a transgender patient in ED	Medicine Nursing OT PA PT Social work	Utilizing SPs promoted learning of IPEC competencies	IPEC	Not reported	Adaptation of Dow (2012) IPEC Competency Survey [59]	Post simulation student/facilitator surveys	Student-led simulation with SP, facilitator-led debriefing in small/large groups	<p>Education All four IPEC core competencies essential for development, implementation</p> <p>Essential to develop script/train SPs</p> <p>Important to adjust based on feedback.</p> <p>Research Longitudinal data</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Wenham et al., 2018 [60]	Gain understanding of what students learn through participation in multi-casualty crash simulation exercise.	Medicine Nursing Social work	Collaboration within a team, confidence in co-workers and communication observed by students	Not reported	Not reported	Not reported	Semi structured interviews, questionnaires	Simulation with focus groups	Not reported
A. H. Wong et al., 2018 [61]	Examine impact of Sim-IPE for ED agitation management	Medicine Nursing PA Security	Significant improvements in attitudes toward learning with SEIPE and core competencies in IPC.	Not reported	Not reported	KidSIM ATTITUDES Questionnaire [31]	Focus groups, questionnaire	Facilitator-led simulation with SP and focus groups	Not reported
Sullivan et al., 2018 [62]	Investigate NTS in simulated trauma setting pre/post debriefing	Medicine Nursing	Interprofessional team simulation in trauma resuscitation scenarios followed by debriefing significantly improved communication and interaction	Not reported	PEARLS Framework [63]	Not reported	T-NOTECHS [64] ratings completed by facilitators	Facilitator-led simulation, debriefing	<p>Education Create space for discussion of team member responsibilities</p> <p>Learner-focused debriefing allows learners to reflect/set goals</p> <p>Facilitation strategies used by debriefers shape focus of debriefing</p> <p>Research Develop debriefing tool</p>

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Zimmermann et al., 2015 [65]	Describe development, implementation and impact of an Sim-IPE resuscitation program	Medicine Nursing	Not reported	Not reported	Kern’s Framework for Curriculum Development [41], 3D Model of Debriefing[66], Debriefing with Good Judgment [24], Van der Vleuten’s Framework [67]	Team Monitor [68]	Post simulation questionnaire TeamMonitor self-assessment	Monthly, facilitator-led in situ training sessions and debriefing guided by the 3D Model of Debriefing and Debriefing With Good Judgment	Education Specific needs analysis defined program goals Applying Kern’s Approach for Curriculum Design may help identify important objectives
Tsai et al., 2016 [69]	Evaluate efficacy and utility of simulation of the Emergency Airway Response Team to improve team dynamics, confidence, and knowledge in managing emergency airways.	Medicine Nursing RT	Not reported	Not reported	CRM [28]	Not reported	Pre/post simulation questionnaires	Facilitator-led simulations and debriefing	Education Those who are early in their clinical training benefit most from training. Research Impact on patient outcomes

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Steinemann et al., 2011 [70])	Evaluate impact of team training curriculum on communication/coordination, and clinical efficacy of trauma resuscitation	ED technicians Medicine Nursing RT	A human-based simulator curriculum can improve teamwork and clinical performance of trauma teams. Improvement evidenced in simulated and actual trauma settings.	Not reported	Not reported	Not reported	Prospective clinical data collected via chart review T-NOTECHS scale after resuscitation Debriefers reviewed video, recorded time to completion of 8 tasks	Facilitator-led simulation session, debriefing with teamwork expert	Research Length/format, interval for refresher training
Miller et al., 2012 [71])	Determine whether in-situ simulation program could be instituted in ED of a Level I trauma center and if teamwork/communication improve.	ED technicians Medicine Nursing Pharmacy RT	Teamwork and communication in clinical setting may be improved during in-situ simulation program.	Not reported	Not reported	Clinical Teamwork Scale (CTS) [25]	Observed trauma activations, CTS.	8-weeks of weekly in-situ trauma simulations, debriefing led by physician with simulation training	Education Simulations during less busy hours of day/week Moulage enhances enthusiasm Simulations must be continued to maintain learning Research Larger sample sizes and outcome measurement

Table 3: Summary of studies (continued)

Reference	Aims and purpose	Professions included in Sim-IPE	Effective in teaching IPC competencies?	IPC framework utilized	Theoretical framework utilized	IPC assessment tool utilized	Assessment tool utilized	Simulation description	Education and research recommendations
Ginsburg & Bain, 2017 [72])	Develop/ evaluate simulation workshop promoting speaking up behaviours	Medicine Nursing Allied health	Not reported	Not reported	Kirkpatrick's Hierarchy of Evaluation[35], Team STEPPS [32]	Not reported	Pretest teamwork climate data, Post test measures 3/7 months post workshop	Role playing simulations, small/large group debriefing	Research Larger sample sizes Impact on patient/system outcomes