

# Thésaurus et systèmes de traitement automatique de la langue Thesauri and Automatic Language Processing Tesauros y sistemas de tratamiento automático de la lengua

Lyne Da Sylva

Volume 52, numéro 2, avril-juin 2006

Les langages documentaires

URI : <https://id.erudit.org/iderudit/1030018ar>

DOI : <https://doi.org/10.7202/1030018ar>

[Aller au sommaire du numéro](#)

Éditeur(s)

Association pour l'avancement des sciences et des techniques de la documentation (ASTED)

ISSN

0315-2340 (imprimé)

2291-8949 (numérique)

[Découvrir la revue](#)

Citer cet article

Da Sylva, L. (2006). Thésaurus et systèmes de traitement automatique de la langue. *Documentation et bibliothèques*, 52(2), 149–156.  
<https://doi.org/10.7202/1030018ar>

Résumé de l'article

Cet article expose le rôle que le thésaurus documentaire classique est appelé à jouer dans certains systèmes de traitement automatique de la langue. Ce type de ressource lexicale est très prisé par le domaine du traitement automatique de la langue, puisqu'il permet d'appréhender, au moins en partie, la sémantique des documents. Cette capacité peut être mise à contribution dans un grand nombre d'applications différentes. Sont présentés les thésaurus les plus utilisés pour le traitement automatique, suivis des exigences particulières qui s'appliquent aux thésaurus pour le traitement automatique. Enfin, sont brièvement abordés les efforts de construction automatique de thésaurus.

# Thésaurus et systèmes de traitement automatique de la langue

LYNE DA SYLVA

École de bibliothéconomie et des sciences de l'information

Université de Montréal

lyne.da.sylva@umontreal.ca

## RÉSUMÉ | ABSTRACTS | RESUMEN

*Cet article expose le rôle que le thésaurus documentaire classique est appelé à jouer dans certains systèmes de traitement automatique de la langue. Ce type de ressource lexicale est très prisé par le domaine du traitement automatique de la langue, puisqu'il permet d'appréhender, au moins en partie, la sémantique des documents. Cette capacité peut être mise à contribution dans un grand nombre d'applications différentes. Sont présentés les thésaurus les plus utilisés pour le traitement automatique, suivis des exigences particulières qui s'appliquent aux thésaurus pour le traitement automatique. Enfin, sont brièvement abordés les efforts de construction automatique de thésaurus.*

### *Thesauri and Automatic Language Processing*

*The role of the classic thesaurus in certain systems of automatic language processing is the central theme of this article. This type of lexical resource is important in the field of automatic language processing because considers the semantics of documents. This capacity can become an asset with a wide range of applications. The thesauri used for automatic processing and their requirements are described. Finally, the projects to automatically construct thesauri are briefly discussed.*

### *Tesauros y sistemas de tratamiento automático de la lengua*

*Este artículo expone el papel que el tesauro documental clásico está llamado a desempeñar en algunos sistemas de tratamiento automático de la lengua. Este tipo de recurso léxico es muy apreciado por el campo del tratamiento automático de la lengua, porque permite comprender, al menos en parte, la semántica de los documentos. Esta capacidad puede ser aprovechada por numerosas aplicaciones diferentes. Se presentan los tesauros más utilizados para el tratamiento automático, seguidos de las exigencias particulares que se aplican a estos tesauros. Finalmente se aborda de manera breve los esfuerzos de construcción automática de tesauros.*

LE DOMAINE DE LA GESTION DOCUMENTAIRE voit apparaître de plus en plus de logiciels qui prétendent alléger ou même remplacer le traitement humain des documents. On a raison d'être sceptique devant leurs promesses de performance. Comment penser que ces systèmes de traitement automatique, qui ne traitent que des chaînes de caractères, puissent arriver à saisir le contenu conceptuel des documents qu'ils manipulent? Cet article vise à illustrer le rôle que joue le thésaurus documentaire, dans sa version la plus classique, dans certains systèmes de traitement automatique. L'exposé témoignera du grand intérêt porté à ce type de ressource lexicale par le milieu du traitement automatique de la langue (TAL). L'avantage principal du thésaurus dans ces systèmes est de permettre d'aller au-delà de la simple forme graphique des mots pour s'approcher d'une représentation du sens. Cette capacité accrue peut être mise à contribution dans un grand nombre d'applications différentes.

Notons déjà que la notion de thésaurus dans les contextes documentaires est souvent bien différente de celle qui est adoptée dans les systèmes informatiques. Dans le premier contexte, l'objet est bien défini et son développement est normalisé sur les plans national et international. Dans le deuxième contexte, le «thésaurus» est un concept flou, faisant référence à des dictionnaires de synonymes, des dictionnaires analogiques, des thésaurus documentaires, des réseaux sémantiques ou à des structures plus complexes que sont les ontologies.

Nous décrirons d'abord divers contextes d'utilisation des thésaurus attestés dans les écrits du domaine du TAL avant de recenser les principaux thésaurus utilisés dans ces travaux. Nous énoncerons les propriétés requises pour que les thésaurus puissent être utilisés par les systèmes de traitement automatique, ainsi qu'un certain nombre de problèmes récurrents. Une problématique reliée sera abordée, celle de la construction automatique de thésaurus. Nous conclurons avec quelques remarques prospectives quant à l'avenir du thésaurus pour les systèmes de traitement automatique.











- Alani, H., C. Jones et D. Tudhope. 2000. Associative and spatial relationships in thesaurus-based retrieval. In *Proceedings of Research and Advanced Technology for Digital Libraries, 4th European Conference, ECDL 2000 (Lecture Notes in Computer Science vol. 1923, 45-58)*.
- Ardo, A. et T. Koch. 1999. Automatic classification applied to full text Internet documents in a robot-generated subject index. In *Proceedings of the 23rd International Online Information Meeting*, 239-246.
- Bang, S.L., J.D. Yang et H.J. Yang. 2006. Hierarchical document categorization with k-NN and concept-based thesauri. *Information Processing & Management* 42 (2): 387-406.
- Barzilay, R. et M. Elhadad. 1997. Using lexical chains for text summarization. In *Proceedings of the ACL97/EACL97 Workshop on Intelligent Scalable Text Summarization*, Madrid, 11 juillet 1997, 10-17.
- Bertrand-Gastaldy, S. et G. Pagola. 1992. L'analyse du contenu textuel en vue de la construction de thésaurus et de l'indexation assistées par ordinateur: applications possibles avec SATO. *Documentation et bibliothèques* 38 (2): 75-89.
- Chali, Y. 2001. Topic detection using lexical chains. In *Engineering of Intelligent Systems: 14th International Conference on Industrial and Engineering Applications of Artificial Intelligence and Expert Systems, IEA/AIE 2001: Proceedings (Lecture Notes in Artificial Intelligence vol. 2070)*, 552-558.
- Chapman, R. et P. Roget. 1992. *Roget's International Thesaurus*. 5<sup>e</sup> éd. New York, NY: HarperCollins.
- Chartron, G., S. Dalbin, M.G. Monteil et M. Verillon. 1989. Indexation manuelle et indexation automatique: dépasser les oppositions. *Documentaliste — Sciences de l'information* 26 (4-5): 181-187.
- Chu, W.W., Z. Liu, W. Mao et Q. Zou. 2005. A knowledge-based approach for retrieving scenario-specific medical text documents. *Control Engineering Practice* 13 (9): 1105-1121.
- Crouch, C.J. 1990. Approach to the automatic construction of global thesauri. *Information Processing & Management* 26 (5): 629-640.
- Da Sylva, L. et F. Doll. 2005. Information architecture for document description: Semantic thematization of text segments. In K. Tochtermann et H. Maurer (dir.), *Proceedings of I-KNOW '05, 5th International Conference on Knowledge Management, Graz, Austria, 29 June-1 July 2005*, 612-620.
- Dejean, H., E. Gaussier, J.-M. Renders et F. Sadat. 2005. Automatic processing of multilingual medical terminology: Applications to thesaurus enrichment and cross-language information retrieval. *Artificial Intelligence in Medicine* 33 (2): 111-124 (Special Issue: Information Extraction and Summarization from Medical Documents).
- Denber, M. 1998. *Automatic resolution of anaphora in English*. Technical report, Eastman Kodak Co.
- Dillon, M. 1982. Thesaurus-based automatic book indexing. *Information Processing & Management* 18 (4): 167-178.
- Efthimiadis, E.N. 1996. Query expansion. In M.E. Williams (dir.), *Annual Review of Information Science and Technology* 31: 121-187.
- Eichmann, D., M.E. Ruiz et P. Srinivasan. 1998. Cross-language information retrieval with the UMLS Metathesaurus. In *Proceedings of the 21st Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, 72-80.
- Farzindar, A., G. Lapalme et J.-P. Desclés. 2004. Résumé de textes juridiques par identification de leur structure thématique. *Traitement Automatique des Langues (TAL)* 45 (1): 1-21. (Numéro spécial: Le résumé automatique de texte: solutions et perspectives).
- Ferlez, J. et M. Gams. 2004. Shortest-path semantic distance measure in WordNet v2.0. *Informatica* 28 (4): 381-386.
- Foo, S., S.C. Hui, H.K. Lim et L. Hui. 2000. Automatic thesaurus for enhanced Chinese text retrieval. *Library Review* 49 (5-6): 230-239.
- Ginsberg, A. 1993. Unified approach to automatic indexing and information retrieval. *IEEE Expert* 8 (5): 46-56.
- Gonzalo, J., F. Verdejo, C. Peters et N. Calzolari. 1998. Applying EuroWordNet to crosslanguage text retrieval. *Computers and the Humanities* 32 (2-3): 185-207.
- Greenberg, J. 2001a. Optimal query expansion (QE) processing methods with semantically encoded structured thesauri terminology. *Journal of the American Society for Information Science* 52 (6): 487-498.
- . 2001b. Automatic query expansion via lexical-semantic relationships. *Journal of the American Society for Information Science* 52 (5): 402-415.
- Grefenstette, G. 1994. *Explorations in automatic thesaurus discovery*. Dordrecht: Kluwer Academic.
- Guntzer, U., G. Juttner, G. Seegmuller et F. Sarre. 1989. Automatic thesaurus construction by machine learning from retrieval sessions. *Information Processing & Management* 25 (3): 265-273.
- Hajime, M., H. Takeo et O. Manabu. 1998. Text segmentation with multiple surface linguistic cues. In *Proceedings of COLING-ACL'98*, 881-885.
- Halliday, M. et R. Hasan. 1976. *Cohesion in English*. London: Longman.
- Harabagiu, S. 1999. From lexical cohesion to textual coherence: A data driven perspective. *International Journal of Pattern Recognition and Artificial Intelligence* 13 (2): 247-265.
- Hearst, M.A. 1997. TextTiling: Segmenting text into multi-paragraph subtopic passages. *Computational Linguistics* 23 (1): 33-64.
- Hernandez, N. et B. Grau. 2002. Analyse thématique du discours: segmentation, structuration, description et représentation. In *Actes de CIDE' 2002, Hammamet, Tunisie*, 277-285.
- Hidalgo, J.M.G., M. de Buenaga Rodriguez et J.C.C. Perez. 2005. The role of word sense disambiguation in automated text categorization. In *Natural Language Processing and Information Systems: 10th International Conference on Applications of Natural Language to Information Systems, NLDB 2005 (Lecture Notes in Computer Science 3513)*, 298-309.
- Hodge, V.J. et J. Austin. 2002. Hierarchical word clustering — automatic thesaurus generation. *Neurocomputing* 48: 819-846.
- Houde, S. 1992. L'apport des dictionnaires électroniques pour l'élaboration de thésaurus. *Documentation et bibliothèques* 38 (2): 91-95.
- Jarmasz, M. et S. Szpakowicz. 2003. Roget's thesaurus and semantic similarity. In *Proceedings of the International Conference on Recent Advances in Natural Language Processing (RANLP-03)*, 212-219.
- Kar, W.L. et C.C. Yang. 2005. Automatic crosslingual thesaurus generated from the Hong Kong SAR Police Department Web corpus for crime analysis. *Journal of the American Society for Information Science and Technology* 56 (3): 272-282.
- Kim, Y., B.T. Zhang et Y.T. Kim. 2001. Collocation dictionary optimization using WordNet and k-nearest neighbor learning. *Machine Translation* 16 (2): 89-108.
- Litkowski, K.C. 2001. Syntactic clues and lexical resources in question-answering. In *Information Technology: Ninth Text REtrieval Conference (TREC-9) (NIST SP 500-249)*, 157-166.
- Mandala, R., T. Tokunaga et H. Tanaka. 2000a. Query expansion using heterogeneous thesauri. *Information Processing & Management* 36 (3): 361-378.



- \_\_\_\_\_. 2000b. Improving information retrieval system performance by combining different text-mining techniques. *Intelligent Data Analysis* 4 (6): 489-511.
- Mitkov, R. 2002. *Anaphora Resolution*. London: Longman.
- Morin, E. et C. Jacquemin. 2004. Automatic acquisition and expansion of hypernym links. *Computers and the Humanities* 38 (4): 363-396.
- Morris, J. et G. Hirst. 1991. Lexical cohesion computed by thesaural relations as an indicator of the structure of text. *Computational Linguistics* 17 (1): 21-48.
- Nasukawa, T. 1994. Robust method of pronoun resolution using full-text information. In *Proceedings of the 15th International Conference on Computational Linguistics (COLING'94), Kyoto, Japan*, 1157-1163.
- Park, Y.C. et K.S. Choi. 1996. Automatic thesaurus construction using Bayesian networks. *Information Processing & Management* 32 (5): 543-553.
- Pizzato, L.A.S. 2003. Query expansion based on thesaurus relations: evaluation over Internet. In *Computational Linguistics and Intelligent Text Processing: 4th International Conference, CICLing 2003: Proceedings (Lecture Notes in Computer Science Vol. 2588)*, 553-556.
- Preiss, J. et M. Stevenson. 2004. Introduction to the special issue on word sense disambiguation. *Computer Speech and Language* 18 (3): 201-207.
- Putejovsky, J., J. Castano, J. Zhang, M. Kotecki et B. Cochran. 2002. Robust relational parsing over biomedical literature: Extracting inhibit relations. In *Proceedings of the Pacific Symposium on Biocomputing, Honolulu, Hawaii, 4-9 January 2000*, 362-373.
- Resnik, P. 1995. Using information content to evaluate semantic similarity. In *Proceedings of the 14th International Joint Conference on Artificial Intelligence (IJCAI), Montréal, 20-25 August 1995*, 448-453.
- Saggion, H. et G. Lapalme. 2002. Generating indicative-informative summaries with SumUM. *Computational Linguistics* 28 (4): 497-526.
- Salton, G. 1972. Experiments in automatic thesaurus construction for information retrieval. In *Information Processing 71: Proceedings of the IFIP Congress 1971, 1, Ljubljana, Yougoslavie, 23-28 August 1971*, 115-123.
- Shaikevich, A.Y. 1985. Automatic construction of a thesaurus from explanatory dictionaries. *Automatic Documentation and Mathematical Linguistics* 19 (4): 76-89.
- Soergel, D. 1999. The Rise of ontologies or the reinvention of classification. *Journal of the American Society for Information Science* 50 (12): 1119-1120.
- Srinivasan, P. 1996. Query expansion and MEDLINE. *Information Processing & Management* 32 (4): 431-443.
- Sugato B., R.J. Mooney, K.V. Pasupuleti et J. Ghosh. 2001. Evaluating the novelty of text-mined rules using lexical knowledge. In *Proceedings of the Seventh ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD-2001), San Francisco, California, 26-29 August 2001*, 233-238.
- Sumita, E., O. Furuse et H. Iida. 1995. An example-based disambiguation of English prepositional phrase attachment. *Systems and Computers in Japan* 26 (4): 30-41.
- Sussna, M. 1993. Word sense disambiguation for free-text indexing using a massive semantic network. In *Proceedings of the Second International Conference on Information and Knowledge Management (CIKM 93), Washington, DC, 1-5 November 1993*, 67-74.
- Takenobu, T., I. Makoto et T. Hozumi. 1995. Automatic thesaurus construction based on grammatical relations. In *Proceedings of the 14th International Joint Conference on Artificial Intelligence (IJCAI), pt. 2, Montréal, 20-25 August 1995*, 1308-1313.
- Tseng, Y.H. 2002. Automatic thesaurus generation for Chinese documents. *Journal of the American Society for Information Science and Technology* 53 (13): 1130-1138.
- Urena, L.A., J.M.G. Hidalgo et M. de Buenaga. 2000. Information retrieval by means of word sense disambiguation. In *Proceedings of the Third International Workshop on Text, Speech and Dialogue, TSD 2000. (Lecture Notes in Artificial Intelligence Vol. 902)*, 93-98.
- Voorhees, E. M. 1994. Query expansion using lexical-semantic relations. In *17th International Conference on Research and Development in Information Retrieval (SIGIR'94), Dublin, Ireland, 3-6 July 1994*, 61-69.
- Vossen, P. 1998. *EuroWordNet: A multilingual database with lexical semantic networks*. Dordrecht, Netherlands: Kluwer.
- Yang, C.C. et J. Luk. 2003. Automatic generation of English/Chinese thesaurus based on a parallel corpus in laws. *Journal of the American Society for Information Science and Technology* 54 (7): 671-682.
- Yarowsky, D. 1992. Word-sense disambiguation using statistical models of Roget's categories trained on large corpora. In *Proceedings of COLING-92, Nantes, France, 23-28 August 1992*, 454-460.
- Zhang, H.P., J. Sun, B. Wang et S. Bai. 2005. Computation on sentence semantic distance for novelty detection. *Journal of Computer Science and Technology (English Language Edition)* 20 (3): 331-337.
- Zhang, Z., L. Da Sylva, C. Davidson, G. Lizarralde, G. et J.Y. Nie. 2004. Domain-specific QA for the construction sector. In *Proceedings of the Workshop on Information Retrieval for Question Answering (IR4QA), SIGIR'04, Sheffield, UK, 29 July 2004*, 65-71.